



Wenona Project Archimedes

LANDSCAPE DESIGN

SECTION 96

DRAWING REGISTER

Scale	Drawing Title	Scale	Size
LA-S96-00	Cover Page	N/A	A1
LA-S96-01	Landscape Schedules	N/A	A1
LA-S96-02	Level 3 Landscape Plan	1:100	A1
LA-S96-03	Level 4 Landscape Plan	1:100	A1
LA-S96-04	Level 5 Landscape Plan	1:100	A1
LA-S96-05	Level 6 Landscape Plan	1:100	A1
LA-S96-06	Planting Schedule & Palette	NTS	A1
LA-S96-07	Landscape Sections	a/s	A1

GENERAL NOTES

* FOR TENDER ONLY_NOT FOR CONSTRUCTION

* Do not scale from drawings.

* All work to be carried out in accordance with the Landscape Technical Specification.

* All discrepancies or conflict to be brought to the attention of the Project Landscape Architect prior to construction or installation.

* Larger scale drawings and written dimensions take preference.

* All dimensions in mm unless stated otherwise.

* All tree dimensions and RLs in metres.

* Use figured dimensions only.

* Verify all dimensions on site before the commencement of any works.

* Contractors shall locate and protect all services prior to construction.

* All work shall be carried out in accordance with current versions of Australian Standards, BCA and Local Government Regulations.

* Structural Details shall be subject to Engineer's Specifications.

* Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.

* All work shall be carried out in a professional manner by Qualified Tradesperson according to the Landscape Drawings & Technical Specification and Engineer's Specifications.

*Protect all adjoining property building, walls and paving. Damaged elements are to be replaced at no cost to the client.

* No responsibility will be taken by 360 Degrees Landscape Architects Pty Ltd for any variations in design, construction method, materials specified and general specifications without permission from the Project Engineer or Landscape Architect.

*Service location on plans are indicative only. 360 Degrees Landscape Architects Pty Ltd accepts no responsibility for the accuracy of service locations. It is the responsibility of the contractor to determine service locations prior to the commencement of work. Any damages to services and associated damages remains the responsibility of the contractor and shall be rectified at no cost to the client.

* This Drawing is copyright to 360 Degrees Landscape Architects Pty Ltd.

LANDSCAPE FINISHES NOTES

* There are to be no sharp protusions or abrasive edges, obtrusive fittings and fixtures.

* Adjust extent of each type of soilworks and edging locally as required to accomodate final constructed locations of walls and pavements.

* All garden bed levels must be a minimum of 150mm below facade flashing and waterproof membrane to slab. Refer typical details.

* All paving and deck levels must be setout and co-ordinated with civil stormwater pits and trench drains prior to construction. Refer Civil Engineer's documentation.

* Contractor to provide an access hatch in timber decking for each pit located beneath timber deck.

* Adjust final location of soilworks and edging locally to suit service infrastructure including services, lines, pillars, valves and the like.

* Each area of turf extends to the entire area bounded by adjacent walls, pavements, edges and kerbs as shown.

* For all lighting locations to landscape areas refer to Electrical Engineers drawings. Final Location to be confirmed with Project Landscape Architect.

* Finish surface levels and contours are indicative only. Refer to Civil Engineers drawings for final levels.

* For all structural details of walls, pavements, and the like refer to Structural and/or Civil Engineer's documentation and specification.

* Sub soil drainage indicative only. Refer to Civil or Hydraulic Engineer's documentation for overland flow requirements, exten and details of all sub soil drainage.

* Existing trees to be retained are to be protected to Council and Project Arborist's requirements. No vehicular traffic, stockpiling or storage of materials within Tree Protection Zones (TPZs).

PLANTING NOTES

* Adjust final location of planting locally to suit service infrastructure including service lines, pillars, valves and the like.

* Adjust final variation of plant material as directed by Project Landscape Architect to suit final extent of each planting area.

* All trees in landscape grass seeded batter and turf areas are, unless otherwise noted, to be provided with a mulch ring with spade finish edge.

* Project Landscape Architect to inspect and approve all Plant material prior to delivery to site.

* Project Landscape Architect to inspect and approve all Plant material setout prior to install.

* Plant substitutes shall be approved by the Project Landscape Architect prior to ordering.

IRRIGATION NOTES

* Irrigation by specialist D&C Irrigation Consultant in accordance with the Performance Specification in the Landscape Technical Specification. Refer to Irrigation Consultant documentation for details and requirements of landscape irrigation system.

* Irrigation is to comply with Council Conditions of Consent and Water Authorities.

* All turf and garden beds within the site boundary are to be irrigated unless stated otherwise.

* Irrigation must be spaced at min. 300 centres and adjusted according to plant setout to provide adequate irrigation to all plants.

* Drip irrigation is to be fully concealed by 75mm minimum of mulch.

PRELIMINARY
NOT FOR CONSTRUCTION

Note:
Irrigation to be installed
in all garden beds

Rev	Amendment	Date	By
A	Client Presentation	08/04/16	BP
B	Section 96	11/06/16	GD
C	Section 96	14/06/16	GD

IMPORTANT NOTES:
Do not scale from drawings.
All discrepancies to be brought to the attention of the Project Landscape Architect.
Larger scale drawings and written dimensions take preference. All dimensions to be unless otherwise stated.
All tree dimensions are NTS.
Use figured dimensions only.
Verify all dimensions on site before the commencement of any works.
Verify all dimensions on site before the commencement of any works.
Contractors shall locate and protect all services prior to construction.
All work shall be carried out in accordance with BCA, BCA and Local Government Regulations.
Structural Details shall be subject to Engineer's Specifications.
Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.
All work shall be carried out in a professional manner by Qualified Tradesperson according to Landscape Drawings and Engineer's Specifications.
No responsibility will be taken by 360 Degrees Landscape Architects Pty Ltd for any variations in design, construction, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect.
This Drawing is copyright to 360 Degrees Landscape Architects Pty Ltd.

CLIENT
Wenona School

SCALE
N/A @ A1

CHECKED
GD

DRAWN
BP






STAGE
S96

DWG. TITLE
Cover Page

PROJECT
Wenona Project Archimedes

360°
Studio 1, 11 Mary's Place
Surry Hills, 2010
P 02 9332 3601
W 360.net.au
ABN 90 146 901 322

LA-S96-00

Finishes Schedule - Hardworks			
Code	Type	Finish	Colour / Size
K1	Kerb Type 1	Kerb & gutter	Refer to Civil Engineer's Detail
P1	Paving Type 1	Unit Pavers	
P2	Paving Type 2	To Architects Specification	
P3	Paving Type 3	Unit Pavers	
P4	Paving Type 4	Concrete Path	To North Sydney Council Guidelines
P5	Paving Type 5	Concrete Driveway	To North Sydney Council Guidelines & Civil Engineers Details
S1	Seat Type 1	Timber Bench Seat	1800mm (L)
S2	Seat Type 2	Custom Curved Timber Seat	400mm (H)
W1	Wall Type 1	Timber cladded Insitu concrete wall	To Architects Detail
W2	Wall Type 2	Concrete Insitu wall	To Architects Detail
TD	Timber Deck	To Architects Specification	To Architects Detail
TB	Timber Bench	Timber Work Bench	1000mm (H)
HC	Heritage Columns	To Architect's Details	
RWO	Rain Water Outlet	Rain Water Outlet	To Hydraulic Engineer's Detail
Finishes Schedule - Softworks			
Code	Type	Finish	Colour / Size
GB1	Garden Bed	Garden bed on grade with Mulch Type 1	Refer details
GB2	Garden bed	Garden bed on slab with drainage layer and Mulch Type 1	Depth varies
M1	Mulch Type 1	Forest Fines	Depth varies
	Tree to be retained and protected	Tree protection to Council Guidelines	-
T1, T2 etc	Tree Numbers	-	-
	Tree to be removed	-	-
	New tree	Mulch Type 1	-
Turf	Turf	To North Sydney Council Specification	-
Finishes Schedule - Levels & Drainage			
Code	Type	Finish	Colour / Size
+EX 88.00	Existing Level	-	-
+RL 89.00	Finish Level	-	-
+TOW 91.00	Top of Wall RL	-	-
+TOS 91.40	Top of Seat RL	-	-
	Grade / Direction of fall	-	-
	Grated Trench Drain	Heelsafe Antislip Grate	Stainless Steel

PRELIMINARY
NOT FOR CONSTRUCTION

Note:
Irrigation to be installed
in all garden beds

Rev	Amendment	Date	By
A	Section 96	14/06/16	GD

IMPORTANT NOTES:
Do not make field drawings.
All discrepancies to be brought to the attention of the Project Landscape Architect.
Larger scale drawings and photos determine site preference. All dimensions to fit unless otherwise stated.
All the measurements are true to nature.
Use figures dimensions only.
Verify all dimensions on site before the commencement of any works.
Ground levels shall be subject to Engineer's Specifications.
All work shall be carried out in accordance with BCA, BSA and Local Government Regulations.
Ground levels shall be subject to Engineer's Specifications.
All work shall be carried out in a professional manner by Qualified Tradesmen according to Landscape Drawings and Engineer's Specifications.
The responsibility will be taken by 360 Degrees Landscape Architects Pty Ltd for any variations in design, construction, materials, standards specified, and general maintenance without permission from the Project Engineer or Landscape Architect.
This Drawing is copyright to 360 Degrees Landscape Architects Pty Ltd.

CLIENT Wenona School
SCALE N/A @ A1

CHECKED GD
DRAWN BP
STAGE S96


DWG. TITLE
Landscape Schedules





PROJECT
Wenona Project Archimedes

360
Studio 1, 11 Mary's Place
Surry Hills, 2010
P 02 9332 3601
W 360.net.au
ABN 90 146 901 322

LA-S96-01



Iss	Amendment	Date	By	<p>IMPORTANT NOTES</p> <p>Do not scale from images.</p> <p>All dimensions are subject to the approval of the Landscape Architect.</p> <p>Larger scale drawings and section dimensions take precedence over smaller scale drawings.</p> <p>All line dimensions and R/Ls in notes.</p> <p>Use figured dimensions only.</p> <p>Verify all dimensions are and add details the construction of all assets.</p> <p>Consideration shall include and provide all services prior to construction.</p> <p>All work shall be carried out in accordance with ADA, BCA and Local Government Regulations.</p> <p>Relevant Details refer to subject to Engineer's Specification.</p> <p>Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.</p> <p>All work shall be carried out in a professional manner to Satisfy Stakeholder according to Landscape Drawings and Engineer's Specifications.</p> <p>Any responsibility shall be taken by 360 degrees for any variations in design, construction method, materials specified, and any other details that are not mentioned in the Project Engineer or Landscape Architect.</p> <p>This Drawing is copyright to 360 degrees.</p>	<p>CLIENT Wenona School</p> <p>SHEET 7 of</p> <p>CHECKED LB</p>	<p>DWG. TITLE</p> <p>Planting Schedule & Palette</p> <p>PROJECT</p> <p>Wenona Project Archimedes</p>	 <p>Studio 5/1 2-141 Street Sunny Hills NSW 2010 p +612 9332 3601 w www.360.net.au ABN: 90 146 901 322</p>	<p>LA-SG-06-06</p>	
	A	SECTION 96	14/06/16		GD				<p>SCALE N/A</p> <p>DRAWN BP</p> <p>ISSUE FOR DA</p>



IMPORTANT NOTES:

Do not scale from drawings
All dimensions to be brought to the attention of the Project Landscape Architect
Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated.
All true dimensions and R/Ls in metres.
Use Imperial dimensions only.
Verify all dimensions on site before the commencement of any works.
Contractors shall locate and protect all services prior to construction.
All work shall be carried out in accordance with AS/NZS, BCA and Local Government Regulations.
Structural details shall be subject to Engineer's Specifications.
Drainage & Water Features details shall be subject to Hydraulic Engineer's Specifications.
All work shall be carried out in a professional manner by Qualified Tradesmen according to Landscape Drawings Engineer's Specifications.
No responsibility will be taken by 999 Degrees Landscape Architects Pty Ltd for any variations in design, construction, materials specified, and general specifications without permission from the Project Engineer, Designer, Landscape Architect.

CHECKED GD
DRAWN BP
ISSUED FOR S96

360 
Studio 1, 1 Mary's Place
Surry Hills, 2010
P 02 9332 3601
W 360.net.au
ABN 90 146 901 322