Certificate number: 0000162420 Certificate Date: 02 Sep 2015 ★ Star rating: 4.4



#### Assessor details

Accreditation

number: VIC/BDAV/12/1457

Name: **B Carr** Organisation: **STS** 

Email: ENQUIRIES@SUSTAINABLETHERMAL

Phone: **0420312721** 

Declaration No potential conflicts of interest to

of interest: declare

Software: AccuRate Sustainability V2.3.3.13 SP2

AAO: BDAV

## **Overview**

## **Dwelling details**

Street: Unit 2.4, 175-177 Cleveland STREET

Suburb: REDFERN

State: NSW Postcode: 2016

Type: New NCC Class: 2

NatHERS

climate zone: **56** 

number: Lot 15,1,10,3,4,5/DI Exposure: Suburban

#### Key construction and insulation materials

(see following pages for details)

Construction: Brick Veneer

Roof - N/A Plywood

Insulation: R1.5 wall insulation

Ceiling (uninsulated) Floor (uninsulated)

Glazing: Aluminium Sliding Door SG 5Clr

43

# Net floor area (m²)

Conditioned: **39**Unconditioned: **4**Garage:

Annual thermal performance loads (MJ/m²)

 Heating:
 47

 Cooling:
 31


 TOTAL:
 78

### Plan documents

TOTAL:

Plan reference: 2014067

Prepared by: JPRA Architects



#### Ceiling penetrations

(see following pages for details)

Sealed: 0

TOTAL:\*\*

Unsealed:

\*\*NOTE: This total is the maximum number of ceiling penetrations allowed to a ceiling (under a roof) for this certificate. If this number is exceded in construction then this certificate IS NOT VALID and a new certificate is required. Loss of ceiling insulation for the penetrations listed has been taken into account with the rating.

Principle downlight type: No downlights modelled

0

0

# Window selection - default windows only

Note on allowable window values: With a 10% tolerance to the nominated SHGC window values shown on page 2, the following ratings are achieved:

-10% SHGC 4.4

+10% SHGC 4.4

NB: This tolerance ONLY applies to SHGC, the U-value can always be lower but not higher than the values stated on page 2.

If the rating listed above falls below 6.0 stars or the required rating, then the window with this tolerance can NOT be selected.

Scan to access this certificate online and confirm this is valid.



Certificate number: 0000162420 Certificate Date: 02 Sep 2015 ★

★ Star rating:



# **Building features**

Window type and performance value
-----------------------------------

Window ID	Window type	U-value	SHGC
AIR-006-03 A	ALL-WINDOWS: Aluminium Sliding Door SG 5Clr	6.20	0.73

## Window schedule

Location	Window ID	Window no.	Height (mm)	Width (mm)	Orientation	Outdoor shade
Kitchen/Living	AIR-006-03 A	living	1200	1200	Е	None
Kitchen/Living	AIR-006-03 A	living	2700	2400	Е	None

	<u> </u>		e value			
ID	Window	type			U-value	SHGC
None Presen	nt					
Roof windo	w and skylig	ht schedule				
Location	ID	Roof window/skylight no.	Area (m²)	Orientation	Outdoor shade	Indoor shade/diffuse

External wall type			
Туре	Insulation	Wall wrap or foil	
EW-001: Brick Veneer	Glass fibre batt: R1.5	Yes	
EW-005: Plasterboard	Glass fibre batt: R1.5	No	

## **External wall schedule**

Location	Wall type	Width (mm)	Height (mm)	Orientation	Fixed Shade	Eaves (mm)
Kitchen/Living	EW-001	1570	2700	E	No	
Kitchen/Living	EW-001	1400	2700	N	Yes	2700
Kitchen/Living	EW-001	2700	2700	Е	Yes	1800
Kitchen/Living	EW-001	3000	2700	S	Yes	2100
Bath	EW-005	500	2700	W	Yes	1600
Entrance/Hall	EW-005	1000	2700	W	Yes	1600

Internal wall type				
Wall type	Area (m²)	Insulation	Wall wrap or foil	
IW-001: Plasterboa	rd 37.1		No	
IW-002: Plasterboa	rd 43.6	Glass fibre batt: R1.5	No	

Floors					
Location	Construction	Area (m²)	Sub floor ventilation	Added insulation	Covering
Kitchen/Living/Ne	ig Concrete Suspended Slab 150	5.5			Ceramic tile

Certificate number: 0000162420 Certificate Date: 02 Sep 2015 ★ Star rating: 4



# **Building features continued**

hbour	mm: ceramic tile/air gap/plasterboard		
Kitchen/Living/Neig hbour	Concrete Suspended Slab 150 mm: timber/air gap/plasterboard	1.2	
Kitchen/Living/Neig hbour	Concrete Suspended Slab 150 mm: timber/air gap/plasterboard	17.3	
Bed/Neighbour	Concrete Suspended Slab 150 mm: carpet/air gap/plasterboard	10.0	Carpet 10 + rubber underlay 8
Bath/Neighbour	Concrete Suspended Slab 150 mm: ceramic tile/air gap/plasterboard	4.5	Ceramic tile
Entrance/Hall/Neig hbour	Concrete Suspended Slab 150 mm: timber/air gap/plasterboard	5.2	

Ceiling type					
Location	Construction	Added insulation	Roof space above		
Neighbour/Kitchen/ Living	Concrete Suspended Slab 150 mm: ceramic tile/air gap/plasterboard		No		
Neighbour/Kitchen/ Living	Concrete Suspended Slab 150 mm: timber/air gap/plasterboard		No		
Neighbour/Bed	Concrete Suspended Slab 150 mm: timber/air gap/plasterboard		No		
Neighbour/Bath	Concrete Suspended Slab 150 mm: ceramic tile/air gap/plasterboard		No		
Neighbour/Entranc e/Hall	Concrete Suspended Slab 150 mm: timber/air gap/plasterboard		No		

Location	Number	Туре	Diameter (mm) Sealed/unsealed
Kitchen/Living	8	Downlight	Unsealed
Bed	4	Downlight	Unsealed
Bath	3	Downlight	Unsealed
Entrance/Hall	3	Downlight	Unsealed

Ceiling fans			
Location	Number	Diameter (mm)	
None Present			

Roof type		
Construction	Added insulation	Roof colour
None Present		-



Additional information	

# **Explanatory notes**

## **About this report**

Residential energy ratings address the quality of the building fabric i.e. walls, windows, floors and roof/ceilings. Ratings do not cover the energy or water efficiency of appliances including heating and cooling, hot water, dishwashers, ovens, fridges, TVs etc. or solar panel or water tank requirements. The efficiency or specification of these items is generally covered by other regulations, standards or guidelines.

#### **General Information**

A NatHERS House Energy Rating is a comprehensive, dynamic computer modelling evaluation of the floorplans, elevations and specifications to predict an energy load of a home. Not all of us use our homes in the same way, so ratings are generated using standard assumptions. This means homes can be compared across the country.

The actual energy consumption of your home may vary significantly from the predicted energy load figures in this report depending on issues such as the size of your household and your personal preferences, e.g. in terms of heating or cooling.

While the figures are an indicative guide to energy use, they can be used as a reliable guide for comparative purposes between different house designs and for demonstrating that the design meets the required regulatory compliance.

Homes that are energy efficient use less energy, are warmer in winter, cooler in summer and cost less to run. The higher the star rating the more energy efficient.

This NatHERS House Energy Rating report was carefully prepared by your assessor on the basis of comprehensive modelling using standard procedures to rate your home using an underlying engine developed by the Australian Commonwealth Scientific and Industrial Research Organisation (CSIRO).

All information relating to energy loads presented in this report is based on a range of standard assumptions in order to allow for comparisons with reports prepared for other homes and to demonstrate minimum regulatory compliance. The standard assumptions include figures for occupancy, indoor air temperature and are based on a unique climate file for your region.

#### **Accredited Assessors**

To ensure you get a high-quality, professional NatHERS House Energy Rating report, you should always use an accredited assessor, accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO).

AAOs have specific quality assurance processes in place and continuing professional development requirements to maintain a high and consistent standard of assessments across the country. Non-accredited assessors do not have this level of quality assurance or any on-going training requirements.

If you have any questions or concerns about this report, please direct them to your assessor in the first instance.

If your assessor is unable to address your questions or concerns, please contact their AAO listed under 'assessor details'. You can also find a range of information about accredited assessors on the AAO websites.

## **Disclaimer**

The energy values quoted are for comparison purposes only; they are not a prediction of actual energy use. This rating only applies to the floor plan, construction details, orientation and climate as submitted and included in the attached drawing set that bears a stamp with the same number as this certificate. Changes to any of these details could affect the rating.

#### Contact

For more information on the Nationwide House Energy Rating Scheme (NatHERS), visit www.nathers.gov.au For more information on energy efficient design and insulation visit www.yourhome.gov.au