PROJECT: PRESTONS DISTRIBUTION CENTRE, DEVELOPMENT

Cnr Yarrunga Steet & Bernera Road Prestons NSW

DRAWING SHEETS:

L000: Cover Sheet

L101: Landscape Plan 01


L102: Landscape Plan 02

L201: Detail Plan 01

L202: Detail Plan 02

L203: Detail Plan 03

L501: Design images, Specification & Plant Schedule



DATE

02.06.17

19.06.17 27.06.17 **PURPOSE**

Landscape Architect's work is subject to Copyright. Documents should not be used contray to the purpose of the issue without written permission from

NEVER scale off drawings, use figured dimensions only. Drawings indicate scope of works and general setout. These are not shop drawings. CLIENT

LOGOS PROPERTY

PROJECT PRESTONS INDUSTRIAL ESTATE, PROPOSED WAREHOUSE DEVELOPMENT

DRAWING TITLE

Cover Sheet

CHECKED	PLOT DATE
DV	27.06.17
DRAWING NO.	REVISION
L000	С
	DV DRAWING NO.

Suite 25, 13-29 Nichols Street, Surry Hills, NSW, 2010

(02) 9360 7771

www.habit8.com.au






ISSUE

REVISION DATE PURPOSE
A 02.06.17 FOR REVIEW
B 19.06.17 FINAL REVIEW

27.06.17

Section 96



LEGEND

----Tranmission Wire Easement

Mass planting beds

. . . . Grass areas

---- Garden Edging

Landscape Architect's work is subject to Copyright. Documents should not be used contray to the purpose of the issue without written permission from Habit8.

NEVER scale off drawings, use figured dimensions only. Drawings indicate scope of works and general setout. These are not shop drawings.

CLIENT

LOGOS PROPERTY



PROJECT

PRESTONS INDUSTRIAL ESTATE, PROPOSED WAREHOUSE DEVELOPMENT

DRAWING TITLE

LANDSCAPE PLAN 01

SCALE

1:500@A1 / 1:1000@A3

DRAWN CHECKED DV

PROJECT NO. DRAWING NO. REVISION

H8-16040 L101

PLOT DATE

27.06.17

Suite 25, 13-29 Nichols Street, Surry Hills, NSW, 2010 (02) 9360 7771

www.habit8.com.au






ISSUE

 REVISION
 DATE
 PURPOSE

 A
 02.06.17
 FOR REVIEW

 B
 19.06.17
 FINAL REVIEW

 C
 27.06.17
 Section 96



LEGEND

———Tranmission Wire Easement

Mass planting beds
Grass areas

---- Garden Edging

Landscape Architect's work is subject to Copyright. Documents should not be used contray to the purpose of the issue without written permission from Habit8.

NEVER scale off drawings, use figured dimensions only. Drawings indicate scope of works and general setout. These are not shop drawings.

CLIENT

LOGOS PROPERTY



PLOT DATE

27.06.17

REVISION

PROJECT

PRESTONS INDUSTRIAL ESTATE, PROPOSED WAREHOUSE DEVELOPMENT

DRAWING TITLE

LANDSCAPE PLAN 02

SCALE 1:500@A1 / 1:1000@A3

DRAWN CHECKED
DV

PROJECT NO. DRAWING NO.

H8-16040 L102 C

Suite 25, 13-29 Nichols Street, Surry Hills, NSW, 2010


(02) 9360 7771

www.habit8.com.au

ABN: 19 164 285 250


Create communicate rejuvenate













Entry banding planting B



Entry banding planting C



Entry trees



Gabion wall - Signage base



River pebble mulch

Not For Construction

Landscape Architect's work is subject to Copyright. Documents should not be used contray to the purpose of the issue without written permission from

NEVER scale off drawings, use figured dimensions only. Drawings indicate scope of works and general setout. These are not shop drawings.

CLIENT





PLOT DATE

PURPOSE

FOR REVIEW

FINAL REVIEW

Section 96

PROJECT PRESTONS INDUSTRIAL ESTATE, PROPOSED WAREHOUSE DEVELOPMENT

DRAWING TITLE

Detail Plan 01(Typical) Intersection Landscape

SCALE

1:100@A1 or 1:200@A3 DRAWN CHECKED


27.06.17 DV DRAWING NO. PROJECT NO. REVISION


H8-16040 L201


Suite 25, 13-29 Nichols Street, Surry Hills, NSW, 2010 (02) 9360 7771

www.habit8.com.au











DATE

02.06.17

19.06.17

27.06.17

PURPOSE

FOR REVIEW

Section 96

FINAL REVIEW

REVISION





Entry Sinage





Entry banding planting A





Gabion wall - Signage base





Detail Plan 03 (Typical)
Secondary Entrance_Option A SCALE

DRAWING TITLE

LOGOS PROPERTY

WAREHOUSE DEVELOPMENT

1:100@A1 or 1:200@A3 PLOT DATE DRAWN CHECKED 27.06.17

PROJECT NO. DRAWING NO. REVISION H8-16040 L202

Landscape Architect's work is subject to Copyright. Documents should not be used contray to the purpose of the issue without written permission from

NEVER scale off drawings, use figured dimensions only. Drawings indicate scope of works and general setout. These are not shop drawings.

PRESTONS INDUSTRIAL ESTATE, PROPOSED


Suite 25, 13-29 Nichols Street, Surry Hills, NSW, 2010 (02) 9360 7771

www.habit8.com.au



Entry banding planting C





REVISION DATE 02.06.17

PURPOSE FOR REVIEW 19.06.17 FINAL REVIEW 27.06.17 Section 96

LEGEND --- Tranmission Wire Easement Mass planting beds ---- Garden Edging

Landscape Architect's work is subject to Copyright. Documents should not be used contray to the purpose of the issue without written permission from Habit8.

NEVER scale off drawings, use figured dimensions only. Drawings indicate scope of works and general setout. These are not shop drawings. CLIENT

LOGOS PROPERTY

PROJECT

PRESTONS INDUSTRIAL ESTATE, PROPOSED WAREHOUSE DEVELOPMENT

DRAWING TITLE

Detail Plan 02 Aboriginal Archaeology Area

SCALE

1:100@A1 or 1:200@A3

CHECKED DRAWN

DV

PROJECT NO. DRAWING NO. REVISION

H8-16040 L203

Suite 25, 13-29 Nichols Street, Surry Hills, NSW, 2010 (02) 9360 7771

PLOT DATE

27.06.17

www.habit8.com.au



Not For Construction



Phormium Bronze Baby




Araucaria heterophylla




Ficus hillii



Allocasuarina littoralis





Callistemon citrinus

Elaeocarpus reticulatus

Westringia fruticosa



Bursaria spinosa



Pittosporum tenuifolium



Acmena smithi





Syncarpia glomulifera



Hakea salicifolia




Lagerstroemia indica



Austrodanthonia fulva



Yucca .sp



Eucalyptus moluccana





Leptospermum petersonii



Doryanthes excelsa



Billardiera scandens

SPECIFICATION NOTES

SERVICES

Before landscape work is commenced the Landscape Contractor is to establish the position of all service lines and ensure tree planting is carried out at least 3 metres away from these services. Service lids, vents and hydrants shall be left exposed and not covered by any andscape finishes (turfing, paving, garden beds etc.) Finish adjoining surfaces flush with pit lids.

PLANTING MIXTURE

Shall be homogenous blend of soil and additives in the following proportions: Existing site soil if suitable or Imported Topsoil 50% Compost 30%

D/W Sand 20%

Soil:BENEDICT Smartmix[™] #6 Native Garden Soil Mix. Ph: (02) 9986 3500 www.benedict.com.au

MULCH

APPLICATION: Place mulch to the required depth, (refer to drawings) clear of plant stems, and rake to an even surface finishing 25mm below adjoining levels. Ensure mulch is watered in and tamped down during installation.

MULCH TYPE: Type 1 (Mass planting):

Pine bark: From mature trees, graded in size from 15mm to 30mm, free from wood slivers. Dark brown in colour and texture.

COMPOST

Shall be well rotted vegetative material or animal manure, or other approved material, free from harmful chemicals, grass and weed growth and with neutral pH. Provide a certificate of proof of pH upon request. Shall be 'Spent Mushroom Compost'. Typical of the compost used throughout the mushroom industry with neutral pH value free from grass and weed growth. Provide a certificate of proof of pH value of compost upon request.

PLANT MATERIAL

All plants supplied are to conform with those species listed in the Plant Schedule on the drawings. Generally plants shall be vigorous, well established, hardened off, of good form consistent with species or variety, not soft or forced, free from disease or insect pests with large healthy root systems and no evidence of having been restricted or damaged. Trees shall have a leading shoot. Immediately reject dried out, damaged or unhealthy plant material before planting. All stock is to be container grown for a minimum of six (6) months prior to delivery to site.

FERTILISER

MASS PLANTING AREAS: Fertiliser shall be 'Nutricote' or approved equivalent in granule form intended for slow release of plant nutrients over a period of approximately nine months. Thoroughly mix fertiliser with planting mixture at the recommended rate, prior

TURF: Shall be Shirleys No. 17 or approved equal thoroughly mixed into the topsoil prior to placing turf.

TREES IN GRASS AND SUPER ADVANCED TREES: Pellets shall be in the form intended to uniformly release plant food elements for a period of approximately nine months equal to Shirleys Kokei pellets, analysis 6.3:1.8:2.9. Kokei pellets shall be placed at the time of planting to the base of the plant, 50mm minimum from the root ball at a rate of two pellets per 300mm of top growth to a maximum of 8 pellets per tree.

STAKING AND TYING

Stakes shall be straight hardwood, free from knots and twists, pointed at one end and sized according to size

- of plants to be staked.
- a. 5-15 litre size plant 1x(1200x25x25mm)
- b. 35-75 litre size plant 2x(1500x38x38mm)
- c. 100-greater than 200litre 3x(1800x50x50mm)

Ties shall be 50mm wide hessian webbing or approved equivalent nailed or stapled to stake. Drive stakes a minimum one third of their length, avoiding damage to the root system, on the windward side of the plant.

Obtain turf from a specialist grower of cultivated turf. Turf shall be of even thickness, free from weeds and other foreign matter; lay in stretcher pattern with joints staggered and close butted. Water immediately after laying. TURF TYPE: KIKUYU

Plants for Carparks, Roads and Office Buildings

BOTANICAL NAME	COMMON NAME	MATURE HEIGHT
Trees		5 =:
Angophora floribunda	Rough-barked Apple	15-20m
Casuarina cunninghamiana	River She Oak	15-20m
Eucalyptus haemastoma	Scribbly Gum	12-18m
Eucalyptus punctata	Grey Gum	10-20m
Eucalyptus molucanna	Grey Box	12-18m
Elaeocarpus reticulatus	Blueberry Ash	8m
Fraxinus oxycarpa Raywoodii	Claret Ash	8m
Lagerstroemia indica	Crepe Myrtle	8m
Tristaniopsis laurina	Water Gum	6-8m
Shrubs		
Acacia falcata	Sickle Wattle	5m
Acacia floribunda	White Sally	4-6m
Acmena smithii	Lilly-pilly	1.8m (Hedging)
Bursaria spinosa	Boxthorn	4m
Callistemon citrinus	Scarlet Bottlebrush	4m
Callistemon citrinus 'White Anzac'	White Anzac Bottlebrush	1m
Doryanthes excelsa	Gymea Lily	3m
Banksia ericifolia	Heath Banksia	3m
Grevillea 'Robyn Gordon'	Grevillea 'Robyn Gordon'	1.5m
Grevillea rosmarinifolia	Rosemary Grevillea	2m
Leptospermum sp.		3m
Melaleuca ericifolia	Swamp paperbark	3m
Melaleuca nesophyla		3m
Pittosporum tenuifolium	New Zealand Pittosporum	3m
Pultenaea villosa	Hairy Bush-pea	2m
Pittosporum undulatum	Pittosporum	3m
Westringia fruticosa	Coast Rosemary	1.5m
Groundcovers		
Dianella caerulea	Blue Flax-lily	1m
Dianella revoluta	Blue Flax-lily, Spreading Flax-lily	1m
Dichondra repens	Kidney-weed, Mercury Bay Weed	0.2m
Hardenbergia violacea	False Sarsaparilla	0.5m
Lomandra longifolia	Spiny-headed Mat-rush	1m
Myoporum parvifolium	Creeping Boobialla	0.5m
Viola hederacea	Native Violet	0.2m

LANDSCAPE MAINTENANCE PROGRAM

Maintenance shall mean the care and maintenance of the landscape works by accepted horticultural practice as rectifying any defects that become apparent in the landscape works under normal use. This shall include, but shall not be limited to, watering, mowing, fertilising, reseeding, returfing, weeding, pest and disease control, staking and tying, replanting, cultivation, pruning, aerating, renovating, top dressing, maintaining the site in a neat and tidy condition as follows:-

GENERAL

The landscape contractor shall maintain the landscape works for the term of the maintenance (or Plant establishment) period to the satisfaction of the council. The landscape contractor shall attend to the site on a weekly basis. The maintenance period shall commence at practical completion and continue for a period of twenty six (26) weeks.

WATERING

Grass, trees and garden areas shall be watered regularly so as to ensure continuous

RUBBISH REMOVAL

During the term of the maintenance period the landscape contractor shall remove rubbish that may occur and reoccur throughout the maintenance period. This work shall be carried out regularly so that at weekly intervals the area may be observed in a completely clean and tidy condition.

REPLACEMENTS

The landscape contractor shall replace all plants that are missing, unhealthy or dead at the Landscape Contractor's cost. Replacements shall be of the same size, quality and species as the plant that has failed unless otherwise directed by the Landscape Architect. Replacements shall be made on a continuing basis not exceeding two (2) weeks after the plant has died or is seen to be missing.

STAKES AND TIES

The landscape contractor shall replace or adjust plant stakes, and tree guards as necessary or as directed by the Landscape Architect. Remove stakes and ties at the end of the maintenance period if so directed.

Trees and shrubs shall be pruned as directed by the Landscape Architect. Pruning will be directed at the maintenance of the dense foliage or miscellaneous pruning and beneficial to the condition of the plants. Any damaged growth shall be pruned. All pruned material shall be removed from the site.

MULCHED SURFACES

All mulched surfaces shall be maintained in a clean and tidy condition and be reinstated if necessary to ensure that a depth of 75mm is maintained. Ensure mulch is kept clear of plant stems at all times.

PEST AND DISEASE CONTROL

The landscape contractor shall spray against insect and fungus infestation with all spraying to be carried out in accordance with the manufacturer's directions. Report all instances of pests and diseases (immediately that they are detected) to the Landscape Architect.

GRASS AND TURF AREAS

The landscape contractor shall maintain all grass and turf areas by watering, weeding, reseeding, rolling, moving, trimming or other operations as necessary. Seed and turf species shall be the same as the original specified mixture. Grass and turf areas shall be sprayed with approved selective herbicide against broad leafed weeds as required by the Landscape Architect and in accordance with the manufacturer's directions. Grass and turf areas shall be fertilised once a year in autumn with "Dynamic Lifter" for lawns at a rate of 20kg per 100m2. Fertiliser shall be watered in immediately after application. Irregularities in the grass and turf shall be watered in immediately after application.

Grass and turf areas shall be kept mown to maintain a healthy and vigorous sward. Mowing height: 30-50mm.

WEED ERADICATION

Eradicate weeds by environmentally acceptable methods using a non-residual glyphosate herbicide (eg. 'Roundup') in any of its registered formulae, at the recommended maximum rate. Regularly remove by hand, weed growth that may occur or recur throughout grassed, planted and mulched areas. Remove weed growth from an area 750mm diameter around the base of trees in grassed areas. Continue eradication throughout the course of the works and during the maintenance period.

SOIL SUBSIDENCE

Any soil subsidence or erosion which may occur after the soil filling and preparation operations shall be made good by the landscape contractor at no cost to the client.

Landscape Architect's work is subject to Copyright. Documents should not be used contray to the purpose of the issue without written permission from

NEVER scale off drawings, use figured dimensions only. Drawings indicate scope of works and general setout. These are not shop drawings.

CLIENT

ISSUE

REVISION

DATE

02.06.17

19.06.17

27.06.17

PURPOSE

FOR REVIEW

Section 96

FINAL REVIEW

LOGOS PROPERTY

PROJECT

PRESTONS INDUSTRIAL ESTATE, PROPOSED WAREHOUSE DEVELOPMENT

DRAWING TITLE

Construction Details (Indicative)

SCALE As Shown DRAWN CHECKED PLOT DATE DV 27.06.17 PROJECT NO. DRAWING NO. REVISION H8-16040 L501

Suite 25, 13-29 Nichols Street, Surry Hills, NSW, 2010

(02) 9360 7771

www.habit8.com.au

ABN: 19 164 285 250



Not For Construction