

Place Management NSW Level 4, 66 Harrington Street, Sydney NSW 2000 PO Box N408, Grosvenor Place NSW 1220 Tel 02 9240 8500 | www.property.nsw.gov.au

10/01/19

Jason Sinn Grocon (Darling Harbour) Pty Ltd Legion House, Level 4, 161 Castlereagh Street Sydney 2000

Dear Mr Sinn

Re: Application for Landowners Consent – Reference Number LOC 10445 Address: Sydney Imax (Hotel) Redevelopment, 31 Wheat Road, Darling Harbour

We refer to your request for landowner's consent for Landowners Consent for the following:

• Application for Material Approval (Section 4.55(1a) Modification: Open Roof)

Place Management NSW has considered the application and based on the information provided, grants landowner's consent to lodge your application with the appropriate consent authorities.

In considering your request for landowner's consent, PMNSW notes the following:-

- The revised design will provide an open roof over the approved pool structure;
- The provision of an open pool structure may expose the pool area to potential pollutants from the nearby exhaust for the Cross-City Tunnel;
- Surrounding air quality on pool deck is to be constantly monitored to ensure that air quality levels do not detrimentally impact the health of hotel patrons;
- An alarm and strobe lights will be fitted around the pool to warn patrons to evacuate area when air quality begins to deteriorate;
- A plan of management will be adopted to inform staff on the management of the open pool deck area in case of an adverse air quality incident; and
- The submitted analysis report prepared by ERM in support of the current LOC application concludes that the risk of exceedances of the NSW EPA ambient air quality criteria (using nitrous oxide as a marker) associated with the operation of the Level 29 pool area is minor.

Please note that landowner's consent does **not** constitute statutory approval for the proposed works. Approval from the relevant consent authorities is required prior to the commencement of works.

Note: Before any works commence Place Management NSW must be notified.

If you have any questions, please contact Michelle King on 02 9240 8806.

Yours sincerel Jane Donaldson Jane`