

**Industry Assessments** 

Contact: Lawrence Huang Phone: (02) 9228 6236 Fax: (02) 9228 6555

Email: Lawrence.Huang@planning.nsw.gov.au

Mr Paul Solomon Frasers Property Industrial Constructions Pty Ltd Level 13, 1C Homebush Bay Drive RHODES NSW 2138 Our Ref: SSD 7564 File:16/04982

Dear Mr Solomon

State Significant Development - Secretary's Environmental Assessment Requirements Proposed Warehouse/Distribution and Industrial Facility, Frasers Property,

Horsley Drive Business Park (SSD 7564)

Please find attached the Secretary's Environmental Assessment Requirements (SEARs) for the proposed warehouse/distribution and industrial facility at Horsley Drive Business Park in the Fairfield LGA.

The SEARs have been prepared in consultation with the relevant government agencies and Fairfield City Council (see **Attachment 2**), and are based on the information you have provided to date. Unfortunately, the Department of Primary Industries (DPI) were unable to respond in time. As such, the Department will forward you a copy of DPI's submission as soon as it is received.

Please note that the Department may alter the SEARs at any time. You must consult further with the Department if you do not lodge a development application and EIS for the development within two years of the date of issue of these SEARs. The Department will review the Environmental Impact Statement (EIS) before publicly exhibiting it and will require you to submit an amended EIS if it does not address the SEARs.

I wish to emphasise the importance of effective and genuine community consultation and the need for the proposal to proactively respond to the community's concerns. Accordingly, you must undertake a comprehensive, detailed and genuine community consultation and engagement process during the preparation of the EIS. This process must ensure that the community is informed of the development and engaged with issues of concern to it. Sufficient information must be provided to the community to enable a good understanding of the development and any potential impacts.

Your development may require a separate approval under Commonwealth *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act). If EPBC Act approval is required, please advise the Department accordingly, as the Commonwealth approval process may be integrated into the NSW approval process, and supplementary SEARs may need to be issued.

Please contact the Department at least two weeks before you lodge the EIS and any associated documentation for the development. This will enable the Department to determine the:

- applicable fee (under Division 1AA, Part 15 of the *Environmental Planning and Assessment Regulation 2000*); and
- consultation and public exhibition arrangements, including copies and format requirements of the EIS.

If you have any enquiries about these SEARs, please contact Lawrence Huang on the above details.

Yours sincerely

Joanna Bakopanos
Acting Director

**Industry Assessments** 

As the delegate of the Secretary

De 2 18/4/16

# Secretary's Environmental Assessment Requirements

Section 78A(8A) of the Environmental Planning and Assessment Act 1979

**State Significant Development** 

Application Number	SSD 7564	
Development	Construction of a warehouse/distribution and industrial facility including two warehouses and ancillary offices with a gross floor area of approximately 18,800 m <sup>2</sup> .	
Location	Proposed Lot 2 within the Horsley Drive Business Park, corner of Horsley Drive and Cowpasture Road, Wetherill Park, Fairfield LGA (Part Lots 24 and 25 in DP 13961, Part Lot 1 in DP 1036933 and Part Lot 10 in DP 879209)	
Applicant	Frasers Property Industrial Constructions	
Date of Issue	April 2016	
General Requirements	The Environmental Impact Statement (EIS) for the development must meet the form and content requirements in clauses 6 and 7 of Schedule 2 of the Environmental Planning and Assessment Regulation 2000. In addition, the EIS must include:  • a detailed description of the development, including:  - the need for the proposed development;  - justification for the proposed development;  - likely staging of the development;  - likely interactions between the development and existing, approved and proposed operations in the vicinity of the site; and  - plans of any proposed building works;  • consideration of all relevant environmental planning instruments, including identification and justification of any inconsistencies with these instruments;  • a risk assessment of the potential environmental impacts of the development, identifying the key issues for further assessment;  • a detailed assessment of the key issues specified below, and any other significant issues identified in this risk assessment, which includes:  - a description of the existing environment, using sufficient baseline data;  - an assessment of the potential impacts of all stages of the development, including any cumulative impacts, taking into consideration relevant guidelines, policies, plans and statutes; and  - a description of the measures that would be implemented to avoid, minimise, mitigate and if necessary, offset the potential impacts of the development, including proposals for adaptive management and/or contingency plans to manage significant risks to the environment; and  • a consolidated summary of all the proposed environmental management and monitoring measures, highlighting commitments included in the EIS.  The EIS must also be accompanied by a report from a qualified quantity surveyor providing:  • a detailed calculation of the capital investment value (CIV) of the proposal as defined in clause 3 of the Environmental Planning and Assessment Regulation 2000, including details of all components of the CIV;  • an estimate of the jobs that	
Key issues	The EIS must address the following specific matters:  • Strategic and Statutory Context – including:  – detailed justification for the proposal and the suitability of the site; and	

 demonstration that the proposal is generally consistent with all relevant planning strategies, environmental planning instruments, development control plans (DCPs), and the HDBP Conceptual Proposal (SSD 5169) and justification for any inconsistencies.

### • Traffic and Transport – including:

- a Traffic Impact Assessment detailing all daily and peak traffic and transport movements likely to be generated (vehicle, public transport, pedestrian and cycle trips) during construction and operation of the development, including a description of vehicle access routes and the impacts on nearby intersections;
- details of access to the site from the road network including intersection location, design and sight distance;
- an assessment of predicted impacts on road safety and the capacity of the road network to accommodate the development;
- plans of any road upgrades or new roads required to service the development, if necessary;
- detailed plans of the proposed layout of the internal road network and parking provision on-site in accordance with the relevant Australian Standards; and
- details of the likely dangerous goods to be transported on arterial and local roads to/from the site, if any, and the preparation of an incident management strategy, if relevant.

### Urban Design and Visual – including:

- layout of the development including staging, site coverage, setbacks, proposed open space and landscaped areas;
- suitable landscaping incorporating endemic species;
- the layout and design of the development having regard to the surrounding vehicular, pedestrian and cycling networks;
- a detailed description (including photomontages and perspectives) of the facility (buildings and storage areas) including height, colour, scale, bulk, building materials and architectural treatments and finishes, signage, lighting and any retaining walls, particularly from nearby public receivers and significant vantage points within the broader public domain:
- provision of a report that assesses compliance with the requirements of AS4282-1997 – Control of the obtrusive effects of outdoor lighting; and
- proposed cut and fill works associated with the development, if relevant.

### Noise and Vibration—including:

- a description of all potential noise and vibration sources during the construction and operational phases of the development, including on and off-site traffic noise;
- a noise impact assessment that considers the cumulative noise impact of the proposed development in accordance with the relevant Environment Protection Authority guidelines; and
- details of noise mitigation, management and monitoring measures.

### Soils and Water – including:

- a description of the water demands and a breakdown of water supplies;
- a description of the measures to minimise water use;
- a detailed water balance;
- a description of all wastewater generated on-site;
- a description of the proposed erosion and sediment controls during construction and operation;
- a description of the surface and stormwater management system, including on-site detention, and measures to treat or re-use water;
- an assessment of potential surface and groundwater impacts associated with the development; and
- details of impact mitigation, management and monitoring measures.

### Air Quality – including:

- an assessment of the air quality impacts at private properties during construction and operation of the development, in accordance with

- relevant Environment Protection Authority guidelines; and
   details of any mitigation, management and monitoring measures required to prevent and/or minimise emissions.

  Hazards and Risk including:
- If the storage of dangerous goods is proposed on-site the Environmental Impact Statement must include a preliminary risk screening completed in accordance with State Environmental Planning Policy No. 33 Hazardous and Offensive Development and Applying SEPP 33 (DoP, 2011), with a clear indication of class, quantity and location of all dangerous goods and hazardous materials associated with the development. Should preliminary screening indicate that the project is "potentially hazardous" a Preliminary Hazard Analysis (PHA) must be prepared in accordance with Hazardous Industry Planning Advisory Paper No. 6 Guidelines for Hazard Analysis (DoP, 2011) and Multi-Level Risk Assessment (DoP, 2011).
- Infrastructure Requirements including
  - a detailed written and/or geographical description of the infrastructure required on-site;
  - identification of any infrastructure upgrades required off-site to facilitate the development, and describe any arrangements to ensure the upgrades will be implemented in a timely manner and maintained;
  - a description of how infrastructure on and off-site will be co-ordinated and funded to ensure it is in place prior to commencement of operation;
  - a detailed description of cooling/heating systems to be installed on-site.
- Greenhouse Gas and Energy Efficiency including an assessment of the energy use on site, and demonstrate what measures would be implemented to ensure the proposal is energy efficient.
- Ecologically Sustainable Development including an assessment of how the development will incorporate ecologically sustainable development principles in all phases of the development.
- Waste including:
  - details of the quantities and classification of all waste streams to be generated on-site;
  - details of waste storage, handling and disposal; and
  - details of the measures that would be implemented to ensure the development is consistent with the aims, objectives and guidance in the NSW Waste Avoidance and Resource Recovery Strategy 2014-2021.
- Contributions including:
  - Consideration of Council's Section 94/94A Contribution Plan and/or details of any Voluntary Planning Agreement.

### Plans and Documents

The EIS must include all relevant plans, architectural drawings, diagrams and relevant documentation required under Schedule 1 of the *Environmental Planning and Assessment Regulation 2000*. You should provide these as part of the EIS rather than as separate documents.

#### Consultation

During the preparation of the EIS, you must consult with the relevant local, State or Commonwealth Government authorities, service providers, community groups and affected landowners. In particular you must consult with:

- · Fairfield City Council;
- Department of Primary Industries;
- Transport for NSW;
- · Roads and Maritime Services;
- Sydney Water;
- WaterNSW:
- TransGrid; and
- local residents and stakeholders.

The EIS must describe the consultation process and the issues raised, and identify where the design of the development has been amended in response to these issues. Where amendments have not been made to address an issue, a short explanation should be provided.

Further consultation after 2 years	If you do not lodge an EIS for the development within 2 years of the issue date of these SEARs, you must consult with the Secretary in relation to any further requirements for lodgement.
References	The assessment of the key issues listed above must take into account relevant guidelines, policies, and plans as identified. While not exhaustive, the following attachment contains a list of some of the guidelines, policies, and plans that may be relevant to the environmental assessment of this development.

# ATTACHMENT 1 Technical and Policy Guidelines

The following guidelines may assist in the preparation of the Environmental Impact Statement. This list is not exhaustive and not all of these guidelines may be relevant to your proposal.

Many of these documents can be found on the following websites:

http://www.planning.nsw.gov.au

http://www.bookshop.nsw.gov.au

http://www.publications.gov.au

### Policies, Guidelines & Plans

#### **Plans and Documents**

The EIS must include all relevant plans, architectural drawings, diagrams and relevant documentation required under Schedule 1 of the Environmental Planning and Assessment Regulation 2000. Provide these as part of the EIS rather than as separate documents.

In addition, the EIS must include the following:

- 1. An existing site survey plan drawn at an appropriate scale illustrating:
- the location of the land, boundary measurements, area (sq.m) and north point;
- the existing levels of the land in relation to buildings and roads;
- location and height of existing structures on the site;
- location and height of adjacent buildings and private open space; and
- all levels to be to Australian Height Datum (AHD).
- 2. Locality/context plan drawn at an appropriate scale should be submitted indicating:
- significant local features such as heritage items;
- the location and uses of existing buildings, shopping and employment areas: and
- traffic and road patterns, pedestrian routes and public transport nodes.
- 3. Drawings at an appropriate scale illustrating:
- detailed plans, sections and elevations of the existing building, which clearly show all proposed internal and external alterations and additions.

# Documents to be Submitted

Documents to submit include:

- 1 hard copy and 1 electronic copy of all the documents and plans for review prior to exhibition; and
- Other copies as determined by the Department once the development application is lodged

Aspect	Policy / Methodology	
Transport and Access		
	State Environmental Planning Policy (Infrastructure)	
	Guide to Traffic Generating Development (Roads and Maritime Services)	
	Road Design Guide (Roads and Maritime Services)	
Austroads Guide to Traffic Management – Pt 12: Traffic Impacts of De		
Noise a	and	
	Assessing Vibration: A Technical Guide (DEC, 2006).	

	Australian and New Zealand Environment Council – Technical basis for guidelines
	to minimise annoyance due to blasting overpressure and ground vibration
	(ANZEC, 1990).
	NSW Industrial Noise Policy (EPA, 2000).
	Environmental Criteria for Road Traffic Noise (EPA, 1999).
	Environmental Noise Control Manual (DECC).
	Interim Construction Noise Guideline (DECC, 2009).
	National Water Quality Management Strategy: Policies and principles - a
	reference document (ANZECC/ARMCANZ)
	National Water Quality Management Strategy: Implementation guidelines (ANZECC/ARMCANZ)
	National Water Quality Management Strategy: Australian Guidelines for Fresh
	and Marine Water Quality (ANZECC/ARMCANZ)
	National Water Quality Management Strategy: Australian Guidelines for Water
	Quality Monitoring and Reporting (ANZECC/ARMCANZ)
	Bunding and Spill Management (EPA)
	Approved Methods for the Sampling and Analysis of Water Pollutants in NSW
	(DEC)
	Using the ANZECC Guideline and Water Quality Objectives in NSW (DEC)
	The NSW State Rivers and Estuaries Policy (NSW Water Resources Council)
	Water Sharing Plan for the Metropolitan Region Unregulated River Water Sources
	(NOW) 2011
Soils and Water	
	National Water Quality Management Strategy Guidelines for Groundwater
	Protection in Australia (ARMCANZ/ANZECC)
	NSW State Groundwater Policy Framework Document (DLWC)
Groundwater	NSW State Groundwater Quality Protection Policy (DLWC)
Or odria viato.	The NSW State Groundwater Dependent Ecosystem Policy (DLWC)
	Water Sharing Plan for the Greater Metropolitan Region Groundwater Sources
	(NOW) 2011
Asid Culfata Caila	
Acid Sulfate Soils	Acid Sulfate Soil Manual (ASSMAC)
	Managing Urban Stormwater: Soils & Construction (Landcom)
Erosion and	Design Manual for Soil Conservation Works - Technical Handbook No. 5 (Soil
Sediment	Conservation Service of NSW)
ocamion	Soil and Landscape Issues in Environmental Impact Assessment (DLWC)
	Wind Erosion – 2nd Edition
	Managing Urban Stormwater: Strategic Framework. Draft (EPA)
	Managing Urban Stormwater: Council Handbook. Draft (EPA)
Stormwater	Managing Urban Stormwater: Treatment Techniques (EPA)
Otomwator	Managing Urban Stormwater: Source Control. Draft (EPA)
	Managing Urban Stormwater: Harvesting and Reuse (DEC)
	National Water Quality Management Strategy: Guidelines for Sewerage Systems
	National Water Quality Management Strategy. Guidelines for Sewerage Systems
	- Effluent Management (ARMCANZ/ANZECC)
	National Water Quality Management Strategy: Guidelines for Sewerage Systems
Wastewater	- Use of Reclaimed Water (ARMCANZ/ANZECC)
	National Water Quality Management Strategy - Guidelines For Water Recycling:
Wasiewalei	Hational Water addity management energy
vvastewater	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)
wasiewaiei	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)
vvasiewalei	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  National Water Quality Management Strategy - Guidelines For Water Recycling:
	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)
Air Quality	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  National Water Quality Management Strategy - Guidelines For Water Recycling:  Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)
	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  National Water Quality Management Strategy - Guidelines For Water Recycling: Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  Protection of the Environment Operations (Clean Air) Regulation 2002
	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  National Water Quality Management Strategy - Guidelines For Water Recycling: Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  Protection of the Environment Operations (Clean Air) Regulation 2002  Approved Methods for the Modelling and Assessment of Air Pollutants in NSW
	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  National Water Quality Management Strategy - Guidelines For Water Recycling: Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  Protection of the Environment Operations (Clean Air) Regulation 2002  Approved Methods for the Modelling and Assessment of Air Pollutants in NSW (DEC)
	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  National Water Quality Management Strategy - Guidelines For Water Recycling: Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  Protection of the Environment Operations (Clean Air) Regulation 2002  Approved Methods for the Modelling and Assessment of Air Pollutants in NSW
	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  National Water Quality Management Strategy - Guidelines For Water Recycling: Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  Protection of the Environment Operations (Clean Air) Regulation 2002  Approved Methods for the Modelling and Assessment of Air Pollutants in NSW (DEC)
Air Quality	Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  National Water Quality Management Strategy - Guidelines For Water Recycling: Managing Health And Environmental Risks (Phase1) (EPHC, NRMMC & AHMC)  Protection of the Environment Operations (Clean Air) Regulation 2002  Approved Methods for the Modelling and Assessment of Air Pollutants in NSW (DEC)

# **ATTACHMENT 2**

Government Authority and Council Responses to Request for Key Issues



Your reference:

SSD 7564 DOC16/165627-01

Mr Lawrence Huang Student Planner NSW Department of Planning & Environment GPO Box 39 SYDNEY NSW 2001

Dear Mr Huang

Request for SEARs - SSD 7564 - Proposed Warehouse and Distribution Facility 2 Horsley Drive Business Park, Wetherill Park (Fairfield LGA)

I refer to the request for SEARs input for a proposed warehouse and distribution facility located at Wetherill Park, received by the Environment Protection Authority on 4<sup>th</sup> April 2016.

On the basis of the information provided, the proposal does not constitute a Scheduled Activity under Schedule 1 of the *Protection of the Environment Operations Act 1997* (POEO Act). The EPA does not consider that the proposal will require an Environment Protection Licence (EPL) under the POEO Act.

Accordingly, the EPA has no comments regarding the proposal and has no further interest in this matter.

7 April 2016

Yours sincerely

DAVID GATHERCOLE

Unit Head - Regulation Unit North Environment Protection Authority

From: Dana Alderson

**Sent:** Friday, 8 April 2016 9:05 AM

To: Lawrence Huang

**Subject:** RE: Request for Secretary's Environmental Assessment Requirements - SSD 7564 -

Proposed Warehouse and Distribution Facility, Horsley Drive Business Park,

Wetherill Park, Fairfield LGA

Follow Up Flag: Follow up Flag Status: Completed

Hi Lawrence,

Thank you for forwarding the above proposal for a proposed Warehouse and Distribution Facility at the Horsley Drive Business Park at Wetherill Park to the Office of Environment and Heritage (OEH) for consideration.

After reviewing the relevant documents, OEH's Greater Sydney Planning Team has concluded that the matter does not contain biodiversity, natural hazards or Aboriginal cultural heritage issues that require a formal OEH response. We have no further need to be involved in the assessment of this project.

Please note that the Heritage Division in the Office of Environment and Heritage may wish to provide separate comments. The Heritage Division can be contacted at <a href="https://heritage.nsw.gov.au">heritage@heritage.nsw.gov.au</a>

Kind regards, Dana

Dana Alderson
Planning Team
Regional Operations Group
Office of Environment and Heritage
T: 02 8837 6304
F: 02 9995 6900

W: www.environment.nsw.gov.au

Please note my work days are Wed-Fri



Please consider the environment before printing this e-mail



15 April 2016

Our Reference: SYD16/00464 Your Reference: SSD 7564

Team Leader - Industry Assessments
Department of Planning and Environment
GPO Box 39
SYDNEY NSW 2001

Attention: Lawrence Huang

REQUEST FOR SEARS FOR A PROPOSED WAREHOUSE AND DISTRIBUTION FACILITY LOT 2, HORSLEY DRIVE BUSINESS PARK, HORSLEY PARK

Dear Sir/Madam,

I refer to the Department's letter on 4 April 2016 requesting Roads and Maritime Services (Roads and Maritime) to provide input on the Secretary Environmental Assessment Requirements (SEARs) for the abovementioned proposal.

Roads and Maritime has reviewed the draft SEARs and advises that the Draft SEARs is considered adequate and no additional requirements are sought.

Any inquiries in relation to this application can be directed to the undersigned on 8849 2219 or by email at development.sydney@rms.nsw.gov.au

Yours sincerely

Pahee Rathan

Senior Land Use Planner Network and Safety Section

**Roads and Maritime Services** 



04 April 2016

Mr Lawrence Huang Student Planner Industry Assessments Department of Planning and Environment GPO Box 39 Sydney NSW 2001

Request for SEARs for Proposed Warehouse and Distribution Facility Horsley Drive Business Park, Wetherill Park (SSD 7564)

Dear Mr Huang,

Thank you for your letter requesting Sydney Water's input on the Secretary's Environmental Assessment Requirements for the above development. We have reviewed the proposal and provide the following comments for your consideration.

### Sydney Water Requirements for Environmental Assessment

Sydney Water requests Secretary Environment Assessment Requirements include the following:

- 1. The proponent should include an integrated water management strategy that considers water, wastewater and stormwater. It must also include alternative water supply, proposed end uses of potable and non-potable water, demonstration of water sensitive urban design and any water conservation measures. This will allow Sydney Water to determine the impact of the proposed project on its existing services and identify any augmentation requirements.
- When determining landscaping options, the proponent should take into account that certain tree species can cause cracking or blockage of Sydney Water pipes and therefore should be avoided.
- 3. Strict requirements for Sydney Water's stormwater assets for certain types of development may apply. Consider the following in your submission, stormwater assets protection, building over and/or adjacent to stormwater assets, building bridges over stormwater assets, potential flood, water quality and heritage impacts and creation of easements.

If you require any further information, please contact Beau Reid of Urban Growth Strategy on 02 8849 4357 or e-mail <a href="mailto:beau.reid@sydneywater.com.au.">beau.reid@sydneywater.com.au.</a>

Yours sincerely,

Greg Joblin

Manager, Growth Strategy



PO Box 323, Penrith NSW 2751 Level 4, 2-6 Station Street Penrith NSW 2750 1300 722 468 www.waternsw.com.au ABN 21 147 934 787

D2016/33602

Ms Kate MacDonald Team Leader Industry Assessments Department of Planning and Environment GPO Box 39 Sydney NSW 2001

**Attn: Lawrence Huang** 

Dear Ms MacDonald,

### SSD 7564 – Warehouse and Distribution Facility – Horsley Drive Business Park

Thank you for your letter dated 4 April 2016 requesting WaterNSW's input for the Secretary's Environmental Assessment Requirements (SEARs) for the above proposal.

WaterNSW owns and manages the Upper Canal corridor that forms the western boundary of Horsley Drive Business Park. The location of the proposed warehouse and distribution facility is in the centre of the Park, downslope and removed from the boundary of the Upper Canal.

As such, the development is unlikely to have an impact on WaterNSW's infrastructure or operations. WaterNSW therefore has no requirements for the development and has no objection to it.

WaterNSW requests the Department continues to consult with us regarding any future developments and SEARs requests for the Horsley Drive Business Park.

If you have any queries regarding the above please contact me on 4724 2451 or alison.kniha@waternsw.com.au.

Yours sincerely,

**ALISON KNIHA** 

**Environmental Policy and Planning Manager** 

14/04/16

From: Andrew Mooney <AMooney@fairfieldcity.nsw.gov.au>

Sent: Thursday, 7 April 2016 2:51 PM

To: Lawrence Huang
Cc: Kate MacDonald

**Subject:** RE: Request for Secretary's Environmental Assessment Requirements - SSD 7564 -

Proposed Warehouse and Distribution Facility, Horsley Drive Business Park,

Wetherill Park, Fairfield LGA

Follow Up Flag: Follow up Flag Status: Follow up

#### **Dear Lawrence**

Thank you for your email requesting input into the draft SEARs for the abovementioned State Significant Development located within The Horsley Drive Business Park.

In general Council supports the proposed scope and content of matters included in the draft SEARs the applicant will be required to address.

Specifically Council requests that particular attention be provided to the following;

- Details (including quantities and type) of hazardous materials to be stored on the site and advice on measures to be included to address the requirements of SEPP 33
- Demonstrate consistency with relevant requirements of the Fairfield City Wide DCP 2013, in particular for on-site car parking requirements. Any variation to Council's car parking requirements will need to be justified.
- Details of storm water management and evidence that the proposal complies with the details and parameters of previous approvals for the Horsley Drive Business Park and associated conditions of approval including the original Concept Plan Approval (SSD 5169)
- The traffic impact assessment to provide details of the impact of the development on the performance of surrounding intersections including The Horsley Drive/Cowpasture Road, Cowpasture Road/Newton Road.

Please contact me if you require any further information in regard to the above

### **Andrew Mooney**

Coordinator | Strategic Planning City and Community Development

PO Box 21, Fairfield NSW 1860 P 9725 0214 | F 9725 4249 www.fairfieldcity.nsw.gov.au



Fairfield City Council





From: Shayne Kneen <shayne.kneen@industry.nsw.gov.au>

**Sent:** Monday, 11 April 2016 9:24 AM

To: Lawrence Huang

Subject: Re: Request for SEARs 7564 Proposed Warehouse & Distribution Facility- GSNSW

Response

Follow Up Flag: Follow up Flag Status: Completed

Dear Lawrence,

Thank you for the opportunity to provide advice on the above matter. This is a response from the New South Wales Department of Industry – Geological Survey of New South Wales (GSNSW).

The GSNSW has no resource issues to raise concerning: **Request for SEARs - SSD 7564 - Proposed Warehouse & Distribution Facility - Fairfield LGA.** GSNSW has no SEARs to issue on this occasion.

Queries regarding the above information, and future requests for advice in relation to this matter, should be directed to the GSNSW Land Use team at landuse.minerals@trade.nsw.gov.au.

### Regards

Shayne Kneen | Geoscientist | Minerals and Land Use Assessment | Geological Survey of NSW

NSW Department of Industry | Division of Resources & Energy

516 High St | Maitland | NSW 2320 | PO Box 344 | Hunter Region Mail Centre | NSW 2310

T: 02 4931 6731 | F: 02 4931 6726 | E: shayne.kneen@industry.nsw.gov.au

W: www.industry.nsw.gov.au | www.resources.nsw.gov.au

This message is intended for the addressee named and may contain confidential information. If you are not the intended recipient, please delete it and notify the sender. Views expressed in this message are those of the individual sender, and are not necessarily the views of their organisation.

From: Pat Woodbury <Pat.Woodbury@endeavourenergy.com.au>

Sent: Monday, 4 April 2016 2:37 PM

To: Lawrence Huang

**Cc:** Kate MacDonald; Joseph Degabriele

**Subject:** RE: Request for Secretary's Environmental Assessment Requirements - SSD 7564 -

Proposed Warehouse and Distribution Facility, Horsley Drive Business Park,

Wetherill Park, Fairfield LGA

Follow Up Flag: Follow up Flag Status: Completed

Hi Lawrence,

Thankyou for sending this information through to Endeavour Energy to provide comment.

Endeavour Energy has no objection to the project proceeding.

Endeavour Energy is aware of various developments occurring in this area at present.

Application for electricity supply to this particular development should be made via Endeavour Energy's Network Connections Branch.

**Regards Pat** 

# Pat Woodbury

Network Environmental Assessment Manager Asset Standards and Design Endeavour Energy Ph:- 02 9853-6552

M:- 0419 628 593 Fax:- 02 9853-5169

Email:- pat.woodbury@endeavourenergy.com.au



Sydney West
200 Old Wallgrove Road
PO Box 87 Horsley Park
NSW 2175 Australia
T (02) 9620 0777
F (02) 9620 0384

Property and Services | Field Services Telephone: (02) 9620 0104 Your Reference: SSD 7564

15 April, 2016

Department Of Planning & Environment GPO Box 39 SYDNEY, NSW 2751

Attn: Mr Lawrence Huang (Planning Officer)

Dear Mr Huang,

Re: SSD 7564, Request for SEARs for a Proposed Warehouse and Distribution Facility

Lot 2, Horsley Drive Business Park (Part Lots 24/25 in DP 13961, Part of Lot 1 in DP 103699 and part of Lot 10 in DP 879209)

We refer to the Department Of Planning & Environment's (**DPE**) Notice of Exhibition in respect of the abovementioned State Significant Development (**SSD 7564**), to which TransGrid responds as follows.

TransGrid owns and operates the high voltage transmission line network in NSW. The abovementioned site is subject to the following TransGrid registered easement:

Sydney West – Guildford No 2 132KV transmission line easement (30.48 metres wide)

This easement traverses through part Lot 24 in DP 13961. Please find enclosed a plan from the *TransGrid Asset Management Information System (TAMIS)* that identifies the approximate position of our easement.

TransGrid has reviewed this development application and determined the proposed development is conditionally acceptable subject to the following provisions:

- 1) No structures (temporary and/or permanent) including car parking areas are to be located within TransGrid's easement. This easement still has the same protective covenants and legal rights even though no physical transmission line is currently in operation at this time.
  - TransGrid does not endorse nor encourage people to congregate on the easement and/or under the high voltage transmission lines.
- 2) TransGrid requests formal notification for all subsequent stages to the extent that proposed development will occur on land that is subject to our easement, even if a direct encroachment is not sought. TransGrid's prior written consent is required for any proposed encroachment of our transmission line easement.


3) All works when operating within and near TransGrid infrastructure, are to be carried out in accordance with the NSW WorkCover 'Work Near Overhead Power Lines' Code of Practice 2006. Please also refer to the accompanying TransGrid Easement Guidelines for Third Party Development (Guidelines) and contact TransGrid in the event of any uncertainty.

Subject to the abovementioned provisions, this letter serves as TransGrid's formal for SSD 7564 only. Thank you for consulting with TransGrid in respect of this matter and should you have any queries, please feel free to contact the undersigned on (02) 9620 0104.

Yours sincerely

Skye Shanahan

Property Enquiries Coordinator | Training, Logistics and Property



# **TransGrid Easement Guidelines**

TransGrid

Third Party Development

### **Background**

TransGrid acquires Transmission Line (**TL**) and cable easements to provide adequate clearance along the route of a TL for construction and maintenance work and to preserve certain property rights in perpetuity. These easements also ensure no work or other activity is undertaken under or near a TL or cable that could create an unsafe situation either for persons or for the security of the TL or cable.

The TL or cable easement area and its ongoing maintenance are control measures that cannot be compromised. Easements are established to prevent and mitigate against the following electrical safety risks:

- > Infringement of electrical safety clearances e.g. due to an activity or vegetation growth;
- Electrical Induction e.g. due to parallel conducting materials;
- > Step and touch potentials under fault conditions e.g. due to lightning or bushfire;
- > Failure of structures or line equipment e.g. due to third party vehicle or plant impact;
- > Transfer off easement of dangerous voltages, e.g. by services installed within the easement area; and
- > Blowout of a conductor under high wind (or blow in of vegetation) e.g. into an adjacent structure.

TransGrid's paramount concern is the safety of people and property. TransGrid is also bound to maintain its infrastructure efficiently and cost effectively. The TL and cable easements, along with the accesses, have been designed to facilitate effective operational maintenance.

# **Development Approval Process**

The *Environmental Planning and Assessment Act 1979* may empower Local Councils to act as the consent authority for development applications. In these situations, a Development Application (DA) is prepared and submitted to the Local Council for development consent.

The State Environmental Planning Policy (Infrastructure) 2007 (SEPP), which commenced on 1 January 2008, requires Local Councils to consult with Electricity Network Operators before granting development consent for proposals that might adversely affect:

- > existing electricity infrastructure; and
- > easements for electricity purposes, even if no infrastructure has yet been constructed in the easement.

The Local Council must take into consideration any comments made by the Electricity Network Operator who has 21 days to respond to any written notification of a DA received by Council. Council must take into consideration any comments provided by the Electricity Network Operator before it determines any DA. TransGrid's initial response may be a request for additional information to assess a development that seeks to encroach or is immediately adjacent to our easements and infrastructure. Such a request is likely to then be forwarded to the applicant.



The party submitting the development application is required to consult with TransGrid in accordance with the State Environmental Planning Policy (Infrastructure) 2007 (SEPP); the NSW Occupational Health and Safety Act 2000; the WorkCover NSW 'Work Near Overhead Power Lines' Code of Practice 2006, and; the WorkCover NSW 'Work Near Underground Assets' Guide 2007.

## **TransGrid Approval**

The statutory approval authority should obtain a written approval from TransGrid for all proposed activities within an easement area in accordance with regulation 45 of the SEPP.

It is recommended that the development proponent consult with TransGrid prior to lodging a DA, so the proposed development may be assessed relative to TransGrid's easements and infrastructure within the specific locality. Statutory notification pursuant to regulation 45 of the SEPP may not always provide an adequate response time for TransGrid to assess any development proposed within or immediately adjacent to our easements and infrastructure. Therefore, it is considered to be in the best interests of any development proponent to thoroughly consult and attempt to resolve all and any issues with TransGrid prior to submitting a DA. In consulting with TransGrid prior to submitting the DA, the following information must be provided.

- 1. Detailed specifications and plans drawn to scale and fully dimensioned, showing property boundaries and other relevant information. Survey plans must clearly identify TransGrid's easements; any high voltage transmission infrastructure located therein (including stanchions); and horizontal clearances;
- 2. Three dimensional CAD file of the development, preferably in 3D-DXF format; and
- 3. TransGrid will also require an *Impact Assessment* of the development on TransGrid's infrastructure and associated interests (including easements). Details of how any adverse impacts will be managed, mitigated or resolved must also be provided. The *Impact Assessment* form is contained in **Appendix A** of these guidelines.

Upon receipt of the abovementioned documentation, TransGrid will assess the proposed development in relation to its impact on TransGrid infrastructure, easements and means of access. For complicated proposals the consultation process will be comprehensive and the proponent should allow sufficient time for this process prior to lodgement of a DA (see *Timeframes* below).

# **General Development Proposal Guidelines**

#### 1. Prohibited Activities and Encroachments

A number of activities and encroachments are not permitted within the easement area. These are detailed in the "TransGrid Easement Guide" contained in **Appendix B** of these guidelines.

Any Development Proposal should be designed in such a way that:

- > It does not involve the listed activities, nor introduce the identified encroachments; and
- > Does not encourage other parties to undertake such activities or introduce such encroachments in the future.



### 2. Development

The Development Proposal should be planned taking into consideration the policy of "prudent avoidance" as identified by The Right Honourable Harry Gibbs Report (Inquiry into Community Needs and High Voltage Transmission Line Development).

This report placed recommendations on the design of new TL's having regard to their proximity to houses, schools, work sites and the like and is equally valid when considering new developments proposed in proximity to existing powerlines and associated easements.

The policy not only considers electrical safety risks it also takes into consideration Electric and Magnetic Field (EMF). The EMF strength rises from the easement edge to beneath the conductors and the most practical way to achieve *prudent avoidance* is to keep any development entirely outside the easement area.

If it is desired to place any part of a development within an easement the proponent shall, in conjunction with the *Development Proposal*, undertake an *Impact Assessment* (see **Appendix A**) to be provided to TransGrid that covers the changes in risk and mitigation measures proposed. General development requirements are listed in **Appendix C**.

## **Relocating Infrastructure and Interruption to Transmission**

The development proponent will be liable for any costs involved in any agreed relocation of TransGrid infrastructure as part of any proposed development. Depending on how the development proposes to encroach on TransGrid's easement, an earthing study and earthing modifications may be required at the developer's expense. Further, the developer will also be liable for any costs and penalties incurred as a consequence of interruptions to TransGrid's transmission operations arising from the development, whether planned or inadvertent.

## **Post Construction Compliance Statement**

The Development Proposal, as provided to TransGrid, must include as-built plans compliant with TransGrid's drawing management system of the final construction where approval of an encroachment is granted. The as-built drawings must be accurate, scaled and display distances/measurements, demonstrating compliance to the agreed plans and implementation of agreed control measures.

#### **Timeframes**

TransGrid will respond to a Local Council notification of a proposed development within 21 days as required in the SEPP, however that response may not be an approval (or disapproval). If the Development Proposal does not meet the requirements of these Guidelines, or in the event further detailed engineering analysis is required, TransGrid may require the Development Proposal to be revised and resubmitted or additional information will be sought.

Developers are advised to consider TransGrid's requirements early in the process as discussed and not as an afterthought that could result in project delays, including the future demolition of any prohibited construction works. To this extent, development proponents and their consultants are encouraged to contact and meet with TransGrid in the preliminary planning and design stages of the development in order to establish what restrictions and prohibitions apply and what, if any conditional encroachments can be accommodated.



### **Further Assistance**

### For any further development enquiry assistance please contact the Enquiries Services Coordinator:

Enquiries Services Coordinator Telephone (02) 9620 0104

Mobile 0427 094 860

TransGrid Community Liaison Group Phone 1800 222 537

Email community@transgrid.com.au

Website <u>www.transgrid.com.au</u>

# **Appendix A - Development Proposal Impact Assessment**

Details of the Development	
Street Address	
Land and Title References	
Encroachment and/or Proximity to Easement	
Development Proposal's Clearances to TransGrid's high voltage infrastructure	
Detailed plans of development attached	

# **Safety**

Sarety	
Consideration	Yes/No (If Yes, please provide details and mitigation/resolution)
Are ground levels being changed within or in the vicinity of the easement?	
If so, by how much?	
Is any part of the development proposed within 30m of a transmission line structure or guy?  If so, how close to the structure/guy?	
Will the development increase earth potential rise risk? (If unsure please consult with TransGrid Enquiries Services Coordinator.)	
Will the development contain metallic structures or services in the easement?	
Will the development result in voltages being transferred off the easement or bring remote earths onto the easement? (If unsure, please consult with TransGrid's Enquiries Services Coordinator.)	
Are public spaces or recreational areas proposed within or adjacent to the easement?	
Will the development encourage people to congregate and/or spend time within the easement or immediately adjacent thereto?	
Are structures with a height greater than 2.5m proposed on the easement?	
Will an Elevated Work Platform (EWP) be required to maintain any structures within the easement?	
Is infrastructure proposed that is a fire hazard, or that would encourage the storage or use of flammable material on the easement?	
Is infrastructure proposed that would require emergency workers (such as fire fighters) to come near, or their equipment to come onto or near high voltage conductors?	



Consideration	Yes/No (If Yes, please provide details and mitigation/resolution)
Will the easement or the nature of the land in the vicinity of the easement, be altered in any way that would encourage prohibited encroachments to occur within the easement?	
Will access around any TransGrid structure be altered preventing EWPs, crane or other plant access? (Required for TransGrid maintenance purposes.)	
Will the development introduce other risks to maintenance staff when working within the easement?	
Will access to the easement be altered that would introduce risks to TransGrid personnel including, although not limited to, asset inspectors or patrol staff?	

# **Operations**

Consideration	Yes/No (If Yes, please provide details and mitigation/resolution)
Have any ground level developments been proposed (including roads, driveways, parking lots and turning bays etc) that would expose TransGrid transmission structures and lines to impact risk? (If unsure please consult with the TransGrid Enquiries Services Coordinator.)	
Will the development result in a change in water flows or drainage that could impact on the foundations or structural integrity of any TransGrid structure or guywire?	
Are excavations or surface activities proposed that would impact a TransGrid structure's foundations, stability or subterranean earthing systems? (If unsure please consult with the TransGrid Enquiries Services Coordinator.)	

# **Maintenance**

Consideration	Yes/No (If Yes, please provide details and mitigation/ resolution)
Have roads, driveways or landscaping been proposed that would prevent or hinder TransGrid maintenance, or increase maintenance costs, for the above or below ground components of the transmission line structure?	
Will access to the easement or within the easement, be obstructed, restricted or altered?	
Have access roads, bridges, crossings and the like been designed to cater for the weight and size of TransGrid maintenance plant (EWPs and Cranes)?	
Does the development encourage the placement of obstructions that would prevent access for routine or emergency works?	



## **Development Design & Construction**

Consideration	Yes/No (If Yes, please provide details and mitigation/ resolution)
Has the development been designed so that during the construction phase TransGrid is not restricted from undertaking normal maintenance and inspection activities?	
Has the development been designed so that during the construction phase prohibited activities or encroachments are not required in the easement area?	
Has the design health and safety risk assessment complied with the following WorkCover NSW instruments:	
<ul> <li>'Work Near Overhead Power Lines' Code of Practice 2006; and/or</li> </ul>	
• 'Work Near Underground Assets' Guide 2007?	

### **TransGrid's Rights**

Consideration	Yes/No (If Yes, please provide details and mitigation/ resolution)
Are TransGrid's existing access rights preserved, pursuant to the terms of the easement?	
Will TransGrid be exposed to new or higher maintenance costs (e.g. landscaping or other development changes impacting easement access, use and maintenance)?	
Does a new deed of easement need to be negotiated by the development proponent?	

## **Preservation of Easement for Access**

Consideration	Yes/No (If Yes, please provide details and mitigation/ resolution)
Will TransGrid's Easement for Access be affected?	
Does a new Easement for Access need to be arranged by the development proponent, including to supersede an existing registered right of carriageway?	



### Appendix B - Prohibited encroachments and activities

TransGrid will use its powers under the Electricity Supply Act, involve WorkCover or take other legal action as required to prevent or halt prohibited activities.

#### 1. Transmission Lines

Activities and encroachments that are **prohibited** within a Transmission Line (TL) Easement include, but are not limited to (*Note 2*), the following:

- > The construction of houses, buildings, substantial structures, or parts thereof.
- > The installation of fixed plant or equipment.
- > The storage of flammable materials, corrosive or explosive material.
- > The placing of garbage, refuse or fallen timber.
- > The planting or cultivation of trees or shrubs capable of growing to a height exceeding 4 metres.
- > The placing of obstructions within 20 metres of any part of a transmission line structure or supporting guywire.
- > Camping or the permanent parking of caravans or other camping vehicles.
- > Public spaces or recreational areas which encourage people to spend time within or congregate within the easement.
- > The parking or storage of flammable liquid carriers or containers.
- > The installation of site construction offices, workshops or storage compounds.
- > Flying of kites or wire-controlled model aircraft within the easement area.
- > Flying of any manned aircraft or balloon within 60m of any structure, guy-wire or conductor.
- > Flying of remote controlled or autonomous aerial devices (such as UAVs) within 60m of any structure, guy-wire or conductor.
- > Placing any obstructions on access tracks or placed within the easement area that restricts access.
- Any vegetation maintenance (such as felling tall trees) where the vegetation could come within the Ordinary Persons Zone – refer to the WorkCover NSW 'Work Near Overhead Power Lines' - Code of Practice 2006'.
- > Any substantial excavation within 15 metres of a pole or supporting guy-wire or guy foundation or within 20 metres of a tower
- > The climbing of any structure (any development that encourages or facilitates climbing will not be permitted).
- > Any change in ground levels that reduce clearances below that required in AS7000.
- > The attachment of any fence, any signage, posters, or anything else, to a structure or guy-wire.

  Note: Interference to electricity infrastructure is an offence under the *Electricity Supply Act 1995*.
- > The movement of any vehicle or plant between the tower legs, within 5m of a structure, guy-wire or between a guy-wire and the transmission pole.
  - Note: Any damage to electricity infrastructure is an offence under the Electricity Supply Act 1995.
- > The storage of anything whatsoever within the tower base or within 10m of any tower leg.
- > Any structure whatsoever that during its construction or future maintenance will require an Accredited person to access.
  - Note: The final structure may meet AS7000 clearances, but may be accessible (e.g. by EWP) by Ordinary Persons within the Ordinary Persons Zone.
- > Any work that generates significant amounts of dust or smoke that can compromise the TL high voltage insulation.
- > The erection of any structure in a location that could create an unsafe situation work area for TransGrid staff.
- > Burning off or the lighting of fires.



- > Any activity (including operation of mobile plant or equipment having a height when fully extended exceeding 4.3 metres) by persons not Accredited or not in accordance with the requirements of the WorkCover NSW 'Work Near Overhead Power Lines' Code of Practice 2006 that is within (Note 1):
  - 3m of an exposed 132kV overhead power line
  - 6m of an exposed 220kV or 330kV overhead power line
  - 8m of an exposed 500kV overhead power line

Note: Distances quoted are to the design conductor position (i.e. maximum sag and blowout)

The following activities <u>may possibly</u> be approved with conditions. TransGrid's prior written consent is required. The proponent will have to demonstrate (using the Impact Assessment process) that the risks associated with the activity have been satisfactorily mitigated.

- > Temporary parking of caravans and other large vehicles in the outer 3m of the easement area, subject to a 4.3 metre height restriction and metallic parts being earthed.
- > The erection of flagpoles, weather vanes, single post signs, outdoor lighting, subject to a 4.3 metre height restriction and metallic parts being earthed.
- > The erection of non-electric agricultural fencing, yards and the like.

  Note: Fencing that exceeds 2.5 metres in height or that impedes access would not be approved.
- > The erection of metallic fencing less than 2.5 metres in height providing that it is earthed, located more than 20 metres from any part of a transmission line structure or supporting guy and greater than 4 metres of the vertical projection of the overhead conductors.
- > The erection of electric fencing provided that the height of the fencing does not exceed 2.5 metres and provided that the fence does not pass beneath the overhead conductors.
  - Note: Approval may be given for a portable electric fence to pass underneath the conductors provided that it is supplied from a portable battery-powered energiser that is located remotely from frequented areas. Where it is necessary for a permanent electric fence to pass beneath the overhead conductors, or where an extensive permanent electric fencing system is installed in proximity to a transmission line certain additional safety requirements will be required.
- > The installation or use of irrigation equipment inside the easement.
  - NOTE: An irrigation system will not be approved if it is capable of coming within 4 metres of the overhead conductors; exceeds 4.3 metres in height; consists of individual sections of rigid or semi-rigid pipe exceeding 4.3 metres; is capable of projecting a solid jet of water to within 4 metres of any overhead conductors; requires fuel to be stored within the easement; and/or requires an outage of the transmission line for it's operation.
- > The installation of low voltage electricity, telephone, communication, water, sewerage, gas, whether overhead, underground or on the surface.
  - Note: Services that do not maintain standard clearances to the overhead conductors that are within 15 metres from the easement centre-line, 20 metres from any part of a transmission line supporting structure or are metallic and within 30 metres of any part of a structure will not be approved. TransGrid may impose additional conditions or restrictions on proposed development.
- > The installation of high voltage electricity services, subject to there being no practicable alternative and provided the standard clearances are maintained to the supporting structures.
  - Note: Where extensive parallels are involved certain additional safety requirements may be imposed by TransGrid, depending on the particular case and engineering advice.
- > Swimming pools, subject to TransGrid's strict compliance criteria.
  - Note: Above ground pools will not be approved. In-ground pools will not be approved if there is a practicable alternative site clear of the easement area. If there is no practical alternative site, in-ground



- pools including coping will not be approved if it encroaches more than 4.5 metres, or is less than 30 metres away from a transmission line structure. A site specific assessment by TransGrid is required.
- Detached garages, detached carports, detached sheds, detached stables, detached glass houses, caravans, site containers, portable tool sheds, pergolas and unroofed verandahs attached to residences on the outer 3 meters of the easement only.
- > Prefabricated metal (garden) sheds. TransGrid approved sheds must be earthed.
  - Note: Sheds exceeding 2.5 metres in height, with a floor area exceeding 8m², encroaching more than of up to 3 metres or within 30 metres of any part of a transmission line structure will not be approved. Connection of electric power will not be approved.
- > Single tennis courts.
  - Note: Tennis courts that hinder access are for commercial use or do not provide adequate clearances shall not be approved.
- > Subdivisions. See *Appendix C* requirements.
- Roads, carparks, cycleways, walking tracks and footpaths on the outer part of the easement or as a thoroughfare across the easement, subject to horizontal and vertical clearances. Restrictions and other conditions on consent may also apply. These will not be approved when located within:
  - 20 metres of any part of a transmission line structure
  - 10 metres of the centre-line of a transmission line 132kV and below
  - 17 metres of the centre-line of a transmission line above 132kV

Note: Roads and pathways that cross the transmission line as a thoroughfare may be permitted. Where it is proposed that a road passes within 30 metres of a transmission structure or supporting guy, TransGrid may refuse consent or impose restrictions and other conditions on consent. Where a road passes within 30 metres of a transmission structure or supporting guy, the structure's earthing system may require modification for reasons including, but not limited to, preventing fault currents from entering utility services which may be buried in the road. The option of raising conductors or relocation of structures, at the full cost to the proponent, may be considered.

- > Excavation subject to restriction criteria.
  - Note: Substantial excavations located within 20 metres of any part of a steel tower or pole structure and exceeding a depth 3 metres will not be approved.
- > Quarrying activities, earthworks, dam or artificial lake construction.
- > Mining. Approval would be based on the merits of the proposal and any related circumstances.
- > Use of explosives.

Note 1: An encroachment or activity that is located outside the prohibited distance of the infrastructure but still within the easement will not necessarily be permitted. It will generally need to be addressed in the Impact Assessment and remains subject to TransGrid prior consent.

Note 2: The above list is not exhaustive and if there is any uncertainty as to whether an activity or encroachment is acceptable within an easement, please contact TransGrid. TransGrid may impose additional conditions or restrictions on proposed development.



#### 2. Cables

The location of TransGrid's subterranean infrastructure and associated easements includes, but is not limited to, beneath private freehold and strata land as well as public roadways and railways etc. All development proposed within immediate proximity of TransGrid's subterranean infrastructure, including high voltage cables, stratum tunnels and conduits, must undertake a *Dial Before You Dig* search of any land where development is proposed, including roads adjoining a development site where subterranean services are proposed to be installed. The activities listed below are prohibited within cable easements:

- > The storage of flammable liquids or explosives
- > The planting or cultivation of trees or shrubs with extensive root systems
- > The construction of houses, buildings or substantial structures
- > The installation of fixed plant or equipment
- The placing of garbage, refuse or fallen timber
- > Boring directly over the cable lay (eg. the installation of fencing or safety railing)
- > The raising or lowering of existing ground surface levels
- > Any excavation within 2m of an underground cable.

The following activities may be approved with conditions. TransGrid's prior written consent is required. The proponent will have to demonstrate (using the Impact Assessment process) that the risks associated with the activity have been satisfactorily mitigated.

> Parking of vehicles

Note: Parking will be prohibited if the surface is not capable of supporting the vehicles likely to be parked, risking the crushing of the cable/ducts or erosion of the ground

> The operation of mobile plant and equipment

Note: Such operations will be prohibited if the surface is not capable of supporting the vehicles likely to be parked, whereby risking the crushing of the cable/ducts or erosion of the ground

- > The erection of structures spanning the easement
- > Excavation
- > Concrete driveways
- > The installation of metallic pipes, fences, underground or overhead cables and services
- > Road-boring within approved distances of a high voltage cable.

Where TransGrid's prior written consent has been granted to undertake work near an easement and related subterranean infrastructure, including the tunnels and conduits that accommodate our high voltage transmission line cables, all works must be undertaken in accordance with the WorkCover NSW 'Work Near Underground Assets' Guide 2007. Further, all development works must comply with the TransGrid guidelines for subterranean infrastructure referring to the document titled "Requirements for Working In the Vicinity of TransGrid Underground Cables".



### **Appendix C - General Requirements for Developments and Subdivisions**

The following list of current general requirements is provided for your information. It should be noted that the list is not exhaustive and, where there is any doubt concerning a particular activity within the easement area advice should be sought from TransGrid.

### 1. Completed Works

The completed works shall provide for the following considerations:

- > A safe unobstructed working platform shall be preserved around the transmission line structures for access by EWP, cranes as well as other large plant and equipment. No obstructions of any type shall be placed within 30 metres of any part of a transmission line structure.
- Roads, streets etc (including kerb to property boundaries) and intersections shall not be located within 30 metres of any TL structure.
- > Developments must meet the clearances requirements set out in AS7000 between their finished level and the conductor at its maximum operating temperature.
- Proposed roadway locations shall also take into consideration any street lighting requirements to ensure that statutory clearance requirements are followed. The design clearances should include future maintenance safety issues. TL outages will not be provided for street light maintenance. Access to the TL and its structures shall be available at all times for TransGrid plant and personnel. In this regard a continuous and unobstructed access way shall be retained along the easement.
- > Where fences are required for security purposes access gates will be installed in an agreed location and a TransGrid lock will be fitted.
- > Application of "prudent avoidance" in relation to electric and magnetic fields should always be observed.
- > No increase in earth potential rise risks.
- > All underground services installed more than 20 metres but within 30 metres of a TL structure shall be non-metallic. Utility services (including street lighting), whether above or below ground, shall not be installed without prior written approval of TransGrid.
- > Excavation work or other alterations to existing ground levels shall not be carried out within the easement area without the prior approval of TransGrid. Approval will not normally be granted for such work within 20 metres of any supporting structure.
- > Boundaries for new subdivided properties should not be located within the easement.
- > Fenced boundaries for all new properties in the subdivision shall not be within 30 metres of any TL structure.
- > A "Restriction-as-User" (88B Instrument) shall be placed on the titles of any created lots that may become affected by a TL easement. Any proposed activity within an easement area will require the prior written approval of TransGrid (appropriate wording will be advised when required).
- > Any proposed development must not impact on TransGrid's costs of inspecting, maintaining or reconstruction of the transmission lines.
- > In order to comply with its statutory responsibilities to maintain adequate clearance between the conductors and any forms of vegetation, TransGrid maintains its easements as follows:
  - Tall growing species likely to infringe safe clearances are to be removed regardless of existing height at time of construction.
  - Trees likely to fall onto conductors or towers are also to be removed whether on the easement or off the easement (ref. Sec 48 of the Electricity Supply Act 1995).



- Shrubs and other vegetation of lower mature height within the easement will be reduced and managed, generally by slashing with ground level retained.
- Vegetation management will aim to reduce available fuel and subsequent bushfire risks in accordance with NSW Rural Fire Service Bush Fire Environmental Assessment Code that sets out the requirements for hazard reduction strategies such as Asset Protection Zones and Strategic Fire Advantage Zones.
- Removed vegetation will be mulched or chipped and removed from site or retained on site in accordance with owner/stakeholder requirements.
- Other works considered necessary in order to provide a safe working environment for maintenance staff, contractors and for the property owner/manager will be undertaken.

Proposed vegetation plantings, such as Riparian corridors, within the transmission line easements shall be compatible with the above maintenance requirements and must consider on-going vegetation control.

### 2. Construction

During construction, the development plans shall also provide for the following considerations:

- > Vehicles, plant or equipment having a height exceeding 4.3 metres when fully extended shall not be brought onto or used within the easement area without prior TransGrid approval.
- > Where temporary vehicular access or parking (during the construction period) is within 16 metres of a transmission line structure, adequate precautions shall be taken to protect the structure from accidental damage. Plans need to be submitted to TransGrid for prior approval.
- > The easement area shall not be used for temporary storage of construction spoil, topsoil, gravel or any other construction materials.

#### 3. Costs

The Developer shall bear all costs of any specialist design studies, TransGrid supervision, reconstruction or modification of the transmission line and its components, including consultation and design required to maintain clearances due to proposed ground level changes; road crossings within the easement; or due to any damage to the TL arising from the development.



# **Example of the Required Working Platform for Transmission Tower Maintenance**

