DOC18/536951-23

NSW Department of Planning and Environment
(Attention: Cameron Sargent)
PO Box 39
SYDNEY NSW 2001

Dear Sir

Mixed Use Development at Site 53, 2 Figtree Drive, Sydney Olympic Park (SSD 7662) MOD 1

I am writing in reply to your request to provide comment on the above modification to a State Significant Development Application including associated studies received by the Environment Protection Authority (EPA) on 31 July 2018.

The EPA provided comments to the Department of Planning and Environment (DPE) on the original proposal on 31 March 2017 (our ref: DOC17/16964-40:PW) and Submissions Report on 20 July 2017 (our ref: DOC17/333697-04). These comments related to Liquid Waste Treatment Plant/odours, noise, water quality, contaminated land management and waste management. A copy of this correspondence can be provided upon request.

Based on a review of the information provided, the EPA considers the previous advice provided in the above letters are still relevant and should be considered in relation to this modification. The EPA has no further comments at this time.

The EPA is available to meet with the DPE at a mutually convenient time to discuss any of the above issues.

If you have any questions regarding this matter, please contact Mr Paul Wearne on (02) 4224 4100.

Yours sincerely

21/08/18

PETER BLOEM
Manager Regional Operations Illawarra
Environment Protection Authority

Contact officer: PAUL WEARNE
(02) 4224 4100