

All communications to be addressed to:

Headquarters
15 Carter Street
LIDCOME NSW 2141

Headquarters
Locked Bag 17
GRANVILLE NSW 2142



Telephone: 1300 NSW RFS
e-mail: csc@rfs.nsw.gov.au

Facsimile: 8741 5433

Department of Planning and Environment
GPO Box 39
SYDNEY NSW 2001

Your Ref: SSD 7680

Our Ref: D17/454

ATTENTION: Rose-Anne Hawkeswood

22 February 2017

Dear Sir/Madam,

Request for Comment for Sunraysia Solar Farm Project Exhibition

I refer to your email dated 10 February 2017 inviting comment on the Exhibition of the Environmental Impact Statement for the above State Significant Development.

1. The NSW Rural Fire Service advises that site proposed for the extent of solar arrays and associated infrastructure should be maintained to Asset Protection Zone standards as outlined within section 4.1.3 and Appendix 5 of 'Planning for Bush Fire Protection 2006' and the NSW Rural Fire Service's document 'Standards for asset protection zones'.
2. The NSW Rural Fire Service advises that the development has in place suitable fire mitigation measures to ensure that a fire occurring within the site cannot escape the site.

For any enquiries regarding this correspondence please contact Deborah Dawson on (02) 4472 0600.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'Nika Fomin'.

Nika Fomin

Manager Planning and Environment Services East

The RFS has made getting information easier. For information on Planning for Bush Fire Protection 2006, visit the RFS web page at www.rfs.nsw.gov.au and search under Planning for Bush Fire Protection 2006.