# E

LEGEND

# BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD

WOLLONGONG

# **DRAWING SCHEDULE**


DWG NO. DRAWING TITLE **COVER SHEET** 000 LANDSCAPE MASTERPLAN SETOUT AND GRADING PLAN 201 MATERIALS SCHEDULE HARDWORKS PLAN 301 SOFWORKS PLAN 401 LANDSCAPE DETAILS - SOFTSCAPE LANDSCAPE DETAILS - PAVEMENT AND EDGES LANDSCAPE DETAILS - FENCES LANDSCAPE DETAILS - STRUCTURES LANDSCAPE DETAILS - STRUCTURES LANDSCAPE DETAILS - STRUCTURES 600 LANDSCAPE SECTIONS

# PLANTING SCHEDULE

CODE	BOTANIC NAME	COMMON NAME	MATURE SIZE	PROPOSED POT SIZE	QUANTIT
			(h x w) (m)		
	DEMENTIA COURTYARD				
	TREES & PALMS				
Ee	Elaeocarpus eumundi	Eumundi	15 x 10	200 L	6
La	Livistona australis	Cabbage-tree palm	15 x 5	400 L	4
La	SHRUBS & ACCENTS	cabbage-tree paint	13 % 3	400 L	
Aa	Asplenium australasicum	Birds Nest Fern	1.5 x 1.5	300 mm	36
Bs	Blechnum Silver Lady Fern	Silver Lady Fern	1.5 x 1.5	150mm	36
Bsp	Bromeliad Species	Bromeliad	1.5 x 1.5	300 mm	10
Ср	Crinum pedunculatum	Swamp Lilly	1.5 x 1.5	150mm	45
Lh	Lomandra hystrix	Creek Mat Rush	1 x 1	150 mm	45
Px	Philodendron xanadu	Xanadu	1 x 1	300 mm	68
Sr	Strelitzia reginae	Bird Of Paradise	2 x 2	300 mm	12
OI .	GROUNDCOVERS & CLIMBERS	Bild of Faladisc	2 1 2	000 11111	12
Cg	Casuarina glauca 'cousin it'	Cousin it	0.5 x spreading	150mm	20
Lm	Liriope muscari	Lily turf	0.5 x 0.5	150mm	25
Мр	Myoporum parvifolium	Creeping boobialla	0.5 x spreading	150mm	25
Tj	Trachelospermum jasminoides	Star Jasmine	0.5 x spreading	150mm	35
Vh	Viola hederacea	Violet	0.5 x spreading	150mm	25
	MATURE PLANTING MATRIX DETAI				
As	Acmena smithii	Common Lilly Pilly	3 x 1	75L	18
Ag	Anigozanthos sp.	Kangaroo Paw	1.5 x 1.5	25L	32
Ae	Acacia elongata	Swamp Wattle	3 x 2	75L	11
Dex	Doryanthes excelsa	Gymea Lilly	3 x 1.5	25L	21
Lm	Liriope muscari	Lily turf	.5 x .5	300mm	49
Lh	Lomandra hystrix	Creek Mat Rush	1 x 1	300mm	49
Sa	Syzgium australae	Bush Cherry	4 x 2	75L	7
Sr	Strelitzia reginae	Crane Flower	2 x 1.5	75L	21
Ta	Themeda australia	Kangaroo Grass	1 x 0.5	300mm	42
TI	Tristaniopsis laurina	Water Gum	10 x 6	150L	4
	POT PLANTS				
	SHRUBS				
Ga	Gardenia Augusta Florida	Gardenia	1 x 1	200mm	4
Am	Azalea Alba Magnifica	Azalea	1 x 1	200mm	4
Cs	Camellia sasanqua	Sasanqua	3 x 2	200mm	4
	Murraya paniculata	Orange jasmine	1.5 x 1.5	200mm	4
Mp	wuraya pameulata	Ordingo justilino	110 / 110		
Mp	Mix of Herbs (Basil, Lavender and Rosem				Rate (6/ı

# LOCATION PLAN

SCALE: NTS



# NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
A	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	

# BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD

WOLLONGONG SECTION 4.55

IRT

NORTH

DRAWING NAME


COVERSHEET

JOB# SHEET# I 16-370 000 2

SUE

SCALE AS STATED





IRT



ANGLE MEASUREMENT DISTANCE MEASUREMENT RADIUS MEASUREMENT SETOUT GUIDES SETOUT MARKER REDUCED LEVEL FINISHED FLOOR LEVEL TOS/BOS TOP / BOTTOM OF STEP TOW/BOW TOP / BOTTOM OF WALL

> NOTE: RADIUS OF CORNER JUNCTIONS IS TO BE 500mm UNLESS OTHERWISE NOTED

#### NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
А	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	
-	-	-	-	
-	-	-	-	

# **BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD**

WOLLONGONG SECTION 4.55

IRT

# SETOUT AND GRADING PLAN



16-370	BULLI HOPSITAL- MATERIAI	S SCH	EDULE	
CODE	TYPE	DETAIL	PRODUCT INFORMATION	CONSTRUCTION NOTES
CODE	1111	БВТИПБ		
	PAVING & SURFACES			
Pl	Artificial Turf	01/510	Type: Summer Breeze Supplier: Grassman	Refer Landscape detail & specification
P2	Insitu Concrete Paving with coloured oxide	02/510	Type: Insitu Concrete with full colour oxide_Colour: Dark Grey Size: To Engineers Documentation	Refer Landscape detail & specification
P2α	Insitu Concrete Paving with coloured oxide	02/510	Type: Insitu Concrete with full colour oxide_Colour: CCS ghost gum Size: To Engineers Documentation	Refer Landscape detail & specification
P3	Insitu Concrete Paving with coloured oxide	03/510	Type: Insitu Concrete with full colour oxide_Colour: CCS terracotta Size: To Engineers Documentation	Refer Landscape detail & specification
P4	Softfall	04/510	Type: Sand Yellow Size: 1-4mm Granules Supplier: CSBR	Refer Landscape detail & specification
P5	Insitu Concrete Paving	07/510	Type: Insitu Concrete Paving Size: To Engineers Documentation	Refer Landscape detail & specification
	EDGES			
	G. 171	05/510		
El	Steel Edge	05/510	Type: Galvanised edge Supplier: Formboss	Refer Landscape detail & specification
E2	Sandstone Boulder Edge	06/510	Type: A grade raw Sandstone Boulder Size: varies, not smaller than 500x500x500mm Supplier:Gosford quarry	Refer Landscape detail & specification
	WALLS + FENCES			
	77	01/501		P. 6. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Wl	Versawall	01/531	Type: Interlocking Wall System Height: 500mm Colour: Charcoal	Refer Landscape detail & specification
W2	Versawall	02/531	Type: Interlocking Wall System Height: 900mm Colour: Charcoal	Refer Landscape detail & specification
M3	Versawall	03/531	Type: Interlocking Wall System Height: Varies, Refer to Grading Plan Colour: Charcoal	Refer Landscape detail & specification
Fl	Fence	01/520	Type: Prefabricated powedercoated steel fence Height: 1800mm	Refer Landscape detail & specification
F2	Fence with graphic screen	02/520	Type: Prefabricated powedercoated steel fence with graphic print fixed Height: 1800mm	Refer Landscape detail & specification
	STRUCTURES			
7.7.7.7.1	Water Feature	01/530	Type at Defente Detail and Chesification	Defent and game a detail & an egification
WF1			Type: Refer to Detail and Specification	Refer Landscape detail & specification
SSI	Shade Structure	01/532	Type: Mod Leios Shelter Size: 4000 x 4000mm	Refer Landscape detail & specification
	FIXTURES			
T 1	D. H. Maria			D ( I )
LΙ	Bollard Light		Type: Wide LED Bollard Size: Refer to Specification Supplier: Street Furniture Australia	Refer Landscape specification
	FURNITURE			
Sl	Bench		Type: Park DDA Seat Size: 1800W x 560D x 775H Supplier: Street Furniture Australia	Refer Landscape specification
S2	Seat		Type: Forum Seat Size: 555W x 735H x 590L Supplier: Street Furniture Australia	Refer Landscape's pecification
	Park Table and Bench Set			
TBL 1			Type: Table and Bench Mall DDA Setting Size: Refer to Specification Supplier: Street Furniture Australia  Type: Mall Table Size: 21001 x 720W x 720W specification Supplier: Street Furniture Australia	Refer Landscape specification
TBL 2	Dining Table		Type: Mall Table Size: 2100L x 720W x 720H Supplier: Street Furniture Australia	Refer Landscape specification
PLTR 1	Planter pot large		Type: GRC Planter Size: 900 Medium U Bowl - Supplier: Quatro Design	Refer Landscape specification
PLTR 2	Planter pot small		Type: GRC Planter Size: 700 Low U Bowl - Supplier: Quatro Design	Refer Landscape specification
PB	Raised Planter Bed		Type: Slimline Raised Garden Bed Size: 600W x 800H x 2000L Colour: Woodland Grey Supplier: Waterplex	Refer Landscape specification
PA	Accessible Raised Planter Bed		Type: Elevated Wheelchair Planter Size: 1200L x 400W x 980H Supplier: Birdies Garden Products	Refer Landscape specification
GS	Garden Shed		Type: Zinc Garden Shed Size: 1500 x 2000 x 1500 Supplier: Bunnings	Refer Landscape specification
CL	Clothes Line		Type: Austral Woodland Grey Retract Away 40 & Mount Pole Supplier: Bunnings	Refer Landscape specification

## LEGEND

## NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
А	SECTION 4.55	JF	AL	06.05.20
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	

# **BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD**

WOLLONGONG

**SECTION 4.55** 


IRT

DRAWING NAME **MATERIALS SCHEDULE** 

JOB# SHEET# ISSUE

16-370 300 A





#### **HARDWORKS**

- 01 510 ARTIFICIAL TURF Refer Landscape Specification
- 02 510 P2 CONCRETE PAVING Refer Landscape Specification
- 02 510 P2a CONCRETE PAVING Refer Landscape Specification
- 03 510 CONCRETE PAVING WITH OXIDE Refer Landscape Specification
- SOFTFALL Refer Landscape Specification
- 07 510 INSITU CONCRETE PAVING Refer Landscape Specification
- 05 510 STEEL EDGE Refer Landscape Specification
- SANDSTONE BOULDER EDGE Refer Landscape Specification
- 01 FENCE F1 Refer Landscape Specification

- FENCE WITH GRAPHIC SCREEN
  Refer Landscape Specification
- 01 WF1 WATER FEATURE
  Refer Landscape Specification
- S1 Refer Landscape Specification
- SEAT Refer Landscape Specification
- TABLE AND BENCH SEAT
- TBL 1 Refer Landscape Specification
- TBL 2 DINING TABLE
  Refer Landscape Specification
- PLTR 1 PLANTER POT LARGE
  Refer Landscape Specification
- PLANTER POT SMALL
- PLTR 2 Refer Landscape Specification
- SS1 SHADE STRUCTURE
  Refer Landscape Specification
- NOMINAL HOSE TAP LOCATIONS

  Refer Hydraulic Engineers Documentation
- L1 

  BOLLARD LIGHT

  Refer Landscape Specification
- 06 W1 VERSAWALL
  Refer Landscape Specification
- 07 VERSAWALL
  Refer Landscape Specification
- 08 VERSAWALL
  Refer Landscape Specification
  - PA ACCESSIBLE RAISED PLANTER BED Refer Landscape Specification
  - RAISED PLANTER BED PB Refer Landscape Specification

#### **NOT FOR CONSTRUCTION**

Issue	Revision Description	Drawn	Check	Date
A	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	
-	-	-	-	
	_	-	-	
	_			
	-			
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	,,
-	_	-	-	

## **BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD**

# WOLLONGONG **SECTION 4.55**

IRT

# DRAWING NAME

HARDWORKS PLAN

JOB# SHEET# ISSUE

16-370 301







EXISTING TREES TO BE RETAINED Refer Landscape Specification

EXISTING TREES TO BE REMOVED 

FEATURE TREE PLANTING
Refer Landscape Specification SHRUB AND ACCENT PLANTING
Refer Landscape Specification

GROUNDCOVERS

Refer Landscape Specification

MATURE PLANTING MATRIX
Refer Detail

TURF Refer Detail

#### NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
A	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	,,
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	,,

# **BULLI AGED CARE CENTRE** OF EXCELLENCE **DEMENTIA COURTYARD**


WOLLONGONG **SECTION 4.55** 

IRT

DRAWING NAME **SOFTWORKS PLAN** 

JOB# SHEET# ISSUE 16-370 401






- PROPOSED TURF

Refer Specification

TO 150mm DEPTH

BREAK UP & CULTIVATE SUBGRADE

PROPOSED SHRUB OR GROUNDCOVER Refer Specification 75mm DEPTH MULCH REFER SPECIFICATION DISHED AROUND BASE OF BACKFILL & CONSOLIDATE WITH TOPSOIL MIXTURE & FERTILISE TO MIN. 300mm Refer Specification BREAKUP & CULTIVATE SUBGRADE TO 150mm DEPTH



03 TRUNK PROTECTION FOR EXISTING TREES
500 SCALE 1:50

**SCALE 1:20** 

SHRUB OR GROUNDCOVER IN PLANTING BED 500 SCALE 1:20

EXCAVATE PLANT HOLE

AND FERTILIZER

TO MIN. 150MM DEPTH

400mm WIDE x 300mm DEEP.

ENSURE BREAK UP OF SIDES AND BASE OF PLANT PIT. BACKFILL & CONSOLIDATE

WITH TOPSOIL, SOIL MOISTURIZER,

TUBESTOCK OR 5L PLANT, Refer Schedule TREE PROTECTION 600 dia.x75mm DEPTH MULCH AS SPECIFIED. -Refer Specification MULCH TO BE DISHED AROUND STEM 600x600 WEED MAT WHERE REQUIRED, SECURED AT CENTRE AND EACH CORNER WITH STEEL PINS ADJACENT SURFACES BREAK UP AND CULTIVATE SUBGRADE

HOSE PIPE ENSURE TRUNK IS PROTECTED WITH RUBBER AND HESSIAN GALVANISED ADJUSTABLE TENSIONER FOR SECURING GUY WIRES PROPOSED PALM TREE Refer Schedule 6mm GALVANISED TOPSOIL TYPE B MUTISTRAND GUY WIRE Refer Specification MASS PLANTING Refer Specification TIMBER EDGE 75mm DEPTH MULCH DISHED Refer Specification AROUND BASE OF TURNK Refer Specification Refer Specification - BACKFILL & CONSOLIDATE WITH IMPORTED TOPSOIL TYPE A TO MIN.300mm Refer Specification BREAKUP EXISTING SUBGRADE TO 150mm Refer Specification 3 MILD STEEL ANGLE STAKES WITH HOLES IN THE TOP. DRIVEN SECURELY BELOW GROUND LEVEL AND ON AN ANGLE OF APPROX. 45-60 DEGREES MIN TWICE BOOTBALL NOTE: TREE PIT TO BE EXCAVATED

SCALE 1:10

07 TREE PLANTING IN GRASS VERGE ADJACENT ROAD - SECTION SCALE 1:20

100L TREE SET VERTICAL & CENTRED WITHIN THE TREE PIT 100L TREES ONLY: PLANTATION HARDWOOD STAKES 38 x 38 x 1800mm AT EDGE OF ROOTBALL 50mm HESSIAN TIES IN FIGURE OF 8 STAPLED TO STAKE - 75mm ORGANIC MULCH DISHED TO BASE OF TREE Refer Specification - 2m LONG ROOT CONTROL BARRIER ADJACENT TO KERB TO 500mm DEPTH. SET ROOT BARRIER 100mm BELOW SURFACE - CONCRETE KURB & GUTTER BY OTHERS - TYPE 'A' SOIL MIX TO 300mm DEPTH Refer Specification - TYPE 'B' SOIL MIX Refer Specification - CULTIVATE SUBGRADE TO BASE OF PIT TO 150mm. ADD GYPSUM TO MANUFACTURES' RECOMMENDED RATE TREE PIT TO BE A MINIMUM OF TWICE ROOT BALL SIZE. ROOT BALL IS TO SIT FLAT ON BOTTOM OF TREE PIT HOLE

05 PLANTING - TUBESTOCK 500 SCALE 1:20 06 PALM TREE IN MASS PLANTING 500 SCALE 1:20 -Ae x 3 −Tl x 1 −De x 6 −As x 5 −Ta x 12 −Ag x 9 \_\_\_\_Lh x 14

**EXISTING SUBGRADE** 

**NOT FOR CONSTRUCTION** 

Issue	Revision Description	Drawn	Check	Da
А	SECTION 4.55	JF	AL	06.05.
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	

# **BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD**

WOLLONGONG **SECTION 4.55** 

**IRT** 

NORTH

DRAWING NAME LANDSCAPE DETAILS

SOFTSCAPE JOB# SHEET# ISSUE

16-370 500


SCALE


TO FORM A BROAD SHALLOW BASIN.




08 MATURE PLANTING MATRIX - 10m x 5m 500 SCALE 1:50


NOTE: DETAIL IS INDICATIVE ONLY, PLANT ALL SPECIES RANDOMLY









O4 PAVING TYPE P4 -SOFTFALL ON GRADE
510 SCALE 1:10




07 PAVING TYPE P5 - INSITU CONCRETE PAVING
510 SCALE 1:10




02 PAVING TYPE P2 & P2a - IN SITU CONCRETE PAVING WITH CONTRASTING EDGING
510 SCALE 1:10



05 EDGE TYPE E1 -TYPICAL MILD STEEL EDGE
510 SCALE 1:10



O3 PAVING TYPE P3 - INSITU CONCRETE PAVING WITH COLOURED OXIDE SCALE 1:10



06 E2- SANDSTONE BOULDER EDGE 510 SCALE 1:20

### NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
А	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	

## **BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD**

WOLLONGONG **SECTION 4.55** 

**IRT** 

NORTH

DRAWING NAME LANDSCAPE DETAILS **PAVEMENT AND EDGES** 


JOB# SHEET# ISSUE

16-370 510

SCALE







#### NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
А	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	

# BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD

WOLLONGONG SECTION 4.55

IRT

NORTH

DRAWING NAME


LANDSCAPE DETAILS

FENCES


JOB# SHEET# ISSUE 16-370 520 A

SCALE





01 WATER FEATURE TYPE WF1 - SECTION 530 SCALE 1:20



# NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
A	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	

# **BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD**

WOLLONGONG

SECTION 4.55

IRT


NORTH


DRAWING NAME LANDSCAPE DETAILS STRUCTURES


JOB# SHEET# ISSUE 16-370 530 A

SCALE









### NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
А	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	,,
-	-	-	-	
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	,,
-	-	-	-	,,

# BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD

WOLLONGONG

IRT

NORTH

**SECTION 4.55** 

DRAWING NAME

LANDSCAPE DETAILS


STRUCTURES

 JOB#
 SHEET#
 ISSUE

 16-370
 531
 A


SCALE





01 STRUCTURE TYPE SS1 - SECTION 532 SCALE 1:20

SHOP DRAWINGS TO BE PREPARED FOR CHECKING AND APPROVAL BY LANDSCAPE ARCHITECT AND CLIENT



02 STRUCTURE TYPE SS1 - PLAN 532 SCALE 1:20

SHOP DRAWINGS TO BE PREPARED FOR CHECKING AND APPROVAL BY LANDSCAPE ARCHITECT AND CLIENT

#### NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
A	SECTION 4.55	JF	AL	06.05.2019
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	,
-	-	-	-	
-	-	-	-	
-	-	-	-	,,

# BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD

WOLLONGONG SECTION 4.55

IRT

NORTH


DRAWING NAME
LANDSCAPE DETAILS
STRUCTURES


JOB# SHEET# ISSUE

16-370 532 A


SCALE







02 LANDSCAPE SECTION BB 600 SCALE 1:25



ARCADIA Lower Deck Jones Bay Wharf Suite 76 / 26-32 Pirrama Rd Pyrmont 2009 NSW p 61 2 8571 2900

NOT FOR CONSTRUCTION

Issue	Revision Description	Drawn	Check	Date
А	SECTION 4.55	JF	AL	06.05.20
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	
-	-	-	-	

# **BULLI AGED CARE CENTRE OF EXCELLENCE DEMENTIA COURTYARD**

WOLLONGONG

SECTION 4.55

IRT

NORTH

DRAWING NAME LANDSCAPE SECTIONS

JOB# SHEET# ISSUE

16-370 600 A

SCALE