

# 7.1 Planting Strategy

### AMENITY AND VALUE

The development of a robust tree planting strategy for Barangaroo is an essential ingredient to the success of the public realm. Quality, large scale trees, will assist to mitigate several micro climate challenges and create meaningful, useable spaces. We envisage that trees will be a special component to help unify the different aspects of the public realm and - in the case of Hickson Park - will be the most important factor to ensure that the character of the space is distinctly contrasting to the rest of the public realm.

### HICKSON ROAD EXISTING FIG TREES

The Hill's weeping Figs (*Ficus microcarpa var. hillii*) along Hickson Road are an excellent example of how historically important this tree is in the growth of the city. The Sussex Street/Hickson road alignment marks the former eastern edge of Cockle Bay prior to the 1830's period. Figs were used extensively for the planting of public streets and parks pre and post war period. The Figs continue a lush, native broadleaf evergreen theme that is consistent with earlier nineteenth century planting schemes and provide high ornamental amenity and biodiversity values in an urban setting.

There is one particular Fig tree, adjacent to the Sussex Hotel's beer garden that is incredibly spectacular. It can be seen all the way from Pyrmont on the other side of the harbour down the axis of City Walk. This tree is listed in the City of Sydney's significant tree register and is older than the other Fig trees along Hickson Road which date from the 1970's. This large Fig appears, based on historic photos, to have been planted c.1947.

## SIGNATURE TREE PLANTING

In addition to the significant existing Fig tree planting along Hickson Road the Harbour edge - and many of

the urban parks throughout the CBD - are littered with magnificent signature tree specimens, predominantly figs, that provide a dramatic character to the spaces and escarpments in which they reside. Whether they are among bushland perched on the edges of the water or are stand alone specimens in their own right (including "Fred the Fig" in Tumbalong Park or Mrs Macquarie's Chair in the Botanic Gardens) they exhibit a powerful character that is distinctly memorable.

These trees have become a source of inspiration for several proposed set piece tree planting pieces in Barangaroo South. We have begun to suggest that the best locations for these trees would be where they define dramatic and memorable arrival and departure experiences. They are proposed as a common thread throughout all of the spaces and places and are a strong part of the overall tree planting narrative proposed for Barangaroo South 1B.

### **HICKSON PARK**

Hickson Park is an important part of Barangaroo South's sequence of public spaces with an aspiration is that it will offer one of Sydney's most distinctive urban park experiences. It is to be a destination in its own right, offering a genuine new public place supported by a range of appropriate services, facilities and changing uses.

Hickson Park offers a softer, greener space within the urban precinct for nearby residents, workers and visitors to the site. The primary use and character will be a high quality public park that connects to the future parklands of Central Barangaroo, Hickson Road and Barangaroo Avenue through extensive and varied opportunities for people to spend time in a comfortable landscaped environment. As an overall strategy, Hickson Park should exhibit a strong landscape character, whilst also retaining an urban quality at its fringes and streetscape interfaces. The use of tree planting should contribute to the clear expression of pedestrian thoroughfares and quieter, definition of key views, mitigation of scale and the

creation of more intimate spaces off of the main pedestrian routes. Importantly the choice of species should offer a character of planting that provides rich green tones all year round. Trees should have large spreading canopies in the large lawn spaces of the park and have dense canopies to mitigate the adjacent buildings. The view from above should be considered as the park will provide a green respite for the residents, Crown Sydney and commercial offices that surround the precinct.

The selection of tree species will need to respond to a desire to provide well needed shade. The landscape character should be simple, elegant and in scale with the public character of the place. It should avoid fussiness and a domestic character. However, special smaller areas within the park can be created with a greater level of detail to provide diversity of use and spaces. Areas of shrub planting and a large lawn will provide a stark alternative to the hard landscaping in the commercial core of Barangaroo South.

Notable requirements for the tree planting to be able to respond to this character include.

- Reveal the seasons through the use of a mix of distinctive flowering trees.
- Provide differences of scale and form to provide a variety of places to sit and gather.
- Provision of a richer understory planting layer that will add accent and interest to the ground plane.
- Provide tall clear single trunks that allow key views inwards and outwards beneath the tree canopies.
- Mitigate the impacts of wind to the edges of the park, dining and pedestrian areas.
- Clearly define park entry and exit points.

### WATERMANS COVE

The planting within the Cove aims to significantly contribute to this character by providing a distinctly green foil to the backdrop of the buildings behind. It is particularly important therefore that these trees are selected to add height and scale to this part of the Cove to ensure that it becomes an inviting place for people to gravitate to and to spend time in - rather than just move through. We envisage that these trees distinguish the Cove in views from the water and Pyrmont. The Cove is also an important place for continuation of the allee of trees along Wulugul Walk + Boardwalk. The trees have been proposed in a location to strengthen the arc of the Cove but also to permit views through to the Harbour from Watermans Quay and Shipwrights Walk. For the Cove allee planting we have proposed a different tree species than the existing *Celtis Australis* to define the Cove as a particularly special place along Wulugul Walk.

Notable requirements for the Cove avenue tree planting to be able to respond to this character include.

- Composed radially to complement and reinforce
   the circular geometry of the cove.
- Promote a different tree species to the rest of Wulugul Walk to underpin the principle of the Cove as a special place along the Walk.
- Provision of a year round evergreen character to provide shade and "green volume" throughout all times of the year.
- Provide well rounded interlocking tree canopies that complement the urban character of this part of the waterfront.
- Provide appropriate clear trunk heights that do not restrict movement of views.
- Provide canopies and foliage that provides access to winter sun and the provision of adequate shade in summer.

- Promote a continuous tree lined avenue along
   Wulugul Walk from King Street Wharf to Barangaroo
   Reserve.
- Provide trees with lighter foliage that permits filtered views across the water and beyond from the adjacent residential and commercial buildings.

Notable requirements for the Cove raised planter tree planting to be able to respond to this character include.

- Promote a distinctly different tree character to the Cove avenue trees through the provision of taller trees with clearer stems to mitigate scale of the adjacent building podium.
- Provision of a year round evergreen character to promote "green volume" throughout all times of the year.
- Select tree species that tolerate planting in tight groups to maximise "green volume" in an otherwise hardscape dominated space.
- To identify Watermans Cove as a special place when looking east from across the Harbour towards the waterfront edge.
- Frame key views from Watermans Quay, Barangaroo Avenue and the Strada to Watermans Cove and then further across the water.
- Clearly define arrival to the Cove and waterfront.
- Provide trees with lighter foliage that permits filtered views across the water and beyond from the adjacent residential and commercial buildings.

## BARANGAROO AVENUE

As per Stage 1A Barangaroo Avenue will accommodate a single row of *Harpullia pendula* street trees located in the pavement on both sides of the street. The spacing and positioning of trees has followed the standards set by Stage 1A.

## WATERMANS QUAY

Watermans Quay will be planted with a single row of *Eleaocarpus eumundi* on each side of the street. The trees will be located back from the kerb and in line with the proposed light poles on the northern side of the street. On the Southern side the trees are proposed to generally be set back from the edge of the kerb because of the taxi rank in the western portion of the street. This alignment ensures that they can be positioned in a single linear row.

### WULUGUL WALK + BOARDWALK

Celtis australis will be planted in the section of Wulugul Walk in front of Crown Sydney so that is continues the avenue that has been planted in Barangaroo Central. Two trees will also be planted to the north of the existing avenue in Stage 1A.

The following section and associated diagrams describe the proposed tree species in further detail and include specific reasons for their selection. Considerable work was conducted with the Barangaroo Delivery Authority to review alternative tree species, these were discounted for various reasons (including suitability for a civic character). They are not included in this report.

## PROCUREMENT AND CLIMATE CONDITIONING

In order to secure adequate supply and quality of the tree planting advanced procurement will be required. We also recommend that for some of the key tree planting species, including the proposed Watermans Cove tree planting, that advanced planting of the same species is conducted in Barangaroo Central so that its suitability for the location can be monitored and assured. This advance planting should be conducted as soon as possible.











Hickson Park

Watermans Cove

— — — Stage 1B DA boundary

Wulugul Walk and Boardwalk

Streets



In terms of the required tree character and their design related selection, we are interested in promoting trees with particularly distinctive bark, texture and branch and canopy form

The specific reasons for the tree species selection, including their particular desired character, are included in the following pages.



Note: Tree height and canopy spread are indicative only. Actual sizes depend on a variety of environmental factors including soil type and volume.

## TREE PLANTING AREAS

The following diagram details the locations and tree species for each respective area.

## WATERMANS QUAY

Elaeocarpus eumundi

## BARANGAROO AVENUE

Harpullia pendula

## HICKSON PARK

- Magnolia grandiflora 'Exmouth'
- Waterhousea floribunda
- Syzigium paniculatum
- Angophora costata
- Tristaniopsis laurina
- Ficus macrophylla
- Ficus var. hillii

## WULUGUL WALK


- Celtis australis
- Ficus var. hillii

## WATERMANS COVE

- Corimbia maculata
- Corimbia gummifera
- Waterhousea floribunda var. 'Green Avenue'
- Ficus var. hillii

## OTHER

Existing Hickson Road trees



## WATERMANS QUAY TREE PLANTING

Elaeocarpus eumundi - Smooth Leaved Quandong

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter

LOW

## **DESIGN CONSIDERATIONS**

Elaeocarpus eumundi is well suited to street tree planting. It has a dense upright character and will provide good "green volume" for this wide street. The clean and upright nature of the tree canopy and trunk is well suited to avoid conflicts with building awnings and facades. A significant shade canopy for this tree is not required as the height of the adjacent buildings (particularly on the northern side of the street) restrict solar access.

## ALTERNATIVE SPECIES CONSIDERATION


Other possible alternative species that were considered include.


- Cupaniopsis anarcardiodes concern over more rounded spreading habit
- Platanus acerifolia concern over lack of unique character from other CBD streets
- Flindersia australis concern over burn from north/ north westerly winds and salt spray

## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE

Barangaroo South & Darling Park









WATERMANS QUAY Elaeocarpus eumundi

## BARANGAROO AVENUE TREE PLANTING Harpullia pendula - Tulipwood

CHARACTERISTICS + SUITABILITY

Evergreen

~

Native

**✓** 

Common to Sydney

~

Harbourside Tolerance

**✓** 

Seasonal Litter

LOW

## **DESIGN CONSIDERATIONS**

Harpullia has been approved by the Authority and has been planted along Barangaroo Avenue in Stage 1A. The design intent for the remaining part of Barangaroo Avenue is to continue its existing character all of the way Northwards to the boundary of Central.

## ALTERNATIVE SPECIES CONSIDERATION

There is no requirement to consider alternative tree species for Barangaroo Avenue. This species has been approved by the Authority.

## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE

Barangaroo South stage 1A street trees

Note: Tree height and canopy spread are indicative only. Actual sizes depend on a variety of environmental factors including soil type and volume.





BARANGAROO AVENUE Harpullia pendula

KEY PLAN

## HICKSON PARK TREE PLANTING Magnolia grandiflora 'Exmouth' - Exmouth

## CHARACTERISTICS + SUITABILITY

Evergreen Native Common to Sydney Harbourside Tolerance

LOW

## **DESIGN CONSIDERATIONS**

Seasonal Litter


Magnolia grandiflora has a large spreading habit and striking white flowers that are in bloom in the summer to autumn. It has been selected as a key tree to define the transition of the edges of the tree belt and the open lawn. It has an impressive large scale when mature and is a great shade tree. The leves are larve and deep green and will provide a strong canopy that will soften the lower edges of the residential towers well.

## ALTERNATIVE SPECIES CONSIDERATION

Other possible alternative species that were considered include.

Ficus rubiginosa and hillii - dismissed because of the preference to keep fig trees as the clear marker entry







5m

HICKSON PARK Magnolia grandiflora 'Exmouth'



## HICKSON PARK TREE PLANTING Waterhousea floribunda - Weeping Lilli Pilli

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter

LOW


## **DESIGN CONSIDERATIONS**


Waterhousea floribunda is a large spreeading tree with a slightly drooping form. It is well suited to urban locations and provides excellent green volume. It have smaller leaves than the other proposed trees in Hickson Park and has been proposed partly because of its appropriate scale and contrasting leaf form to the Magnoliasand Fig trees.

## ALTERNATIVE SPECIES CONSIDERATION

Other possible alternative species that were considered include.

- Cupaniopsis anarcardiodes concern over more rounded spreading habit and smaller scale
- Platanus acerifolia concern over lack of unique character from other CBD streets









HICKSON PARK Waterhousea floribunda

## HICKSON PARK TREE PLANTING Syzigium paniculatum - Magenta Cherry

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter

LOW

## **DESIGN CONSIDERATIONS**


Syzigium has a medium size and spread and is well suited to be located under and around the larger spreading Waterhousea trees to provide a distinct character change to the tree belt edge. The Syzigium is a rainforest tree and has a deep green character with semi glossy leaves. Berries can be messy next to pathways and urban areas. Care will need to be taken to procure good single specimen trees as it can also take on a more "shrubby" form.

## ALTERNATIVE SPECIES CONSIDERATION

Other possible alternative species that were considered include.

- Cupaniopsis anarcardiodes concern over smaller scale
- Platanus acerifolia concern over lack of unique character from other CBD streets. Not evergreen







**KEY PLAN** 

HICKSON PARK Syzigium paniculatum

## HICKSON PARK TREE PLANTING Tristaniopsis laurina - Water Gum

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter

LOW

## **DESIGN CONSIDERATIONS**

The water gum has a clean upright trunk and a well structured crown. It is well suited to partly shaded sites and is therefore considered particulary well suited for the wind buffer tree. This tree is required to be located close to the building awnings in accordance with the wind report.

## ALTERNATIVE SPECIES CONSIDERATION


Other possible alternative species that were considered include.

- Cupaniopsis anarcardioides concern over dense crown and potential disruption of view
- Platanus acerifolia concern over potential to be too high adjacent to the buildings
- Flindersia australis could be an alternative but concern over potential height and scale adjacent to the buildings

## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE

Barangaroo Reserve and many other locations around Sydney's salt water estuaries





Note: Tree height and canopy spread are indicative only. Actual sizes depend on a variety of environmental factors including soil type and volume.



HICKSON PARK Tristaniopsis laurina

## HICKSON PARK TREE PLANTING Angophora costata - Sydney Red Gum

## CHARACTERISTICS + SUITABILITY

Evergreen Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter MODERATE

## **DESIGN CONSIDERATIONS**

High canopies and striking 'gnarly' branches provides a particularly distinctive character and contrast in these entrance corners of the park.

## ALTERNATIVE SPECIES CONSIDERATION

Other possible alternative species that were considered include.

- Banksia sp "Gnarly" and distinctive character but considered too small and more synonymous with coastal locations
- Casuarina messy needle drop and disruptive to views in and out of park


## LOCATION WHERE CURRENTLY GROWING CLOSE TO

Barangaroo Reserve and Millers Point

**KEY PLAN** 









HICKSON PARK Angophora costata

## HICKSON PARK TREE PLANTING Ficus macrophylla - Moreton Bay Fig

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter MODERATE

## **DESIGN CONSIDERATIONS**

Selected as a spectacular individual trees at specific locations throughout Barangaroo South. They have been located to announce key entry and arrival points. The Moreton Bay fig is commonly found in coastal locations around the Harbour. Several other magnificent specimens can be found in the Domain, Mrs Macquaries Chair and even as close as the adjacent Bond Plaza. The Morten Bay fig has an ultimate size and stature to mitigate and complement the surrounding built form and scale.

## ALTERNATIVE SPECIES CONSIDERATION

Other possible alternative species that were considered include.

- Ficus rubiginosa dismissed because of its smaller form and size
- Magnolia sp dismissed because of its smaller form and size and because it is less synonymous with singular magnificent tree planting around the Harbour.

## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE

Darling Harbour, Barangaroo Reserve and Royal Botanic Gardens





HICKSON PARK Ficus macrophylla



Note: Tree height and canopy spread are indicative only. Actual sizes depend on a variety of environmental factors including soil type and volume.

## HICKSON PARK, WULUGUL WALK + BOARDWALK, WATERMANS COVE TREE PLANTING

Ficus microcarpa var. hillii - Chinese Banyan

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter

**MODERATE** 

## **DESIGN CONSIDERATIONS**

Selected as a spectacular individual trees at specific locations throughout Barangaroo South. They have been located to announce key entry and arrival points. The Moreton Bay fig is commonly found in coastal locations around the Harbour. Several other magnificent specimens can be found in the Domain, Mrs Macquries Chair and even as close as the adjacent Bond Plaza. The Morten Bay fig has an ultimate size and stature to mitigate and complement the surrounding built form and scale.

## ALTERNATIVE SPECIES CONSIDERATION

Other possible alternative species that were considered include.

- Ficus rubiginosa dismissed because of its smaller form and size
- Magnolia sp dismissed because of its smaller form and size and because it is less synonymous with singular magnificent tree planting around the Harbour.

## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE

Hickson Road and Barangaroo Reserve





HICKSON PARK, WULUGUL WALK + WATERMANS COVE Ficus microcarpa var. hillii



Note: Tree height and canopy spread are indicative only. Actual sizes depend on a variety of environmental factors including soil type and volume.

## WULUGUL WALK + BOARDWALK TREE PLANTING Celtis australis - Mediterranean hackberry

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter LOW

## **DESIGN CONSIDERATIONS**

Celtis australis (Southern Hackberry) has been approved by the Authority. It is currently planted along Wulugul Walk in Stage 1A and Barangaroo Central. Celtis has been proposed along Wulugul Walk in stage 1B for continuity with existing species.


## ALTERNATIVE SPECIES CONSIDERATION

There is no requirement to consider alternative tree species for Wulugul Walk as this tree has already been approved by the Authority.

## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE

Barangaroo Reserve and Kent St, The Rocks.







WULUGUL WALK Celtis australis

## WATERMANS COVE TREE PLANTING Corymbia maculata - Spotted Gum

## CHARACTERISTICS + SUITABILITY

Evergreen Native Common to Sydney Harbourside Tolerance Seasonal Litter MODERATE

## **DESIGN CONSIDERATIONS**

Selected to define Waterman's Cove as a special place and differentiate it from the rest of the trees along Wulugul Walk. Corymbia maculata is one of the most recognisable of Eucalyptus trees primarily due to its beautiful bark. It has a full crown and an upright habit that makes particularly suitable for an urban location (as is evidenced in the mature existing planting in Darling Harbour adjacent to Tumbalong Park). Its evergreen canopy will help define and strengthen Watermans Cove as a distinctive place, when mature its scale is well suited to the scale of the Harbour and adjacent Crown Hotel.

## ALTERNATIVE SPECIES CONSIDERATION

Other possible alternative species that were considered include.

- Angophora costata concern over bark shedding and
- Elaeocarpus eumundi concern that tree canopy was not of appropriate form
- Flindersia australis concern over burn from wind and

## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE ESTIMATED TREE MATURE HEIGHT (M)

Munns Reserve & Darling Harbour





Note: Tree height and canopy spread are indicative only. Actual sizes depend on a variety of environmental factors including soil type and volume.



WATERMANS COVE Corymbia maculata

## WATERMANS COVE TREE PLANTING Corymbia gummifera - Red Bloodwood

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter MODERATE

## **DESIGN CONSIDERATIONS**

Selected to define Waterman's Cove as a special place and differentiate it from the rest of the trees along Wulugul Walk. It has a full crown and an upright habit. It has the potential to be a larger tree and is therefore particularly suitable in terms of scale for the planting adjacent to Crown Sydney. Its evergreen canopy will help define and strengthen Watermans Cove as a distinctive place.

## ALTERNATIVE SPECIES CONSIDERATION


Other possible alternative species that were considered include.


- Angophora costata concern over bark shedding and litter
- Elaeocarpus eumundi concern that tree canopy was not of appropriate form
- Flindersia australis concern over burn from wind and salt spray
- Livistona australis palm tree not considered appropriate primarily due to lack of shade provision

## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE

Munns Reserve & Darling Harbour









WATERMANS COVE Corymbia gummifera

## WATERMANS COVE TREE PLANTING

Waterhousea floribunda var. 'Green Avenue' - Green Avenue

## CHARACTERISTICS + SUITABILITY

Evergreen Native Common to Sydney Harbourside Tolerance

MODERATE

## **DESIGN CONSIDERATIONS**

Seasonal Litter

Selected to define Waterman's Cove as a special place and differentiate it from the rest of the trees along Wulugul Walk. Waterhousea "Green Avenue" is a specific variety that has been developed to have a more upright habit and a dependable neat crown. A particularly important character for this tree is that it is able to provide a reliable form that can maintain views out to the water under the canopy. It is also required to be able to withstand salt spray.

## ALTERNATIVE SPECIES CONSIDERATION


Other possible alternative species that were considered include.

- Angophora costata concern over bark shedding and
- Elaeocarpus eumundi concern that tree canopy was not of appropriate form
- Flindersia australis concern over burn from wind and


## LOCATION WHERE CURRENTLY GROWING CLOSE TO SITE

Castlereagh St in the CBD. Westmoreland St cnr Mitchell St Glebe. ESTIMATED TREE MATURE HEIGHT (M)





Note: Tree height and canopy spread are indicative only. Actual sizes depend on a variety of environmental factors including soil type and volume.



WATERMANS COVE Waterhousea floribunda var. 'Green Avenue'



The proposed shrub planting palette will include a mixture of low ground cover, and medium sized shrub planting to ensure that the understory planting areas are enriched with diversity of suitable plant types, flowering colour and texture.

Shrub planting defines two main areas of the proposals. These include the raised planter/seating areas and the understorey planting at the base of the Hickson Park tree belt. For Hickson Park the tree belt planting understory is proposed to be composed of a variety of different native ferns in response to the shade patterns that are proposed by the adjacent building forms and mature tree canopies.

The fern species will be selected from the ferns that are already planted in Barangaroo Reserve. They will provide contrasting leaf form, texture and colour to the tree planting in the tree belt and are intended to provide a much more delicate planting character in and around this area of the Park.



## FERN GARDEN

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Common to Sydney

Harbourside Tolerance

Seasonal Litter

Low

## **DESIGN CONSIDERATIONS**

The fern garden will include a mix of ferns that have already been planted at Barangaroo Reserve. The delicate foliage will contrast well with the surrounding porphyry paving and the varied rich greens will contrast well with the natural sandstone "veins".





FERN GARDEN SHRUB PALETTE

## FIG RAISED PLANTER

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

Ç

Common to Sydney

J

Harbourside Tolerance

Seasonal Litter

LOW

## **DESIGN CONSIDERATIONS**

Star Jasmine will be planted at the base of the signature fig trees at each of the raised planter locations. Star jasmine is tolerant of shade and will ensure that clear views are permitted under the fig tree canopies. Frgrant white flowers will be produced in summer.






FIG RAISED PLANTER SHRUB PALETTE

## COVE RAISED PLANTER

## CHARACTERISTICS + SUITABILITY

Evergreen

Native

MIXED

Common to Sydney

Seasonal Litter

Harbourside Tolerance

LOW

## **DESIGN CONSIDERATIONS**

The raised planters at the back of Watermans Cove provide an large area for shrub planting in an otherwise large area of hard paving. The species proposed differ from the raised fig tree planters and have been selected to exhibit a strong contrast in colour and flower which is representative of the overall design intent of these planters. The shrub planting will - in the main - be low (below 300mm) to allow views across them, through tree trunks and under tree canopies to the Harbour.-





COVE RAISED PLANTER SHRUB PALLETE

