



LEGEND:

PROPOSED SEDIMENT FENCE

PROPOSED GEOTEXTILE FILTER

STABILIZED SITE ACCESS (TEMP ACCESS)

- NOTES:
1.

ALL WORKS SHALL BE GENERALLY CARRIED OUT IN ACCORDANCE WITH:  
(A) EPA - POLLUTION CONTROL MANUAL FOR URBAN STORMWATER.  
(B) DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT MANUAL - "URBAN EROSION & SEDIMENT CONTROL".  
(C) SOIL AND CONSTRUCTION VOLUME 1, 4TH EDITION, MARCH 2004 - LANDCOM "BLUEBOOK" (D) COUNCIL POLICIES
2.

MAINTAIN ALL EROSION AND SEDIMENT CONTROL DEVICES TO THE SATISFACTION OF THE PRINCIPAL'S REPRESENTATIVE.
3.

MINIMISE THE AREA OF SITE BEING DISTURBED AT ANY ONE TIME.
4.

PROTECT ALL STOCKPILES OF MATERIALS FROM SCOUR AND EROSION. DO NOT STOCKPILE LOOSE MATERIAL IN ROADWAYS, NEAR DRAINAGE PITS OR IN WATERCOURSES.
5.

ALL SOIL AND WATER CONTROL MEASURES ARE TO BE PUT BACK IN PLACE AT THE END OF EACH WORKING DAY, AND MODIFIED TO BEST SUIT SITE CONDITIONS.
6.

CONTROL WATER FROM UPSTREAM OF THE SITE SUCH THAT IT DOES NOT ENTER THE DISTURBED SITE.
8.

ALL CONSTRUCTION VEHICLES SHALL ENTER & EXIT THE SITE VIA THE APPROVED CONSTRUCTION ENTRY/EXIT ROUTE.
9.

ALL VEHICLES LEAVING THE SITE SHALL BE CLEANED & INSPECTED BEFORE LEAVING.
10.

MAINTAIN ALL STORMWATER PIPES CLEAR OF DEBRIS & SEDIMENT. INSPECT STORMWATER SYSTEM & CLEAN OUT AFTER EACH STORM EVENT.
11.

CLEAN OUT ALL EROSION & SEDIMENT CONTROL DEVICES AFTER EACH STORM EVENT.
12.

SEDIMENT AND EROSION CONTROL PLAN IS INDICATIVE ONLY.
13.

ALL NEW STORMWATER PITS TO BE SURROUNDED BY GEOTEXTILE INLET FABRIC DURING CONSTRUCTION.

EROSION AND SEDIMENT CONTROL PLAN  
SCALE 1:500

G

ISSUED FOR SSD SUBMISSION

MR

PM\*

MD\*

02.02.18

F

ISSUED FOR SSD SUBMISSION

MR

PM\*

MD\*

24.11.17

E

SCHEME DESIGN FOR APPROVAL

MR

PM\*

MD\*

15.09.17

D

ISSUED FOR SD SUBMISSION

MR

PM\*

MD\*

05.09.17

B

ISSUED FOR SSD SUBMISSION

MR

CS\*

SM\*

09.08.17

No

Revision

Note: \* indicates signatures on original issue of drawing or last revision of drawing

Drawn

Job Manager

Project Director

Date

0

5

10

15

20

25m

SCALE 1:500 AT ORIGINAL SIZE

N

NSW

GOVERNMENT

Education

TSA

MANAGEMENT

GHD

Level 15, 133 Castlereagh Street, Sydney NSW 2000 Australia  
T 61 2 9239 7100 F 61 2 9239 7199  
E sydmail@ghd.com W www.ghd.com

DO NOT SCALE

Conditions of Use.  
This document may only be used by GHD's client (and any other person who GHD has agreed can use this document) for the purpose for which it was prepared and must not be used by any other person or for any other purpose.

Drawn

M.RANGWALA

Designer

G.DE SWARDT

Drafting Check

A.MACLEAN\*

Design Check

A.RAHMAN\*

Approved (Project Director)

Date

Scale

1:500

This Drawing must not be used for Construction unless signed as Approved

Client

Project

Title

Original Size

A1

Drawing No:

21-26108-KN-SD-CI-1035

Rev:

F

NSW DEPARTMENT OF EDUCATION  
NORTH KELLYVILLE PUBLIC SCHOOL  
CIVIL  
EROSION AND SEDIMENT CONTROL PLAN

Plot Date: 2 February 2018 - 11:33 AM Plotted by: Guillaume de Swardt Cad File No: G:\21\26108\6. Kellyville North PS\00 Common\CADD\Drawings\21-26108-KN-SD-CI-1035.dwg