

## ENTRY CANOPY ROOF FRAMING PLAN

FLY BRACE RAFTERS AT EVERY SECOND PURLIN.
LAP PURLINS 15% OF SPAN OVER RAFTERS (TYPICAL).
COLA / ENTRY CANOPY CEILING JOISTS BY OTHERS NOT SHOWN FOR CLARITY.
SUB-FRAMING OF TOP HATS & RAISED CEILING SUPPORTS BY OTHERS.
ALL EXTERNAL STEELWORK TO BE GALVANISED.

|          | COLUMN S  | CHEDULE  |  |  |  |
|----------|---|--|--|--|--|
| MARK     | SIZE  | COMMENT(S)   |  |  |  |
| CONCRETE |   |  |  |  |  |
| CC1      | 450 DIAMETER  | 10-N16 VERTICAL BARS WITH N12<br>TIES-300 CTS              |  |  |  |
| CC2      | 200 x 1600  | N16 VERTICAL BARS-200 CTS WITH<br>N12 TIES-300 CTS         |  |  |  |
| ССЗ      | 450 x 1600  | N16 VERTICAL BARS-200 CTS WITH<br>N12 TIES-300 CTS         |  |  |  |
| STEEL    |   |  |  |  |  |
| DC1      | 100 x 100 x 5.0 SHS                                     | DOOR COLUMN  |  |  |  |
| SC1      | 310 UC 96.8   |  |  |  |  |
| SC2      | 310 UB 32.0   |  |  |  |  |
| SC3      | 250 x 150 x 9.0 RHS                                     |  |  |  |  |
| SC4      | 101.6 DIAMETER x 3.2<br>CHS                             |  |  |  |  |
| SC5      | 200 x 200 x 5.0 SHS                                     |  |  |  |  |
| SC6      | 300 x 200 x 6.0 RHS                                     |  |  |  |  |
| SC7      | 300 x 200 x 8.0 RHS                                     |  |  |  |  |
|          | STEEL MEMBER  | R SCHEDULE   |  |  |  |
| MARK     | SIZE  | COMMENT(S)   |  |  |  |
| BEAM     |   |  |  |  |  |
| CUB1     | 150 PFC   | CURTAIN BEAM   |  |  |  |
| DH1      | 310 UB 32.0   | DOOR HEADER, LAID FLAT                                     |  |  |  |
| LB1      | 150 UC 23.4   | LIFT BEAM  |  |  |  |
| WS1      | 200 x 150 x 5.0 RHS                                     | SHOP WELD 400 WIDE 10 THICK PLATE TO TOP OF WALL STIFFENER |  |  |  |
| WS2      | 250 x 150 x 8.0 RHS                                     | SHOP WELD 400 WIDE 10 THICK PLATE TO TOP OF WALL STIFFENER |  |  |  |
| WS3      | 150 x 150 x 5.0 SHS                                     | SHOP WELD 75 x 75 x 5.0 EA AT 300 CTS                      |  |  |  |
| BRACING  |   |  |  |  |  |
| BR1      | 75 x 75 x 5 EA  | ROOF BRACING   |  |  |  |
| BR2      | 16 DIAMETER ROD +<br>GRADE P TURNBUCKLE<br>MIN SWL 1.0† | ROOF BRACING   |  |  |  |
| KBR1     | 125 x 125 x 5.0 SHS                                     | WALL K-BRACE   |  |  |  |
| WB1      | 75 x 75 x 6.0 EA  | WALL BRACING   |  |  |  |
| WB2      | 16 DIAMETER ROD +<br>GRADE P TURNBUCKLE<br>MIN SWL 1.0† | WALL BRACING   |  |  |  |
| PURLIN   |   |  |  |  |  |
| CJ1      | SZ200 19-1200 CTS                                       | CEILING JOIST, 2 ROWS BRIDGING AT THIRD POINTS             |  |  |  |
| CJ2      | SC150 15-1000 CTS                                       | CEILING JOIST, 1 ROW BRIDGING AT MID POINTS                |  |  |  |
| PU1      | SZ200 24-1200 CTS                                       | 2 ROWS BRIDGING AT THIRD POINTS                            |  |  |  |
| PU2      | SZ200 19-1200 CTS                                       | 2 ROWS BRIDGING AT THIRD POINTS                            |  |  |  |
| PU3      | SZ200 15-1200 CTS                                       | 1 ROW BRIDGING AT MID POINTS                               |  |  |  |
| PU4      | SZ200 19-2300 CTS                                       | 2 ROWS BRIDGING AT THIRD POINTS                            |  |  |  |
| PU5      | SZ150 19-1200 CTS                                       |  |  |  |  |
| PU6      | SC150 15-1000 CTS                                       | 1 ROW BRIDGING AT MID POINTS                               |  |  |  |
| RAFTER   |   |  |  |  |  |
| AB1      | 250 PFC   | AWNING RAFTER  |  |  |  |
| RB1      | 310 UB 32.0   |  |  |  |  |
| RB2      | 360 UB 44.7   |  |  |  |  |
| RB3      | 410 UB 53.7   |  |  |  |  |
| STRUT    |   |  |  |  |  |
| ST1      | 125 x 125 x 4.0 SHS                                     |  |  |  |  |
| ST2      | 200 x 200 x 5.0 SHS                                     |  |  |  |  |
| ST/      | 300 x 200 x 6.0 RHS                                     | +  |  |  |  |
| < 1 t.   | 1700 V 100 V 1 DUC                                      | T.   |  |  |  |

## LEGEND

ST4

| 0,.    |                                   |
|--------|-----------------------------------|
| I scho | DENOTES STEEL COLUMN OVER         |
| I sch  | DENOTES STEEL COLUMN UNDER        |
| I 🖖    | DENOTES STEEL COLUMN OVER & UNDER |
| CD     |                                   |

200 x 100 x 4.0 RHS

ROOF PURLIN NOTE:
ALL T
ROOF PURLIN
ROOF PURLIN

NOTE:
ALL TRIMMING PURLINS (TP) EC20015, SECTIONS
CONNECTED WITH 100GPB AND 4M12 PURLIN BOLTS.


ALL ROOF PURLIN DESIGN ASSUMES:
PURLINS SUPPORT ROOF SHEETING ONLY
ROOF SHEETING IS TRIMDEK 0.48 BTM
FIBREGLASS SHEETING IS AMPELITE 5-RIB SERIES 3360

DENOTES SPLICE PLATE, REFER TO DETAIL

OR HIGHER
INTERNAL SPANS ARE SHOWN IN SCHEDULE, END
SPANS TO BE AT MAX 1600 CTS
ROOF SHEETING DETAILS TO BE CONFIRMED BY THE
BUILDER / ARCHITECT PRIOR TO FABRICATION

DRAWINGS NOT TO BE USED FOR CONSTRUCTION UNLESS VERIFICATION SIGNATURE HAS BEEN ADDED. THE COPYRIGHT OF THIS DRAWING REMAINS WITH NORTHROP CONSULTING ENGINEERS PTY LTD. ALL SETOUT TO ARCHITECT'S DRAWINGS.

DIMENSIONS TO BE VERIFIED WITH ARCHITECT AND BUILDER BEFORE COMMENCING SHOP DRAWINGS OR SITE WORK. NORTHROP ACCEPTS NO RESPONSIBILITY FOR THUSABILITY, COMPLETENESS OR SCALE OF DRAWINGS TRANSFERRED ELECTRONICALI



| REV   | DESCRIPTION                | ISS'D | VER'D | APP'D | DATE     |  |  |
|-------|----------------------------|-------|-------|-------|----------|--|--|
| Α     | ISSUED FOR DDR             | L.M   |       | R.D   | 14.06.19 |  |  |
| В     | REVISED FOR DDR SUBMISSION | L.M   |       | R.D   | 21.06.19 |  |  |
| С     | PROGRESS ISSUE             | L.M   |       | R.D   | 28.06.19 |  |  |
| D     | PROGRESS ISSUE             | L.M   |       | R.D   | 05.07.19 |  |  |
| Ε     | FINAL COORDINATION ISSUE   | L.M   |       | R.D   | 12.07.19 |  |  |
| F     | ISSUED FOR CONSTRUCTION    | L.M   | P.0'H | R.D   | 17.07.19 |  |  |
| CUENT |                            |       |       |       |          |  |  |

## RICHARD CROOKES

CONSTRUCTIONS

ARCHITECT






ALEX AVENUE PUBLIC SCHOOL



Sydney
Level 11, 345 George Street, Sydney, N.S.W. 2000
Ph (02) 9241 4188 Email: sydney@northrop.com.au
ABN 81 094 433 100



DRAWING TITLE

STRUCTURAL DRAWING ENTRY CANOPY ROOF FRAMING PLAN

JOB NUMBER

DRAWING NUMBER

DRAWING SHEET SIZE = A1

S182535-01 S10.4