

NSW Health Infrastructure
**Griffith Base Hospital
Redevelopment**
SEPP 33 Assessment Report

Issue 1 | 18 December 2020

This report takes into account the particular instructions and requirements of our client.

It is not intended for and should not be relied upon by any third party and no responsibility is undertaken to any third party.

Job number 273351-00

Arup
Arup Australia Pty Ltd ABN 76 625 912 665

Arup
Sky Park, One Melbourne Quarter
699 Collins Street
Docklands VIC 3008
Australia
www.arup.com



ARUP

Document Verification

ARUP

Job title		Griffith Base Hospital Redevelopment		Job number 273351-00	
Document title		SEPP 33 Assessment Report		File reference RP001	
Document ref					
Revision	Date	Filename	20201104 Griffith Hospital SEPP 33 Take 2.docx		
Draft 1	6 Nov. 20	Description	First draft		
			Prepared by	Checked by	Approved by
		Name	Jas Calder	Nigel Cann	Nigel Cann
		Signature			
Draft 2	14 Dec. 20	Filename	20201214 Griffith Hospital SEPP 33 Draft 2.docx		
		Description	Address client comment		
			Prepared by	Checked by	Approved by
		Name	Jas Calder	Nigel Cann	Nigel Cann
		Signature			
Issue 1	18 Dec. 20	Filename	20201217 Griffith Hospital SEPP 33 Issue.docx		
		Description	Minor client comments		
			Prepared by	Checked by	Approved by
		Name	Jas Calder	Nigel Cann	Nigel Cann
		Signature			
		Filename			
		Description			
			Prepared by	Checked by	Approved by
		Name			
		Signature			
Issue Document Verification with Document ☒					

Contents

	Page
1 Introduction	1
1.1 Project Background	1
1.2 SEPP 33	2
2 Applicability of SEPP 33	4
2.1 Dangerous Goods on site	4
2.2 Dangerous Goods transportation	9
3 Dangerous Goods Requirements	10
3.1 Minor Storage	10
3.2 Gas Cylinders	10
3.3 Corrosive Substances	11

Appendices

Appendix A

Dangerous Goods Manifest

Appendix B

Planning Secretary's Environmental Assessment Requirements

Abbreviations

Acronym	Definition
DG	Dangerous Goods
MLHD	Murrumbidgee Local Health District
NCSB	Non-Clinical Services Building
CSB	Clinical Services Building
PG (I, II, III)	Packing Groups I, II or III

Acronym	Definition
PHA	Preliminary Hazard Assessment
SDS	Safety Data Sheet
SEPP 33	State Environment Planning Policy No. 33

Executive Summary

Item 21 of the SEAR (see Appendix B) specifies that a SEPP 33 assessment is required and should the development be deemed “potentially hazardous”, a Preliminary Hazard Analysis (PHA) must be prepared.

An assessment of the Dangerous Goods (DGs) storage at the proposed development at Griffith Base Hospital, including DGs of Class 2.1, 2.2, 3, 4.1, 5.1, 5.2, 6.1 8 and 9 against the State Environmental Planning Policy No. 33 (SEPP 33) thresholds has been completed.

None of the threshold quantities of DGs has been exceeded and a Preliminary Hazard Analysis (PHA) is not required.

It is recommended that the design layout of the DGs storage follows the relevant Australian Standards including:

- AS 1940-2017: *The storage and handling of flammable and combustible liquids;*
- AS 3780-2008: *The storage and handling of corrosive substances;*
- AS/NZS 3833-2007: *The storage and handling of mixed classes of dangerous goods, in packages and intermediate bulk containers;*
- AS 4326-2008: *The storage and handling of oxidising agents; and*
- AS 4332-2004: *The storage and handling of gases in cylinders.*

1 Introduction

This report outlines the preliminary risk screening completed in accordance with SEPP 33. It provides a clear indication of dangerous goods Class (and any subsidiary risk), quantity and location of all dangerous goods associated with the development.

Item 21 of the SEAR (see Appendix B) specifies that a SEPP 33 assessment is required and should the development be deemed “potentially hazardous”, a Preliminary Hazard Analysis (PHA) must be prepared in accordance the Applying SEPP33 guideline, the Hazardous Industry Planning Advisory Paper No. 6 ‘Hazard Analysis’ (DoP, 2011) and Multi-Level Risk Assessment (DoP, 2011).

1.1 Project Background

Griffith Base Hospital is located within the Murrumbidgee Local Health District (MLHD) at Noorebar Avenue, Griffith NSW 2680. The hospital was originally founded in 1922 with various additions completed to date. The NSW Government has announced that the project will receive State Government funding to deliver new hospital facilities.

Griffith is located in the north-western part of the Riverina region of NSW, with a population of approximately 26 000 residents. The Hospital is located near the centre of town as indicated in Figure 1 and the overall site location and layout is shown in Figure 2.




Figure 1: Location of Griffith Hospital in the centre of Griffith



Figure 2: Site location

1.2 SEPP 33

State Environmental Planning Policy No. 33 Hazardous and Offensive Development (SEPP 33) is used in New South Wales to regulate the planning approval process for developments in hazardous and offensive industries, and potentially hazardous and potentially offensive industries. The SEPP 33 process is shown in Figure 3.

A key part of the SEPP 33 process is the preliminary hazard analysis (PHA). If the development application includes dangerous goods (DGs) with quantities or transport frequencies above defined thresholds, a PHA must be performed as part of the SEPP 33 process.

This report assesses the Griffith Hospital proposed development against the SEPP 33 guidelines to determine whether a PHA must be undertaken.

Figure 1: The SEPP 33 Process




Figure 3: The SEPP 33 Process

2 Applicability of SEPP 33

2.1 Dangerous Goods on site

A manifest of the Dangerous Goods and the locations of the stores at the existing hospital, as well as the dangerous goods stores for the Non-Clinical Services Building (NCSB), Medical Services Block (MSB), Ambulatory Care Hub and Dental Clinic. This can be found in Appendix A.

A summary of the Dangerous Goods Manifest by Class and Packing Group (where relevant) was completed and is provided in Table 1 below:

Table 1: Dangerous Goods manifest summary

Total DG	PG	Kg/L
Class 2.1		59.42
Class 2.2		517.27
Class 3	I, II, III	919.83
Class 4.1		42.18
Class 5.1		4523.42
Class 5.2		1.52
Class 6.1		18.5
Class 8	II, III	399.05
Class 9		7.72

Note: Subsidiary risk classifications are included in the total for both the primary Class and Subsidiary Class e.g. Oxygen which is a Class 2.2 compressed gas with a subsidiary risk of class 5.1 is included in both the totals for Class 2.2 and Class 5.1

A general layout of the NCSB, CSB, Ambulatory Care Hub and Dental Clinic is shown in Figure 4 and Figure 5, and the future layout of the hospital in Figure 6.




Figure 4: Concept design layout showing planned location of the buildings that will store Dangerous Goods. Labels refer to Appendix A.




Figure 5: Clinical Services Building dangerous goods storage mark-up. Labels refer to Appendix A.




Figure 6: Existing Griffith Base Hospital layout showing location of buildings that store dangerous goods. Labels refer to Appendix A.

Together, Table 1 and Table 3 of the NSW Department of Planning *Hazardous and Offensive Development Application Guidelines: Applying SEPP 33* define the threshold quantities for each class of DG on site. A comparison of the manifest to the threshold quantities is provided in Table 2.

Table 2: Threshold quantities for the Dangerous Goods Classes from *Applying SEPP 33*

DG Class	Total DG Storage (kg/L)	Threshold Quantity	Threshold Exceeded?
2.1	59.42	100 kg	No
2.2	517.27	N/A	No
3	919.83	5000 kg (PG II) ¹	No
4.1	42.18	5000 kg	No
5.1	4523.42 ²	5000 kg	No
5.2	1.52	10 000 kg	No

6.1	18.5	500 kg	No
8	399.05	25 000 kg (PG II)	No
9	7.72	10,000 kg ³	No

Note 1: For Class 3 DGs, where packing group II and III are stored within the same storage area that the total is considered as all belonging to the most hazardous packing group, this being packing group II. This has been assumed in a hospital environment as it is unlikely that the two packing groups will be separated.

Note 2: Subsidiary Classes cannot be ignored. The vast majority of the total Class 5.1 quantity is the Subsidiary Class quantity i.e. Class 2.2 Subsidiary Class 5.1.

Note 3: Regarding Dangerous Good of Class 9, neither Table 1 or Table 3 of the NSW Department of Planning *Hazardous and Offensive Development Application Guidelines: Applying SEPP 33*, outline a threshold quantity. However, Appendix 7 requires WorkCover NSW to be notified if the manifest threshold exceeds 10 000 kg or L for Class 9. The quantity outlined in Table 1 of this report does not exceed this limit.

As none of the dangerous goods classes stored on site exceed any of the threshold quantities under SEPP 33, a PHA is not required.

2.2 Dangerous Goods transportation

Table 2 of the NSW Department of Planning *Hazardous and Offensive Development Application Guidelines: Applying SEPP 33* defines the transportation screening thresholds for each class of dangerous goods being delivered to the site.

Given the low quantities of DGs to be stored and used at the Griffith Base Hospital, and that there are no bulk storages of dangerous goods, it is extremely unlikely that annual cumulative or peak weekly thresholds on the number of vehicle movements above the minimum screening loads as per Table 2 in *Applying SEPP 33* to be exceeded. Therefore, there is no requirement for a PHA on transportation grounds.

3 Dangerous Goods Requirements

The requirements for storage of Dangerous Goods are defined in guidance materials and standards. It is recommended the minor storage requirements of the following Australian Standards are followed at Griffith Base Hospital:

- AS 1940-2017: *The storage and handling of flammable and combustible liquids;*
- AS 3780-2008: *The storage and handling of corrosive substances;*
- AS/NZS 3833-2007: *The storage and handling of mixed classes of dangerous goods, in packages and intermediate bulk containers;*
- AS 4326-2008: *The storage and handling of oxidising agents; and*
- AS 4332-2004: *The storage and handling of gases in cylinders.*

Based on the largest quantities of dangerous goods stored at Griffith Base Hospital by class, the following general guidance is provided.

3.1 Minor Storage

AS 1940 outlines that where multiple minor storages of flammable liquids (class 3) on the same indoor premises, such storages shall be separated by at least 20 m.

In accordance with Table 2.1, in hospitals the following maximum quantities for minor storage applies:

Location	Flammable liquids	
	PG I or PG II	PG III
Hospitals Indoors	10 L per 50 m ² of floor space	25 L per 50 m ² of floor space

Figure 7: Minor storage maximum quantities for hospitals

3.2 Gas Cylinders

Class 2.2 Subsidiary Class 5.1 will exceed the minor storage requirements in Clause 2.3 and 2.4 of AS 4332-2004. Refer to Appendix A for Dangerous Goods Manifest.

Indoor minor stores of gases in cylinders shall be separated from other minor stores of gases or other dangerous goods stores by a minimum of 5 m (Clause 2.7.1).

All classes of gases shall be segregated within the store (Classes 2.1 and 2.2) but need not be separated (Clause 2.5(d)).

3.3 Corrosive Substances

It should be noted that class 8 corrosive substances contain both acids and base materials which are incompatible. It is important in the storage of these substances to avoid storing them together. Refer to the relevant Safety Data Sheets (SDS) from suppliers and AS/NZS 3833 for more specific guidance.

Appendix A

Dangerous Goods Manifest

A1 ChemAlert Stock Holding by Site

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ADMINISTRATION/ ADMIN/COURIER OFFICE

500150	AQIUM GEL					EGO PHARMACEUTICALS PTY LTD ((03) 9586 8800; 1800 033 706/ 13 11 26)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	1	375 g	0.38 Kg/L	Available	17 May 2019
1555	ARTLINE STAMP PAD INK ESA-1N, ESA-2N, ESA-3 (BLACK)					ACCO BRANDS (FORMERLY PELIKAN ARTLINE) (13 11 26)					
	No	No	-	-	-	Approved	4	50 mL	0.2 Kg/L	Available	22 Apr 2016
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	5	400 mL	2 Kg/L	Available	04 May 2017
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	3	400 mL	1.2 Kg/L	Available	22 Dec 2016
239985	LIQUID PAPER CORRECTION FLUID OPTIMIZATION					NEWELL AUSTRALIA (1800 727 537)					
	Yes	DG 3	UN 1993	PG II	●3YE	None	2	20 mL	0.04 Kg/L	Available	(PRODUCT OBSOLETE)
241957	MICROSHIELD ANGEL BLUE ANTIMICROBIAL HAND GEL (FORMERLY)					SCHULKE AUSTRALIA (13 11 26/ (02) 8875 9300)					
	Yes	DG 3	UN 1170	PG III	●2Y	Approved	5	500 mL	2.5 Kg/L	Available	27 Nov 2015
9550	PRINT CARTRIDGE BLACK MP C3000E (BLACK TONER)					RICOH AUSTRALIA PTY LTD (13 11 26; (02) 8977 1111)					
	No	No	-	-	-	Approved	1	1.1 Kg	1.1 Kg/L	-	26 May 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AGED CARE/DAY CARE/ CLEANERS ROOM

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	01 Jun 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	1	750 mL	0.75 Kg/L	Available	06 Jan 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ ACH CLEANERS ROOM

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	1 L	2 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	1 L	2 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	2	750 mL	1.5 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	6	500 mL	3 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ ALLIED HEALTH

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	2	1 L	2 Kg/L	Available	07 Feb 2019
974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	3	280 Sheet	4.59 Kg/L	Available	09 Nov 2015
7526153	CLINELL UNIVERSAL WIPES					GAMA HEALTHCARE AUSTRALIA PTY LTD (+61 3 5976 1555)					
	No	No	-	-	-	Approved	3	200 Sheet	3.28 Kg/L	Available	31 Mar 2020
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	4	1 L	4 Kg/L	Available	04 May 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	2	1 L	2 Kg/L	Available	06 Jan 2019
7526450	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	2	1 L	2 Kg/L	Available	22 Dec 2016
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	2	100 mL	0.2 Kg/L	Available	31 Dec 2017
11319	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	3	75 Sheet	1.23 Kg/L	Available	24 Aug 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ DIETETICS

37710568	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	5	1 L	5 Kg/L	Available	03 Jul 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	2	400 mL	0.8 Kg/L	Available	22 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ HITH

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	2	1000 mL	2 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	10	1000 mL	10 Kg/L	Available	04 May 2017
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	8	400 mL	3.2 Kg/L	Available	04 May 2017
37710568	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	2	1000 mL	2 Kg/L	Available	03 Jul 2019
7526450	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	1	1000 mL	1 Kg/L	Available	22 Dec 2016
7526450	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	2	400 mL	0.8 Kg/L	Available	22 Dec 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ HITH/ CLEAN UTILITY

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1000 mL	1 Kg/L	Available	07 Feb 2019
12151	ALCOHOL WIPE					MEDIFLEX INDUSTRIES PTY LTD (0413 059 100)					
	Yes	No	-	-	-	Approved	2	75 Sheet	0.82 Kg/L	Available	01 May 2018
37710970	BRAVA ADHESIVE REMOVER					COLOPLAST PTY LTD (13 11 26 (Poison Information Centre))					
	Yes	DG 2.1	UN 1950	-	2YE	None	2	50 mL	0.1 Kg/L	-	08 Mar 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	25	50 mL	1.25 Kg/L	Available	04 May 2017
37710568	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1000 mL	1 Kg/L	Available	03 Jul 2019
7526450	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	1	1000 mL	1 Kg/L	Available	22 Dec 2016
460	MEDI SWAB					BSN MEDICAL (AUST.) PTY. LTD. (1300 688 826)					
	Yes	No	-	-	-	Approved	4	200 Unknown	0 Kg/L	Available	04 Aug 2017
14681	NAIL POLISH REMOVER PADS					PROFESSIONAL DISPOSABLES INTERNATIONAL, INC. (+1 845 365 1700)					
	Yes	DG 4.1	UN 3175	PG II	1Z	None	1	100 Unknown	0 Kg/L	Available	23 Mar 2015
239936	NEUTRAL DETERGENT WIPES					REYNARD HEALTH SUPPLIES (AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	2	280 Sheet	3.06 Kg/L	Available	31 Jan 2019
240489	PFIZER 0.05% CHLORHEXIDINE & 0.5% CETRIMIDE AQUEOUS					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	No	No	-	-	-	Approved	1	30 Unknown	0 Kg/L	Available	04 Dec 2017
1780	POVIDONE IODINE PADS AND SWABSTICKS					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	Approved	1	50 Unknown	0 Kg/L	Available	04 Oct 2017
2401	REMOVE UNIVERSAL ADHESIVE REMOVER WIPES					SMITH AND NEPHEW PTY LTD ((03) 8540 6777)					
	Yes	No	-	-	-	None	2	50 Sheet	0.55 Kg/L	Available	20 Dec 2016
37709700	REYNARD ALCOHOL AND CHLORHEXIDINE PREP PADS					REYNARD HEALTH SUPPLIES (AUSTRALIA) (13 11 26)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	2	200 Unknown	0 Kg/L	Available	31 Jan 2019
7163	SOLU-I.V. SWABS					3M AUSTRALIA PTY LIMITED (1800 097 146)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	2	50 Unknown	0 Kg/L	Available	07 Jul 2019
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	2	225 Sheet	2.46 Kg/L	Available	11 Sep 2017
37708025	WHITEBOARD CLEANER					ACCO BRANDS (FORMERLY PELIKAN ARTLINE) (13 11 26)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	No	No	-	-	-	Approved	1	250 mL	0.25 Kg/L	-	(PRODUCT OBSOLETE)

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ ONCOLOGY

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1000 mL	1 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	400 mL	0.4 Kg/L	Available	04 May 2017
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1000 mL	1 Kg/L	Available	04 May 2017
37710568	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1000 mL	1 Kg/L	Available	03 Jul 2019
239936	NEUTRAL DETERGENT WIPES					REYNARD HEALTH SUPPLIES (AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	1	280 Sheet	1.53 Kg/L	Available	31 Jan 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ ONCOLOGY/ BEVERAGE BAY

7523166	VIVA					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Feb 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ ONCOLOGY/ CLEAN UTILITY

37709700	REYNARD ALCOHOL AND CHLORHEXIDINE PREP PADS					REYNARD HEALTH SUPPLIES (AUSTRALIA) (13 11 26)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	1	200 Unknown	0 Kg/L	Available	31 Jan 2019
7163	SOLU-I.V. SWABS					3M AUSTRALIA PTY LIMITED (1800 097 146)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	1	50 Unknown	0 Kg/L	Available	07 Jul 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ ONCOLOGY/ DIRTY UTILITY

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1000 mL	1 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1000 mL	1 Kg/L	Available	04 May 2017
37710568	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1000 mL	1 Kg/L	Available	03 Jul 2019

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
511850	MALMET MACHINE DETERGENT					MALMET (AUSTRALIA) PTY LTD (13 11 26)					
	Yes	DG 8	UN 1719	PG II	2R	Approved	4	5 L	20 Kg/L	Available	08 Oct 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ ONCOLOGY/ ENSUITE 2

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ OUTPATIENT CLINICS

11319	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	2	75 Sheet	0.82 Kg/L	Available	24 Aug 2017
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	4	225 Sheet	4.92 Kg/L	Available	11 Sep 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ OUTPATIENT CLINICS/ CONSULTING ROOMS

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	7	1000 mL	7 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	7	1 L	7 Kg/L	Available	04 May 2017
37710568	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	7	1000 mL	7 Kg/L	Available	03 Jul 2019
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016
239936	NEUTRAL DETERGENT WIPES					REYNARD HEALTH SUPPLIES (AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	6	280 Sheet	9.18 Kg/L	Available	31 Jan 2019
11319	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	8	75 Sheet	3.28 Kg/L	Available	24 Aug 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ OUTPATIENT CLINICS/ GYNAECOLOGY ROOM

14667	ACETIC ACID 5 - 10%					HYDRO-CHEM PTY LTD (1300 558 788)					
	Yes	DG 8	UN 2790	PG III	2R	None	2	0 Unknown	0 Kg/L	-	20 Sep 2017
13467	CYTOLOGY SPRAY FIXATIVE - CYTOPAP / REFILLS / & SPRAY PACKS					HD SCIENTIFIC SUPPLIES PTY LTD (0405 155 919)					
	Yes	DG 3	UN 1993	PG II	●3YE	None	3	250 mL	0.75 Kg/L	-	(PRODUCT OBSOLETE)
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	1	225 Sheet	1.23 Kg/L	Available	11 Sep 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ OUTPATIENT CLINICS/ RM 1 STORAGE CUPBOARD

99	OPSITE MOISTURE VAPOUR PERMEABLE SPRAY DRESSING					SMITH AND NEPHEW PTY LTD ((03) 8540 6777)					
	Yes	DG 2.1	UN 1950	-	2YE	Approved	2	100 mL	0.2 Kg/L	Available	20 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ OUTPATIENT CLINICS/ TREATMENT ROOM

12151	ALCOHOL WIPE					MEDIFLEX INDUSTRIES PTY LTD (0413 059 100)					
	Yes	No	-	-	-	Approved	6	280 Sheet	9.18 Kg/L	Available	01 May 2018
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	5	400 mL	2 Kg/L	Available	04 May 2017
1544	NEACO SAFETY SPRAY					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	1	200 mL	0.2 Kg/L	Available	20 Mar 2016
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	3	100 mL	0.3 Kg/L	Available	31 Dec 2017
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	1	225 Sheet	1.23 Kg/L	Available	11 Sep 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ AMBULATORY CARE HUB/ STAFF ONLY AREA

37711973	RP HAND SANITISER TGA0420					REED PACIFIC PTY LIMITED (0417 655 847)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	11	500 mL	5.5 Kg/L	Available	09 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	400 mL	0.4 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	2	1 L	2 Kg/L	Available	06 Jan 2019
241957	MICROSHIELD ANGEL BLUE ANTIMICROBIAL HAND GEL (FORMERLY)					SCHULKE AUSTRALIA (13 11 26/ (02) 8875 9300)					
	Yes	DG 3	UN 1170	PG III	●2Y	Approved	1	500 mL	0.5 Kg/L	Available	27 Nov 2015

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT/ BOILERS

241446	HYDRO 318					HYDRO-CHEM PTY LTD (1300 558 788)					
	No	No	-	-	-	Approved	2	20 L	40 Kg/L	-	29 Aug 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT/ BOTTOM PLANT ROOM

7523482	AIR COMPRESSOR OIL					MARKALINE PTY LTD ((08) 9337 7292)					
	No	No	-	-	-	None	1	20 L	20 Kg/L	-	(PRODUCT OBSOLETE)
7603	LIQUID NITROUS OXIDE					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2 / 5.1	UN 2201	-	2RE	Approved	12	1 Gas Cylinder - Size C	33.33 Kg/L	Available	01 Nov 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT/ CHEMICAL CABINET

3805	8 - ALIVE					MOMAR AUSTRALIA (1800 267 933)					
	No	No	-	-	-	None	47	1000 mL	47 Kg/L	Available	31 Jan 2017
3001	DRAIN KLEAN					MOMAR AUSTRALIA (1800 267 933)					
	Yes	DG 8	UN 1814	PG II	2R	None	7	1000 mL	7 Kg/L	Available	30 Nov 2016
3034	MINERAL TURPENTINE					CHEM-SUPPLY PTY LTD (1-800-498-5701; 1-303-389-1414/ 1-800-424-9300; 1-703-527-3887/ (02) 9037 2994/ 1800-127-406 (Australia); +64-4-917-9888 (International))					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	DG 3	UN 1300	PG III	3Y	None	1	4000 mL	4 Kg/L	Available	31 May 2018
7858	ND-66					NCH AUSTRALIA PTY LTD (FORMERLY CHEMSEARCH) (0401 718 972/ (02) 9669 0237)					
	Yes	DG 8	UN 1823	PG II	2W	Approved	1	2 Kg	2 Kg/L	Available	28 Feb 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT/ COOLING TOWER

14526	HYDRO 256					HYDRO-CHEM PTY LTD (1300 558 788)					
	Yes	DG 8	UN 3265	PG III	2X	None	3	15 L	45 Kg/L	Available	29 Apr 2016
4944	HYDRO 260					HYDRO-CHEM PTY LTD (1300 558 788)					
	Yes	DG 8	UN 3265	PG III	2X	None	1	15 L	15 Kg/L	Available	03 May 2016
4941	HYDRO 360					HYDRO-CHEM PTY LTD (1300 558 788)					
	Yes	DG 8	UN 1791	PG III	2X	None	2	15 L	30 Kg/L	Available	24 Apr 2020
14370	HYDRO 429					HYDRO-CHEM PTY LTD (1300 558 788)					
	No	No	-	-	-	None	1	15 L	15 Kg/L	-	03 May 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT/ GARDENERS SHED

12222	CUTLASS M SELECTIVE HERBICIDE					ADAMA AUSTRALIA PTY LTD (1800 024 973)					
	Yes	No	-	-	-	Approved	2	20 L	40 Kg/L	Available	31 Jul 2016
7523468	DISECT 100 EC INSECTICIDE/MITICIDE					UNITED PHOSPHORUS LTD ((02) 8824 7277)					
	Yes	No	-	-	-	Approved	1	5 L	5 Kg/L	-	(PRODUCT OBSOLETE)
11062	DY-MARK LINE MARKING TOLUENE FREE AEROSOL WHITE AND YELLOW					DY-MARK AUSTRALIA (0403 186 708)					
	Yes	DG 2.1	UN 1950	-	2YE	None	12	500 g	6 Kg/L	Available	(PRODUCT OBSOLETE)
2934	GENERAL GEL					MOMAR AUSTRALIA (1800 267 933)					
	Yes	DG 2.1	UN 1950	-	2YE	Approved	1	369 g	0.37 Kg/L	Available	31 Jan 2017
4111	HONDA GENUINE OIL SL 10W-30					CALTEX AUSTRALIA PETROLEUM PTY LTD (1800 033 111)					
	No	No	-	-	-	Approved	3	1 L	3 Kg/L	Available	13 Aug 2018
7523469	MACSPRED TRIMAC INDUSTRIAL HERBICIDE					MACSPRED PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	1	1 Kg	1 Kg/L	-	31 Jul 2018
7523475	MCPA 250 SELECTIVE HERBICIDE					NUFARM AUSTRALIA LIMITED (1800 033 498)					
	Yes	No	-	-	-	Approved	1	20 L	20 Kg/L	Available	03 Jul 2017
7523474	NPK BLENDS (GROW FORCE)					INCITEC PIVOT LIMITED (1800 033 111 (All Hours))					
	No	No	-	-	-	Approved	1	50 Kg	50 Kg/L	-	18 Aug 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
6608	PEST OIL INSECT CONTROL SPRAY					YATES AUSTRALIA, A DIVISION OF DULUXGROUP (AUSTRALIA) PTY LTD (1800 033 111 (ALL HOURS))					
	No	No	-	-	-	Approved	1	500 mL	0.5 Kg/L	Available	24 Jan 2020
6418	ROCOL EASYLINE ULTIMATE ALL COLOURS					ITW POLYMERS & FLUIDS PTY LTD (1800 385 556 / 0438 465 960/ 1800 039 008/ (03) 9573 3112)					
	Yes	DG 2.1	UN 1950	-	2YE	None	6	750 g	4.5 Kg/L	Available	27 Jun 2017
2885	ROUNDUP DRY					NUFARM AUSTRALIA LIMITED (1800 033 498)					
	Yes	No	-	-	-	Approved	1	20 L	20 Kg/L	-	(PRODUCT OBSOLETE)
6784	SEASOL LIQUID SEAWEED CONCENTRATE					SEASOL INTERNATIONAL PTY LTD ((03) 6326 3011; (03) 6395 1254 A/hrs; 1800 335 508)					
	No	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	23 Jun 2016
10468	SHELL UNLEADED PETROL 91					VIVA ENERGY AUSTRALIA LTD (1800 651 818/ 13 11 26)					
	Yes	DG 3	UN 1203	PG II	3YE	Approved	1	20 L	20 Kg/L	Available	18 Jul 2016
14859	SOLFAC PRO RESIDUAL INSECTICIDE					BAYER CROPSCIENCE PTY LTD (1800 033 111 (IXOM Operations))					
	Yes	DG 9	UN 3082	PG III	●3Z	Approved	1	2500 mL	2.5 Kg/L	Available	25 Oct 2016
11582	YATES CONFIDOR CONCENTRATE					YATES AUSTRALIA, A DIVISION OF DULUXGROUP (AUSTRALIA) PTY LTD (1800 033 111 (ALL HOURS))					
	Yes	DG 9	UN 3082	PG III	●3Z	Approved	1	8 mL	0.01 Kg/L	-	29 Sep 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT/ PAINTERS SHED

3566	305-LINE DULUX PROFESSIONAL SEMI GLOSS ENAMEL					DULUX GROUP (AUSTRALIA) PTY LTD (1800 033 111/ 0800 734 607)					
	Yes	DG 3	UN 1263	PG III	●3Y	Approved	1	4 L	4 Kg/L	-	23 Mar 2020
243519	51C-LINE DULUX WASH & WEAR 101 MATT					DULUX GROUP (AUSTRALIA) PTY LTD (1800 033 111/ 0800 734 607)					
	No	No	-	-	-	Approved	1	4 L	4 Kg/L	-	20 Jan 2017
12002	535-LINE DULUX AQUANAMEL SEMI-GLOSS					DULUX GROUP (AUSTRALIA) PTY LTD (1800 033 111/ 0800 734 607)					
	No	No	-	-	-	Approved	1	4 L	4 Kg/L	-	27 Jul 2018
12002	535-LINE DULUX AQUANAMEL SEMI-GLOSS					DULUX GROUP (AUSTRALIA) PTY LTD (1800 033 111/ 0800 734 607)					
	No	No	-	-	-	Approved	1	4 L	4 Kg/L	-	27 Jul 2018
6635	607-LINE DULUX WASH & WEAR INTERIOR FLAT					DULUX GROUP (AUSTRALIA) PTY LTD (1800 033 111/ 0800 734 607)					
	No	No	-	-	-	Approved	1	4 L	4 Kg/L	Available	(PRODUCT OBSOLETE)
10742	636-LINE BERGER SOLARSCREEN LOW SHEEN					DULUX GROUP (AUSTRALIA) PTY LTD (1800 033 111/ 0800 734 607)					
	No	No	-	-	-	Approved	1	4 L	4 Kg/L	-	14 Apr 2020
7523487	SOLVER 4595 MAXI CEILING PAINT					WATTYL (VALSPAR PAINT (AUSTRALIA)) (1800 039 008)					
	Yes	No	-	-	-	Approved	1	4 L	4 Kg/L	-	22 Dec 2015
3058	STRIDE CITRUS J-FLEX					DIVERSEY AUSTRALIA PTY. LIMITED (1800 033 111 (24 hrs))					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	No	-	-	-	Approved	1	1.89 L	1.89 Kg/L	Available	29 Nov 2018
9565	ZODIAC POOL CHLORINE					ZODIAC GROUP AUSTRALIA PTY LTD (Australia 131 126, New Zealand 0800 764 766)					
	Yes	DG 5.1	UN 2880	PG II	2W	Approved	1	2 Kg	2 Kg/L	Available	06 Nov 2018

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT/ WORKSHOP

243049	2-26 MULTI-PURPOSE PRECISION LUBRICANT (AEROSOL)					CRC INDUSTRIES, INC. (USA) (+1 800 424 9300)					
	Yes	DG 2.1	UN 1950	-	2YE	None	4	450 g	1.8 Kg/L	Available	11 Apr 2016
2255	ACETYLENE					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.1	UN 1001	-	2SE	None	1	1 Gas Cylinder - Size D	10 Kg/L	Available	13 Sep 2018
2255	ACETYLENE					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.1	UN 1001	-	2SE	None	1	1 Gas Cylinder - Size E	23.26 Kg/L	Available	13 Sep 2018
2149	ARGON, COMPRESSED					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2	UN 1006	-	2T	Approved	1	1 Gas Cylinder - Size G	50 Kg/L	Available	13 Sep 2019
7780	ARGOSHIELD LIGHT					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2	UN 1956	-	2TE	None	1	1 Gas Cylinder - Size G	50 Kg/L	Available	31 Jan 2020
7987	ELECTRICAL SILICONE LUBRICANT (AEROSOL)					CRC INDUSTRIES, INC. (USA) (+1 800 424 9300)					
	Yes	DG 2.1	UN 1950	-	2YE	None	3	300 g	0.9 Kg/L	-	17 Aug 2018
6555	KEROSENE					RECOCHEM INC ((07) 3308 5200; 1300 131 001 (After hours)/ 0800 764 766)					
	Yes	DG 3	UN 1223	PG III	3Y	Approved	1	1 L	1 Kg/L	Available	20 Jun 2017
7548	OXYGEN COMPRESSED					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	1	1 Gas Cylinder - Size C	2.78 Kg/L	Available	02 Jul 2019
7548	OXYGEN COMPRESSED					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	1	1 Gas Cylinder - Size C	2.78 Kg/L	Available	02 Jul 2019
6688	PTFE DRY LUBE					WURTH AUSTRALIA PTY LTD (1300 657 765/ 13 11 26)					
	Yes	DG 2.1	UN 1950	-	2YE	None	6	300 mL	1.8 Kg/L	-	28 Feb 2019
7523884	YIELD AEROSOL					NCH AUSTRALIA PTY LTD (FORMERLY CHEMSEARCH) (0401 718 972/ (02) 9669 0237)					
	Yes	DG 2.1	UN 1950	-	2YE	None	10	400 g	4 Kg/L	Available	31 Dec 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ASSET MANAGEMENT/ WORKSHOP/ WORKSHOP CUPBOARD

242513	3M STAINLESS STEEL CLEANER & POLISH					3M AUSTRALIA PTY LIMITED (1800 097 146)					
	Yes	DG 2.1	UN 1950	-	2YE	None	1	600 g	0.6 Kg/L	Available	06 Apr 2020
5169	BRAKLEEN (AEROSOL)					CRC INDUSTRIES (AUST) PTY LIMITED (13 11 26 (PIC))					
	Yes	DG 2.1	UN 1950	-	2YE	None	1	500 g	0.5 Kg/L	Available	29 Aug 2019
4509	CRC BATTERY MAINTENANCE AEROSOL					CRC INDUSTRIES (AUST) PTY LIMITED (13 11 26 (PIC))					
	Yes	DG 2.1	UN 1950	-	2Y	None	1	300 g	0.3 Kg/L	Available	30 Jul 2020
7523885	REPLASTEASY PLASTIC PRIMER 200ML					WURTH AUSTRALIA PTY LTD (1300 657 765/ 13 11 26)					
	Yes	DG 2.1	UN 1950	-	2YE	None	1	200 mL	0.2 Kg/L	-	17 Mar 2017
32	ROCOL RTD METALCUTTING LIQUID					ITW POLYMERS & FLUIDS PTY LTD (1800 385 556 / 0438 465 960/ 1800 039 008/ (03) 9573 3112)					
	No	No	-	-	-	None	4	500 g	2 Kg/L	Available	05 Mar 2018
7523882	TEL X PLUS AEROSOL					NCH AUSTRALIA PTY LTD (FORMERLY CHEMSEARCH) (0401 718 972/ (02) 9669 0237)					
	Yes	DG 2.1	UN 1950	-	2YE	None	2	300 g	0.6 Kg/L	-	30 Jun 2018
7523883	VMR (VANDAL MARK REMOVER)					MOMAR AUSTRALIA (1800 267 933)					
	Yes	DG 3	UN 1993	PG II	•3YE	None	3	510 g	1.53 Kg/L	-	31 Dec 2016
7862	YIELD AEROSOL					NCH AUSTRALIA PTY LTD (FORMERLY CHEMSEARCH) (0401 718 972/ (02) 9669 0237)					
	Yes	DG 2.1	UN 1950	-	2YE	Approved	3	400 g	1.2 Kg/L	Available	31 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ BIOMEDICAL OFFICE/ FUME CUPBOARD

14838	NEUTRAL BUFFERED FORMALIN, 5-10%					POINT OF CARE DIAGNOSTICS AUSTRALIA PTY LTD T/A POCD SCIENTIFIC (13 11 26 (Poison Information Centre))					
	Yes	No	-	-	-	None	2	10 L	20 Kg/L	Available	31 Aug 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ BIOMEDICAL OFFICE/ STORAGE SHELVES

14838	NEUTRAL BUFFERED FORMALIN, 5-10%					POINT OF CARE DIAGNOSTICS AUSTRALIA PTY LTD T/A POCD SCIENTIFIC (13 11 26 (Poison Information Centre))					
	Yes	No	-	-	-	None	6	200 mL	1.2 Kg/L	Available	31 Aug 2016
14838	NEUTRAL BUFFERED FORMALIN, 5-10%					POINT OF CARE DIAGNOSTICS AUSTRALIA PTY LTD T/A POCD SCIENTIFIC (13 11 26 (Poison Information Centre))					
	Yes	No	-	-	-	None	4	800 mL	3.2 Kg/L	Available	31 Aug 2016
14838	NEUTRAL BUFFERED FORMALIN, 5-10%					POINT OF CARE DIAGNOSTICS AUSTRALIA PTY LTD T/A POCD SCIENTIFIC (13 11 26 (Poison Information Centre))					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	No	-	-	-	None	1	4 L	4 Kg/L	Available	31 Aug 2016
14838	NEUTRAL BUFFERED FORMALIN, 5-10%					POINT OF CARE DIAGNOSTICS AUSTRALIA PTY LTD T/A POCD SCIENTIFIC (13 11 26 (Poison Information Centre))					
	Yes	No	-	-	-	None	3	1.5 L	4.5 Kg/L	Available	31 Aug 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ BULK STORES

37712123	CLEARVIEW					AUTOSMART AUSTRALIA (13 11 26 (Poisons Information Centre)/ (02) 4975 1488)					
	Yes	No	-	-	-	None	1	5 L	5 Kg/L	-	15 Jun 2016
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	400 mL	0.4 Kg/L	Available	04 May 2017
7526822	DETERGENT WIPES (225 TUB)					BUNZL OUTSOURCING SERVICES (13 11 26)					
	No	No	-	-	-	None	1	225 Sheet	1.23 Kg/L	Available	27 Feb 2013
37712124	G101					AUTOSMART AUSTRALIA (13 11 26 (Poisons Information Centre)/ (02) 4975 1488)					
	Yes	DG 8	UN 1824	PG III	2R	None	1	5 L	5 Kg/L	-	14 Mar 2016
14838	NEUTRAL BUFFERED FORMALIN, 5-10%					POINT OF CARE DIAGNOSTICS AUSTRALIA PTY LTD T/A POCD SCIENTIFIC (13 11 26 (Poison Information Centre))					
	Yes	No	-	-	-	None	10	10 L	100 Kg/L	Available	31 Aug 2016
14102	RAPICIDE PA, PART A					CANTEL (AUSTRALIA) PTY LTD (1800 039 008)					
	Yes	DG 5.1 / 8	UN 3149	PG II	2P	None	10	5 L	50 Kg/L	Available	24 Jul 2017
14103	RAPICIDE PA, PART B					CANTEL (AUSTRALIA) PTY LTD (1800 039 008)					
	Yes	No	-	-	-	Approved	10	5 L	50 Kg/L	Available	18 Jul 2017
37712125	SHINE ON					AUTOSMART AUSTRALIA (13 11 26 (Poisons Information Centre)/ (02) 4975 1488)					
	No	No	-	-	-	None	1	5 L	5 Kg/L	-	20 Oct 2016
37712126	SMART GLASS					AUTOSMART AUSTRALIA (13 11 26 (Poisons Information Centre)/ (02) 4975 1488)					
	No	No	-	-	-	None	1	5 L	5 Kg/L	-	16 Jun 2016
37712143	WORLD HEALTH ORGANIZATION HAND SANITISER FORMULA (ETHANOL-BASED)					WESTEND ESTATE T/A CALABRIA FAMILY WINES ((02) 6969 0807)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	150	500 mL	75 Kg/L	-	01 Apr 2020
37712143	WORLD HEALTH ORGANIZATION HAND SANITISER FORMULA (ETHANOL-BASED)					WESTEND ESTATE T/A CALABRIA FAMILY WINES ((02) 6969 0807)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	72	2 L	144 Kg/L	-	01 Apr 2020

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CHILDRENS WARD

2151	OXYGEN (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	3	1 Gas Cylinder - Size C	8.33 Kg/L	Available	29 Nov 2018

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CHILDRENS WARD/ BATHROOMS

3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	10	200 mL	2 Kg/L	Available	31 Dec 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CHILDRENS WARD/ CLEANERS ROOM

242832	ACTICHLOR PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 9	UN 3077	PG III	2Z	Approved	1	150 Tablet	0 Kg/L	Available	29 Aug 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	2	750 mL	1.5 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	No	No	-	-	-	Approved	4	500 mL	2 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CHILDRENS WARD/ FEED ROOM

239858	CITRIC ACID					SIGMA COMPANIES GROUP PTY LTD ((08) 9345 2233; 0418 808 126)					
	Yes	No	-	-	-	None	1	200 mL	0.2 Kg/L	-	01 Jun 2020
127	MILTON ANTIBACTERIAL TABLETS					MILTON AUSTRALIA PTY LTD ((03) 8586 0500)					
	Yes	No	-	-	-	Approved	6	20 Unknown	0 Kg/L	Available	28 May 2018
12202	WHITE VINEGAR					NATURE'S LAND PRODUCTS PTY LTD ((03) 9768 3375)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	-	17 Jan 2013

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CHILDRENS WARD/ MEDICINE CUPBOARD

447	GRAFCO SILVER NITRATE APPLICATORS					GF HEALTH PRODUCTS, INC. (+1 800 347 5678)					
	Yes	DG 5.1	UN 1477	PG II	1Y	Approved	1	100 Unknown	0 Kg/L	Available	01 Jun 2015
7524301	REMOVE UNIVERSAL ADHESIVE REMOVER WIPES					SMITH AND NEPHEW PTY LTD ((03) 8540 6777)					
	Yes	No	-	-	-	Approved	1	50 Sheet	0.27 Kg/L	Available	20 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CHILDRENS WARD/ STAFF KITCHEN

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	500 mL	0.5 Kg/L	Available	05 Oct 2015

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CHILDRENS WARD/ STORE

7527559	CANON NPG-61 BLACK TONER					CANON AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	2	0 Unknown	0 Kg/L	Available	20 Aug 2015
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	3	325 Sheet	5.33 Kg/L	Available	11 Sep 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CHILDRENS WARD/ TREATMENT ROOM											
7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	07 Feb 2019
5270	BOSISTO'S EUCALYPTUS OIL					FELTON GRIMWADE & BOSISTO'S PTY LTD (0416 118 909; 0451 058 346 (After Hours)/ 13 11 26 (PIC))					
	Yes	DG 3	UN 1993	PG III	●3Y	None	3	500 mL	1.5 Kg/L	Available	18 May 2017
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	500 mL	0.5 Kg/L	Available	05 Oct 2015
4139	COMPOUND BENZOIN TINCTURE					RAMPRIE LABORATORIES (PAST DISTRIBUTOR) ((08) 9458 6566)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	1	50 mL	0.05 Kg/L	Available	(PRODUCT OBSOLETE)
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	4	1 L	4 Kg/L	Available	06 Jan 2019
7524145	CUTAN LUXURY SHAMPOO, CONDITIONER & BODYWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	4	1 L	4 Kg/L	Available	22 Dec 2016
14681	NAIL POLISH REMOVER PADS					PROFESSIONAL DISPOSABLES INTERNATIONAL, INC. (+1 845 365 1700)					
	Yes	DG 4.1	UN 3175	PG II	1Z	None	1	200 Sheet	1.09 Kg/L	Available	23 Mar 2015
11507	QUELLADA HEAD LICE					ASPEN PHARMACARE AUSTRALIA PTY LTD (+61 2 8436 8300/ 13 11 26)					
	Yes	No	-	-	-	None	1	100 mL	0.1 Kg/L	-	(PRODUCT OBSOLETE)
7523406	QUELLADA SCABIES					ASPEN PHARMACARE AUSTRALIA PTY LTD (+61 2 8436 8300/ 13 11 26)					
	Yes	No	-	-	-	None	1	100 mL	0.1 Kg/L	-	(PRODUCT OBSOLETE)
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	3	325 Sheet	5.33 Kg/L	Available	11 Sep 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ CSSD

6207	ASEPTI MULTI ZYME					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	5 L	10 Kg/L	Available	05 Nov 2015
6060	ASEPTI VALIDATE					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG II	2X	Approved	5	5 L	25 Kg/L	-	16 Dec 2015
8966	ASEPTI-WASH					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	5 L	5 Kg/L	Available	16 Dec 2015
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	12	1 L	12 Kg/L	Available	04 May 2017
37710568	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	2	1000 mL	2 Kg/L	Available	03 Jul 2019
7526450	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	22 Dec 2016
13025	INSTRUMAX PINK					WHITELEY CORPORATION PTY LTD ((02) 9929 9155; 13 11 26)					
	No	No	-	-	-	Approved	4	5 L	20 Kg/L	Available	13 Sep 2016
1859	JOHNSON & JOHNSON MEDICAL CIDEX OPA SOLUTION					JOHNSON & JOHNSON MEDICAL PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	8	5 L	40 Kg/L	Available	01 Jul 2019
239936	NEUTRAL DETERGENT WIPES					REYNARD HEALTH SUPPLIES (AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	1	280 Sheet	1.53 Kg/L	Available	31 Jan 2019
14053	OPTIPRO GEL INSTRUMENT PRE-CLEANER					ECOLAB HEALTHCARE DIVISION (1800 328 0026)					
	No	No	-	-	-	None	1	946 mL	0.95 Kg/L	Available	24 Sep 2014
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	1	750 mL	0.75 Kg/L	Available	06 Jan 2020
37711973	RP HAND SANITISER TGA0420					REED PACIFIC PTY LIMITED (0417 655 847)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	4	500 mL	2 Kg/L	Available	09 Apr 2020

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ DENTAL

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016
13233	MORTEIN KILL & PROTECT BARRIER OUTDOOR SURFACE SPRAY AEROSOL					RECKITT BENCKISER (AUSTRALIA) PTY LTD (13 11 26)					
	Yes	DG 2.1	UN 1950	-	2YE	Approved	1	300 g	0.3 Kg/L	Available	14 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ DENTAL/ CLEANERS ROOM

14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
7525120	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	1	750 None	0 Kg/L	Available	06 Jan 2020

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ DENTAL/ LAB

80	ALPRON					BIODEGREE PTY LTD (13 11 26 (Poisons Information Centre) or +49 7725 9392 0)					
	No	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	29 May 2017
7748	BUTANE N-					AIR LIQUIDE AUSTRALIA LIMITED (1800 800 055, 1800 812 588)					
	Yes	DG 2.1	UN 1011	-	2WE	None	1	200 mL	0.2 Kg/L	Available	19 Dec 2016
6667	COE-COMFORT POWDER					GC AMERICA INC. (+1 800-424-9300)					
	No	No	-	-	-	None	1	100 g	0.1 Kg/L	-	23 Feb 2015
7524303	COLD SPRAY					SPRAYPACK PTY LTD (0418 602 956)					
	Yes	DG 2.1	UN 1950	-	2WE	None	1	200 mL	0.2 Kg/L	-	31 Dec 2016
240773	DENTSPLY CITANEST WITH OCTAPRESSIN DENTAL					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	No	-	-	-	None	1	2.2 mL	0 Kg/L	Available	05 Apr 2019
1157	FROSTBITE					AUSTRALIAN DENTAL MANUFACTURING ((07) 3878 1901)					
	Yes	DG 2.1	UN 1950	-	2YE	None	4	248 mL	0.99 Kg/L	Available	14 Dec 2016
1057	GC AROMA FINE PLUS					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	None	1	1000 g	1 Kg/L	Available	07 Dec 2015
9308	GC UNIFAST LC LIQUID					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	DG 3	UN 1247	PG II	3YE	None	1	104 mL	0.1 Kg/L	-	26 Oct 2015
1056	ICX					A-DEC AUSTRALIA (1-352-323-3500 (Infotrac international))					
	Yes	No	-	-	-	None	4	50 None	0 Kg/L	Available	24 Apr 2017
1162	PUMICE POWDER					AINSWORTH DENTAL COMPANY PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	1	1 Unknown	0 Kg/L	Available	01 Jan 2017
9309	UNIFAST LC POWDER, SHADES: A2, A3, B2, B3, C2, AND TRANSLUCENT					GC AMERICA INC. (+1 800-424-9300)					
	Yes	No	-	-	-	None	1	100 g	0.1 Kg/L	-	24 Feb 2015
11415	YELLOWSTONE					USG BORAL BUILDING PRODUCTS PTY LIMITED (1800 033 111)					
	No	No	-	-	-	None	1	1 Unknown	0 Kg/L	-	(PRODUCT OBSOLETE)

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ DENTAL/ STERI ROOM

987	ALPROJET-D					BIODEGREE PTY LTD (13 11 26 (Poisons Information Centre) or +49 7725 9392 0)					
	Yes	No	-	-	-	Approved	1	5 L	5 Kg/L	Available	31 Aug 2015
6207	ASEPTI MULTI ZYME					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	5 L	5 Kg/L	Available	05 Nov 2015
974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	10	325 Sheet	17.76 Kg/L	Available	09 Nov 2015
164	DENTSPLY AQUACEM					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	No	-	-	-	None	1	30 g	0.03 Kg/L	-	27 Jun 2017
7757	EDTA 15% SOLUTION					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	No	No	-	-	-	None	2	500 mL	1 Kg/L	Available	14 Jun 2017
3808	ENDOPEROX POWDRE (POWDER)					SPECIALITIES SEPTODONT PTY LTD. (13 11 26)					
	Yes	DG 5.1 / 8	UN 1511	PG III	1X	None	1	5 g	0.01 Kg/L	Available	09 Nov 2019
7528259	G-82 +					GUNZ DENTAL PTY LTD (1800 025 300; 02 9935 6677)					
	Yes	DG 2.1	UN 1950	-	2YE	None	6	200 g	1.2 Kg/L	Available	30 Apr 2019
7526077	HANDPIECE MAINTENANCE OIL/ CARE3 HANDPIECE MAINTENANCE OIL					NSK OCEANIA PTY LTD (13 11 26 (PIC))					
	No	No	-	-	-	None	2	1 L	2 Kg/L	Available	14 Oct 2015
7523762	ISOPROPYL ALCOHOL 70%					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 3	UN 1219	PG II	●2YE	None	1	200 mL	0.2 Kg/L	-	02 Apr 2020
240678	LUBRI JET SPRAY					CATTANI AUSTRALIA P/L (0403 244 455)					
	No	DG 2.2	UN 1950	-	2Y	Approved	1	100 mL	0.1 Kg/L	-	(PRODUCT OBSOLETE)
241286	MILTON ANTIBACTERIAL SOLUTION					PROBIOTEC PHARMA PTY LTD ((03) 9278 7555; 1800 620 898)					
	Yes	No	-	-	-	None	4	500 mL	2 Kg/L	Available	21 Aug 2018
288	RUDOLPH-GUNZ G82 PLUS					MULTI-FILL PTY LTD (PAST DISTRIBUTOR) ((02) 9621 6000)					
	Yes	DG 2.1	UN 1950	-	2X	Approved	1	6 None	0 Kg/L	Available	(PRODUCT OBSOLETE)

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ DENTAL/ STOREROOM

3751	AH 26 POWDER					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	No	-	-	-	Approved	1	4 mL	0 Kg/L	Available	08 Apr 2016
4198	ALVEOGL					SPECIALITIES SEPTODONT PTY LTD. (13 11 26)					
	Yes	No	-	-	-	Approved	1	20 mg	0 Kg/L	Available	09 Apr 2018
2537	CHLORHEXIDINE MOUTHWASH 0.2% (RIVACOL) 200 ML					PERRIGO AUSTRALIA (Australia: 13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	None	1	200 mL	0.2 Kg/L	Available	29 Nov 2016
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	400 mL	2.4 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	400 mL	2.4 Kg/L	Available	06 Jan 2019
7524297	DENTAL ALGINATE					BARNES PRODUCTS PTY LTD ((02) 9793 7555/ 13 11 26)					
	No	No	-	-	-	None	1	1 Kg	1 Kg/L	-	08 Mar 2017
240773	DENTSPLY CITANEST WITH OCTAPRESSIN DENTAL					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	No	-	-	-	None	1	2.2 mL	0 Kg/L	Available	05 Apr 2019
1027	DURAPHAT FLUORIDE VARNISH SINGLE DOSE					COLGATE-PALMOLIVE PTY LTD ((02) 9037 2994)					
	Yes	DG 3	UN 1993	PG III	●3Y	Approved	1	10 mL	0.01 Kg/L	Available	02 Jul 2019
1703	DYCAL RADIOPAQUE CALCIUM HYDROXIDE - CATALYST					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	DG 9	UN 3082	PG III	●3Z	Approved	1	11 g	0.01 Kg/L	Available	27 Jun 2017
2844	ENDOPREP BLEACH					PROFESSIONAL DENTIST SUPPLIES PTY. LTD. ((03) 9761 6615)					
	Yes	DG 5.1	UN 1479	PG III	1Y	None	1	25 g	0.03 Kg/L	Available	01 Jan 2019
84	ENDOPREP SOLUTION					PROFESSIONAL DENTIST SUPPLIES PTY. LTD. ((03) 9761 6615)					
	Yes	No	-	-	-	None	1	500 mL	0.5 Kg/L	Available	01 Jan 2019
3627	GC CAVITY CONDITIONER					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	8	7 mL	0.06 Kg/L	Available	18 May 2020
3651	GC FUJI COAT LC					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	DG 3	UN 1247	PG II	3YE	None	8	5.2 mL	0.04 Kg/L	Available	20 May 2020
7876	GC FUJI IX GP (POWDER, SHADE: A2)					GC AMERICA INC. (+1 800-424-9300)					
	No	No	-	-	-	None	2	50 None	0 Kg/L	-	24 Feb 2015
9770	GC FUJI IX GP EXTRA CAPSULE (LIQUID) / GC EQUIA FIL CAPSULE (LIQUID) (AU)					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	4	50 None	0 Kg/L	Available	29 Apr 2020

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
12654	GC FUJI IX GP EXTRA CAPSULE (POWDER) / GC EQUIA FIL CAPSULE (POWDER)					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	4	50 None	0 Kg/L	Available	29 Apr 2020
9938	GC FUJI IX GP FAST LIQUID					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	DG 8	UN 3262	PG II	2X	None	4	50 None	0 Kg/L	Available	27 May 2015
1039	GC FUJI IX GP FAST POWDER					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	No	No	-	-	-	None	4	50 None	0 Kg/L	Available	27 May 2015
9087	GC FUJI IX GP LIQUID					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	2	50 None	0 Kg/L	Available	16 Jun 2020
1065	GC FUJI VII LIQUID					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	DG 8	UN 3265	PG II	2X	None	3	50 None	0 Kg/L	Available	04 Jun 2015
11431	GC FUJI VII POWDER					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	No	No	-	-	-	None	3	50 None	0 Kg/L	Available	04 Jun 2015
3596	GC GRADIA DIRECT POSTERIORES					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	None	1	1 Unknown	0 Kg/L	Available	15 Jul 2015
14275	GC GRADIA DIRECT, ANTERIOR					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	1	1 Unknown	0 Kg/L	Available	20 May 2020
1463	HEMODENT SOLUTION					GUNZ DENTAL PTY LTD (1800 025 300; 02 9935 6677)					
	Yes	No	-	-	-	Approved	3	10 mL	0.03 Kg/L	Available	02 Feb 2017
7528261	IONOSEAL					VOCO AUSTRALIA PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	8	4 g	0.03 Kg/L	-	20 Sep 2016
10771	PLAQUE DISCLOSING GEL					PROFESSIONAL DENTIST SUPPLIES PTY. LTD. ((03) 9761 6615)					
	No	No	-	-	-	None	1	30 mL	0.03 Kg/L	Available	01 Jan 2019
11319	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	16	250 Sheet	21.86 Kg/L	Available	24 Aug 2017
288	RUDOLPH-GUNZ G82 PLUS					MULTI-FILL PTY LTD (PAST DISTRIBUTOR) ((02) 9621 6000)					
	Yes	DG 2.1	UN 1950	-	2X	Approved	1	6 None	0 Kg/L	Available	(PRODUCT OBSOLETE)
240234	SCANDONEST 3%					SPECIALITIES SEPTODONT PTY LTD. (13 11 26)					
	No	No	-	-	-	None	50	2.2 mL	0.11 Kg/L	Available	09 Apr 2018
12178	SEPTANEST WITH ADRENALINE 1:100 000					SPECIALITIES SEPTODONT PTY LTD. (13 11 26)					
	Yes	No	-	-	-	None	50	2.2 mL	0.11 Kg/L	Available	15 Nov 2019
7526069	TOPICAL FLURIDE					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	No	No	-	-	-	None	1	355 mL	0.36 Kg/L	-	26 Aug 2019

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
512062	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	1	500 mL	0.5 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ DENTAL/ SURGERY

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	2	1 L	2 Kg/L	Available	07 Feb 2019
12299	4910/ 4911/ 5914/ 5915 3M ESPE FILTEK SUPREME XTE UNIVERSAL RESTORATIVE					3M AUSTRALIA PTY LIMITED (1800 097 146)					
	Yes	No	-	-	-	None	3	4 g	0.01 Kg/L	Available	27 Oct 2016
1073	AH 26 RESIN					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	DG 9	UN 3082	PG III	●3Z	Approved	1	4 mL	0 Kg/L	Available	27 Jul 2019
4198	ALVEOGLY					SPECIALITIES SEPTODONT PTY LTD. (13 11 26)					
	Yes	No	-	-	-	Approved	1	20 mg	0 Kg/L	Available	09 Apr 2018
7310	ASTRINGEDENT, ASTRINGEDENT X, & VISCOSTAT					ULTRADENT PRODUCTS, INC. (CHEMTREC: +1 703 527 3887)					
	Yes	DG 8	UN 3264	PG II	2X	None	1	20 mL	0.02 Kg/L	Available	05 Oct 2018
2537	CHLORHEXIDINE MOUTHWASH 0.2% (RIVACOL) 200 ML					PERRIGO AUSTRALIA (Australia: 13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	None	1	200 mL	0.2 Kg/L	Available	29 Nov 2016
7528260	DENTSPLY GLYDE FILE PREP					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	No	-	-	-	None	3	3 mL	0.01 Kg/L	-	27 Jun 2017
18	DENTSPLY IRM POWDER					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	No	DG 9	UN 3077	PG III	2Z	None	6	38 g	0.23 Kg/L	Available	01 Nov 2019
22	DENTSPLY NUPRO PROPHYLAXIS PASTES WITH FLUORIDE					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	No	No	-	-	-	None	1	1 None	0 Kg/L	Available	27 Jun 2017
242253	DENTSPLY PULPDENT PASTE					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	No	No	-	-	-	None	4	3 mL	0.01 Kg/L	Available	27 Jun 2017
1027	DURAPHAT FLUORIDE VARNISH SINGLE DOSE					COLGATE-PALMOLIVE PTY LTD ((02) 9037 2994)					
	Yes	DG 3	UN 1993	PG III	●3Y	Approved	1	10 mL	0.01 Kg/L	Available	02 Jul 2019
14	DYCAL RADIOPAQUE CALCIUM HYDROXIDE - BASE PASTE					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	DG 9	UN 3082	PG III	●3Z	None	1	11 g	0.01 Kg/L	Available	27 Jun 2017
1703	DYCAL RADIOPAQUE CALCIUM HYDROXIDE - CATALYST					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	DG 9	UN 3082	PG III	●3Z	Approved	1	11 g	0.01 Kg/L	Available	27 Jun 2017
1703	DYCAL RADIOPAQUE CALCIUM HYDROXIDE - CATALYST					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	DG 9	UN 3082	PG III	●3Z	Approved	1	11 g	0.01 Kg/L	Available	27 Jun 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
2844	ENDOPREP BLEACH					PROFESSIONAL DENTIST SUPPLIES PTY. LTD. ((03) 9761 6615)					
	Yes	DG 5.1	UN 1479	PG III	1Y	None	1	25 g	0.03 Kg/L	Available	01 Jan 2019
84	ENDOPREP SOLUTION					PROFESSIONAL DENTIST SUPPLIES PTY. LTD. ((03) 9761 6615)					
	Yes	No	-	-	-	None	1	500 mL	0.5 Kg/L	Available	01 Jan 2019
3627	GC CAVITY CONDITIONER					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	1	7 mL	0.01 Kg/L	Available	18 May 2020
240446	GC G-AENIAL UNIVERSAL FLO					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	None	8	2 mL	0.02 Kg/L	Available	08 Feb 2017
243457	GC G-COAT PLUS					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	DG 3	UN 1247	PG II	3YE	Approved	1	4 mL	0 Kg/L	Available	14 May 2020
3596	GC GRADIA DIRECT POSTERIORES					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	None	8	4 g	0.03 Kg/L	Available	15 Jul 2015
13105	GC GRADIA DIRECT X					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	8	4 g	0.03 Kg/L	Available	04 Aug 2020
14275	GC GRADIA DIRECT, ANTERIOR					GC AUSTRALASIA DENTAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	8	4 g	0.03 Kg/L	Available	20 May 2020
7528262	GC MI VARNISH					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	DG 3	UN 1993	PG II	●3YE	None	35	55 g	1.93 Kg/L	Available	21 Jun 2017
7113	GC TOOTH MOUSSE					HENRY SCHEIN HALAS LTD (13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	None	12	35 mL	0.42 Kg/L	Available	07 Dec 2015
7524789	GELATINE TAMPONS					COLTENE/WHALEDENT AG (GERMANY) (+1 800 535 5053)					
	No	No	-	-	-	None	5	50 None	0 Kg/L	Available	22 Oct 2014
1463	HEMODENT SOLUTION					GUNZ DENTAL PTY LTD (1800 025 300; 02 9935 6677)					
	Yes	No	-	-	-	Approved	3	10 mL	0.03 Kg/L	Available	02 Feb 2017
11140	LIGNOSPAN SPECIAL					SPECIALITIES SEPTODONT PTY LTD. (13 11 26)					
	No	No	-	-	-	None	200	2.2 mL	0.44 Kg/L	Available	09 Apr 2018
460	MEDI SWAB					BSN MEDICAL (AUST.) PTY. LTD. (1300 688 826)					
	Yes	No	-	-	-	Approved	1	300 Sheet	1.64 Kg/L	Available	04 Aug 2017
2478	MEDICAL NITROUS OXIDE, COMPRESSED					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2 / 5.1	UN 1070	-	2P	Approved	1	1 Gas Cylinder - Size C	2.78 Kg/L	Available	01 Nov 2016
7528236	ODONTOCEM LIQUID					AUSTRALIAN DENTAL MANUFACTURING ((07) 3878 1901)					
	No	No	-	-	-	None	1	1 None	0 Kg/L	Available	03 Sep 2015

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
7524906	ODONTOCEM POWDER					AUSTRALIAN DENTAL MANUFACTURING ((07) 3878 1901)					
	No	No	-	-	-	Approved	1	1 g	0 Kg/L	Available	10 Sep 2015
7523939	ODONTOPASTE					AUSTRALIAN DENTAL MANUFACTURING ((07) 3878 1901)					
	No	No	-	-	-	Approved	4	1 Unknown	0 Kg/L	Available	10 Sep 2015
2151	OXYGEN (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	1	1 Gas Cylinder - Size C	2.78 Kg/L	Available	29 Nov 2018
10771	PLAQUE DISCLOSING GEL					PROFESSIONAL DENTIST SUPPLIES PTY. LTD. ((03) 9761 6615)					
	No	No	-	-	-	None	1	30 mL	0.03 Kg/L	Available	01 Jan 2019
7528263	PRIME & BOND NT (CALIBRA OPERATORY KIT)					DENTSPLY SIRONA PTY LTD (1300 552 929 (Mon-Fri 9am-5pm))					
	Yes	DG 3	UN 1090	PG II	●2YE	None	8	4.5 mL	0.04 Kg/L	Available	27 Jun 2017
1754	SODIUM CHLORIDE 0.9% IRRIGATION					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	No	No	-	-	-	Approved	100	30 mL	3 Kg/L	Available	07 Dec 2016
11681	XYLOCAINE OINTMENT					ASPEN PHARMACARE AUSTRALIA PTY LTD (+61 2 8436 8300/ 13 11 26)					
	No	No	-	-	-	None	8	15 g	0.12 Kg/L	Available	17 Jun 2019
11785	XYLONOR SOLUTION ET COMPRESSES (SOLUTION AND PELLETS)					SPECIALITIES SEPTODONT PTY LTD. (13 11 26)					
	No	No	-	-	-	None	200	1 Sheet	1.09 Kg/L	Available	04 Dec 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ ASET CNC OFFICE

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	400 mL	0.4 Kg/L	Available	04 May 2017
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	400 mL	0.4 Kg/L	Available	22 Dec 2016
11629	RICOH TONER TYPE 1270D BLACK (DISCONTINUED)					RICOH AUSTRALIA PTY LTD (13 11 26; (02) 8977 1111)					
	No	No	-	-	-	None	2	1 Unknown	0 Kg/L	-	07 Aug 2008

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ CLEANERS ROOM

242832	ACTICHLOR PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 9	UN 3077	PG III	2Z	Approved	1	150 Tablet	0 Kg/L	Available	29 Aug 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	2	750 mL	1.5 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	8	500 mL	4 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ CLERK STATION

7523597	CANON COLOR BJ CARTRIDGE BC-61					CANON AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	2	1 Unknown	0 Kg/L	-	(PRODUCT OBSOLETE)
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	2	400 mL	0.8 Kg/L	Available	04 May 2017
1757	HP LASERJET C7115A-X PRINT CARTRIDGE					HP PPS AUSTRALIA PTY LTD (FORMERLY HEWLETT-PACKARD AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	1	1 Unknown	0 Kg/L	Available	25 Jun 2020
7794	RICOH TONER TYPE 1230D BLACK (BLACK TONER)					RICOH AUSTRALIA PTY LTD (13 11 26; (02) 8977 1111)					
	No	No	-	-	-	None	2	1 Unknown	0 Kg/L	Available	25 May 2016
11629	RICOH TONER TYPE 1270D BLACK (DISCONTINUED)					RICOH AUSTRALIA PTY LTD (13 11 26; (02) 8977 1111)					
	No	No	-	-	-	None	1	1 Unknown	0 Kg/L	-	07 Aug 2008

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ CUBICLE 1

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	07 Feb 2019
974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	325 Sheet	1.78 Kg/L	Available	09 Nov 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ CUBICLE 2

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	07 Feb 2019
974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	325 Sheet	1.78 Kg/L	Available	09 Nov 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ CUBICLE 3

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	07 Feb 2019
974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	325 Sheet	1.78 Kg/L	Available	09 Nov 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ DRUG ROOM

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ ED CNE OFFICE

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	400 mL	0.4 Kg/L	Available	04 May 2017
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	400 mL	0.4 Kg/L	Available	22 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ ED FLOOR

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	07 Feb 2019
974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	3	325 Sheet	5.33 Kg/L	Available	09 Nov 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	1	100 mL	0.1 Kg/L	Available	31 Dec 2017
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	1	225 Sheet	1.23 Kg/L	Available	11 Sep 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ PAN ROOM

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	6	1 L	6 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	6 L	6 Kg/L	Available	22 Dec 2016
3110	MICROL					WHITELEY CORPORATION PTY LTD ((02) 9929 9155; 13 11 26)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	1	500 mL	0.5 Kg/L	Available	09 Sep 2016
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	3	100 mL	0.3 Kg/L	Available	31 Dec 2017
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	1	225 Sheet	1.23 Kg/L	Available	11 Sep 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ STORE

974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	12	325 Sheet	21.31 Kg/L	Available	09 Nov 2015
512062	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	1	500 mL	0.5 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ TEA ROOM

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1000 mL	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1000 mL	1 Kg/L	Available	22 Dec 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ TREATMENT ROOM

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	07 Feb 2019
974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	8	325 Sheet	14.21 Kg/L	Available	09 Nov 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	22 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ TRIAGE ROOM

974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	325 Sheet	1.78 Kg/L	Available	09 Nov 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	22 Dec 2016
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	1	100 mL	0.1 Kg/L	Available	31 Dec 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ EMERGENCY/ WAITING ROOM

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	22 Dec 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ FOOD SERVICES/ DISTRIBUTION KITCHEN

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
8408	GREASE EXPRESS FAST FOAM					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 1824	PG II	2R	Approved	6	250 mL	1.5 Kg/L	Available	21 Aug 2017
241677	GREEN PRO FRONTIER					CASTLE CHEMICAL PTY LTD ((02) 4014 5555)					
	Yes	No	-	-	-	None	1	5 L	5 Kg/L	Available	24 Jan 2017
240420	GUARDIAN SAFE					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	5 L	10 Kg/L	Available	28 Nov 2016
9755	KITCHEN PRO ALL PURPOSE CLEANER DEGREASER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 2491	PG III	2X	Approved	1	10 L	10 Kg/L	Available	14 Aug 2019
7525880	MULTIKLEAN					ENVIRO CHEMICALS (AUSTRALIA) PTY LTD (1800 033 111)					
	Yes	No	-	-	-	None	1	5 L	5 Kg/L	Available	08 Dec 2016
7295	OASIS COMPAC QUAT SANITISER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	10 L	10 Kg/L	Available	18 Aug 2016
7295	OASIS COMPAC QUAT SANITISER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	500 mL	1 Kg/L	Available	18 Aug 2016
240462	ULTRA DRY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	3	5 L	15 Kg/L	Available	09 Nov 2015
3579	VIVA					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	5 L	5 Kg/L	Available	01 Feb 2016
4523	WASH N WALK SFDS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	10 L	10 Kg/L	Available	(PRODUCT OBSOLETE)

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ FOOD SERVICES/ DISTRIBUTION KITCHEN/ CHEMICAL CAGE

7284	CLEANSHOT QUAT SANITISER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	12	750 mL	9 Kg/L	Available	06 Nov 2015
9560	DIP IT PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3262	PG II	2X	Approved	1	10 Kg	10 Kg/L	Available	19 Mar 2018
4173	GLAD HANDS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	12	750 mL	9 Kg/L	Available	11 Dec 2015
240420	GUARDIAN SAFE					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	6	5 L	30 Kg/L	Available	28 Nov 2016
9755	KITCHEN PRO ALL PURPOSE CLEANER DEGREASER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 2491	PG III	2X	Approved	1	10 L	10 Kg/L	Available	14 Aug 2019
7525880	MULTIKLEAN					ENVIRO CHEMICALS (AUSTRALIA) PTY LTD (1800 033 111)					
	Yes	No	-	-	-	None	1	5 L	5 Kg/L	Available	08 Dec 2016
7314	SURE SHOT FRUIT AND VEGETABLE					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	08 Sep 2016
240462	ULTRA DRY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	14	5 L	70 Kg/L	Available	09 Nov 2015
3579	VIVA					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	12	5 L	60 Kg/L	Available	01 Feb 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ FOOD SERVICES/ HEALTHSHARE OFFICE

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	12	750 mL	9 Kg/L	Available	05 Oct 2015
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	12	750 mL	9 Kg/L	Available	06 Jan 2020

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ICU/RECOVERY/ CLEANERS ROOM

242832	ACTICHLOR PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 9	UN 3077	PG III	2Z	Approved	1	150 Tablet	0 Kg/L	Available	29 Aug 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
7525120	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	1	750 mL	0.75 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	4	500 mL	2 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ ICU/RECOVERY/ PAN ROOM

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	6	1 L	6 Kg/L	Available	07 Feb 2019
37711822	2% CHLORHEXIDINE GLUCONATE CLOTH (EQUIVALENT TO 500 MG CHLORHEXIDINE GLUCONATE PER CLOTH)					SAGE PRODUCTS INC. (+1 800 424 9300)					
	No	No	-	-	-	None	40	6 Sheet	1.31 Kg/L	-	17 Sep 2015
500150	AQIUM GEL					EGO PHARMACEUTICALS PTY LTD ((03) 9586 8800; 1800 033 706/ 13 11 26)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	4	375 mL	1.5 Kg/L	Available	17 May 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
2537	CHLORHEXIDINE MOUTHWASH 0.2% (RIVACOL) 200 ML					PERRIGO AUSTRALIA (Australia: 13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	None	5	200 mL	1 Kg/L	Available	29 Nov 2016
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524145	CUTAN LUXURY SHAMPOO, CONDITIONER & BODYWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016
37711467	ISOWIPE					O&M HALYARD AUSTRALIA (1800 664 227)					
	Yes	DG 4.1	UN 3175	PG II	1Z	None	40	15 Sheet	3.28 Kg/L	Available	04 Oct 2019
239936	NEUTRAL DETERGENT WIPES					REYNARD HEALTH SUPPLIES (AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	6	280 Sheet	9.18 Kg/L	Available	31 Jan 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	3	250 mL	0.75 Kg/L	Available	31 Dec 2017
7522979	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	None	5	75 Sheet	2.05 Kg/L	Available	24 Aug 2017
7527922	REYNARD SHAMPOO CAP					REYNARD HEALTH SUPPLIES (AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	10	1 Unknown	0 Kg/L	Available	31 Jan 2019
241960	VIVA					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	750 mL	0.75 Kg/L	Available	01 Feb 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ KIOSK - COVID CENTRAL STORE

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	100	1 L	100 Kg/L	Available	07 Feb 2019
7526153	CLINELL UNIVERSAL WIPES					GAMA HEALTHCARE AUSTRALIA PTY LTD (+61 3 5976 1555)					
	No	No	-	-	-	Approved	100	200 Sheet	109.29 Kg/L	Available	31 Mar 2020
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	20	400 mL	8 Kg/L	Available	04 May 2017
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	50	1 L	50 Kg/L	Available	04 May 2017
37710568	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	100	1 L	100 Kg/L	Available	03 Jul 2019
7524145	CUTAN LUXURY SHAMPOO, CONDITIONER & BODYWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	10	1 L	10 Kg/L	Available	06 Jan 2019
7526450	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	10	1 L	10 Kg/L	Available	22 Dec 2016
7526450	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	10	400 mL	4 Kg/L	Available	22 Dec 2016
37711973	RP HAND SANITISER TGA0420					REED PACIFIC PTY LIMITED (0417 655 847)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	24	500 mL	12 Kg/L	Available	09 Apr 2020
37711843	SCOTTS LIQUID HAND SANITISER					JALCO GROUP PTY LIMITED ((02) 9757 6333)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	1	500 mL	0.5 Kg/L	Available	31 Mar 2020
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	20	225 Unknown	0 Kg/L	Available	11 Sep 2017
512062	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	2	5 L	10 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ MEDICAL RECORDS

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	400 mL	2.4 Kg/L	Available	04 May 2017
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	400 mL	2.4 Kg/L	Available	22 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ MEDICAL RECORDS/ KITCHENETTE

7523528	BULK BUYERS CHOICE DISHWASH LIQUID					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	2.5 L	2.5 Kg/L	-	(PRODUCT OBSOLETE)
7523172	CREME PROTECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	750 mL	0.75 Kg/L	-	(PRODUCT OBSOLETE)

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ MEDICAL RECORDS/ UTILITY ROOM

14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
243426	HP LASERJET CE390A-X-XC-XD PRINT CARTRIDGE					HP PPS AUSTRALIA PTY LTD (FORMERLY HEWLETT-PACKARD AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	4	1 None	0 Kg/L	Available	19 Sep 2015
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	4	100 mL	0.4 Kg/L	Available	31 Dec 2017
1007	RICOH TONER TYPE 2220D BLACK					RICOH AUSTRALIA PTY LTD (13 11 26; (02) 8977 1111)					
	No	No	-	-	-	None	3	360 mL	1.08 Kg/L	Available	(PRODUCT OBSOLETE)

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016
241323	DIVERSOL 5000					DIVERSEY AUSTRALIA PTY. LIMITED (1800 033 111 (24 hrs))					
	Yes	DG 9	UN 3077	PG III	2Z	None	100	25 g	2.5 Kg/L	Available	02 Feb 2018

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ HAEMATOLOGY

1934	GIEMSA STAIN SOLUTION					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3 / 6.1	UN 1992	PG II	●3WE	Approved	2	500 mL	1 Kg/L	Available	20 Aug 2017
537045	MAY-GRUNWALDS STAIN					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	1	5 L	5 Kg/L	-	20 Mar 2019
3003	METHANOL					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3 / 6.1	UN 1230	PG II	●2WE	None	1	5 L	5 Kg/L	Available	07 Dec 2017
9359	POTASSIUM HYDROXIDE					CHEM-SUPPLY PTY LTD (1-800-498-5701; 1-303-389-1414/ 1-800-424-9300; 1-703-527-3887/ (02) 9037 2994/ 1800-127-406 (Australia); +64-4-917-9888 (International))					
	Yes	DG 8	UN 1813	PG II	2W	Approved	2	5 L	10 Kg/L	Available	30 Sep 2019
7527431	SODIUM HYPOCHLORITE (MORE THAN 5% AVAILABLE CHLORINE)					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	DG 8	UN 1791	PG III	2X	None	1	5 L	5 Kg/L	-	(PRODUCT OBSOLETE)

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ HISTOPATHOLOGY DEPT

243013	ACETONE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1090	PG II	•2YE	None	1	4 L	4 Kg/L	Available	04 Jul 2020
2181	CARBOL FUCHSIN DILUTE STAIN					AMBER SCIENTIFIC PTY LTD (WA) ((08) 9250 7782)					
	Yes	No	-	-	-	None	6	500 g	3 Kg/L	-	31 Jul 2015
2462	DPX, MOUNTING MEDIUM FOR HISTOLOGY					CHEM-SUPPLY PTY LTD (1-800-498-5701; 1-303-389-1414/ 1-800-424-9300; 1-703-527-3887/ (02) 9037 2994/ 1800-127-406 (Australia); +64-4-917-9888 (International))					
	Yes	DG 3	UN 1992	PG II	•3WE	None	1	500 mL	0.5 Kg/L	-	08 Aug 2018
13134	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	Approved	4	5 L	20 Kg/L	Available	19 Feb 2018
12795	HANKS' BALANCED SALT SOLUTION (H6648)					SIGMA-ALDRICH PTY. LTD. (1800 448 465/ (02) 9037 2994)					
	No	No	-	-	-	Approved	8	100 mL	0.8 Kg/L	-	19 Apr 2019
11943	POLYFORM F					UNITED BIOSCIENCES ((07) 3219 2964/ 13 11 26 (PIC))					
	No	No	-	-	-	None	1	2 Kg	2 Kg/L	Available	(PRODUCT OBSOLETE)
2261	XYLENES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1307	PG III	3Y	Approved	6	5 L	30 Kg/L	Available	13 Jun 2018

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ HISTOPATHOLOGY DEPT/ HISTO CORROSIVES CABINET

2260	ACETIC ACID GLACIAL					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 8 / 3	UN 2789	PG II	•2P	Approved	1	2.5 L	2.5 Kg/L	Available	21 Jun 2020
9027	AMMONIA SOLUTION 10%-35%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 8	UN 2672	PG III	2R	None	2	500 mL	1 Kg/L	Available	13 Feb 2019
4848	BOUINS FIXATIVE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 8	UN 2209	PG III	•2X	Approved	1	500 mL	0.5 Kg/L	Available	26 Jun 2016
4465	FASTCAL DECALCIFYING SOLUTION					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 8	UN 1789	PG III	2R	None	1	500 mL	0.5 Kg/L	Available	26 Feb 2019
3736	FORMIC ACID 99+%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 8 / 3	UN 1779	PG II	2X	Approved	1	2.5 L	2.5 Kg/L	Available	13 Sep 2016
3303	GLASSWARE CLEANING SOLUTION CHROMIC ACID					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	DG 8	UN 2240	PG I	2W	None	1	500 g	0.5 Kg/L	Available	14 Jul 2016
3412	HYDROCHLORIC ACID 0.1MOL					AJAX FINECHEM (1800 638 556 (24 hr) Aust / (NZ): 0800 154 666)					
	No	No	-	-	-	Approved	7	500 mL	3.5 Kg/L	Available	(PRODUCT OBSOLETE)
7524371	IRON (III) CHLORIDE ANHYDROUS					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 8	UN 1773	PG III	2X	None	1	1 Kg	1 Kg/L	Available	12 Apr 2017
7527430	SILVER NITRITE (85240)					SIGMA-ALDRICH PTY. LTD. (1800 448 465/ (02) 9037 2994)					
	Yes	DG 5.1	UN 2627	PG II	2X	None	1	15 g	0.02 Kg/L	-	(PRODUCT OBSOLETE)
2806	SODIUM HYDROXIDE PELLETS EXTRA PURE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 8	UN 1823	PG II	2W	Approved	3	500 g	1.5 Kg/L	Available	10 Apr 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ HISTOPATHOLOGY DEPT/ HISTO CUT-UP AREA

7527405	DAVIDSON MARKING SYSTEM BLACK DYE ALL SIZES					BRADLEY PRODUCTS, INC. (800-325-7785)					
	Yes	No	-	-	-	None	1	59 mL	0.06 Kg/L	-	(PRODUCT OBSOLETE)

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ HISTOPATHOLOGY DEPT/ HISTO FLAMMABLE LIQUID CABINET

10548	CARBOL FUCHSIN (MV0156, MV0008)					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1993	PG III	●3Y	None	1	5 L	5 Kg/L	-	08 Nov 2018
2330	CHLOROFORM					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 6.1	UN 1888	PG III	2Z	None	1	2.5 L	2.5 Kg/L	Available	13 Sep 2016
7527408	ETHANOL DENATURED					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	1	5 L	5 Kg/L	Available	17 Jul 2017
7527423	FORMALDEHYDE SOLUTION 37 W/W, STABILIZED WITH 7-10% METHANOL					AUSTRALIAN CHEMICAL REAGENTS (ACR) ((08) 8440 2000 (Mon - Fri 8:30am - 5:00pm)/ 1800 127 406)					
	Yes	DG 8	UN 2209	PG III	●2X	None	1	500 mL	0.5 Kg/L	-	31 Jan 2016
7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	1	10 L	10 Kg/L	Available	19 Feb 2018
175	THINPREP PRESERVCYT SOLUTION					HOLOGIC AUSTRALIA PTY.LTD ((02) 9888 8000)					
	Yes	DG 3 / 6.1	UN 1992	PG III	●3W	None	10	200 mL	2 Kg/L	Available	19 Oct 2016
1376	XYLENES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1307	PG III	3Y	None	1	5 L	5 Kg/L	Available	13 Jun 2018

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ HISTOPATHOLOGY DEPT/ HISTO SHELF

7525856	ALUMINIUM SULFATE					CHEM-SUPPLY PTY LTD (1-800-498-5701; 1-303-389-1414/ 1-800-424-9300; 1-703-527-3887/ (02) 9037 2994/ 1800-127-406 (Australia); +64-4-917-9888 (International))					
	Yes	DG 8	UN 3260	PG III	2X	None	1	500 g	0.5 Kg/L	-	30 Nov 2018
7527403	BORAX DECAHYDRATE					CONSOLIDATED CHEMICAL CO ((03) 9799 7555; 1800 839 984)					
	Yes	No	-	-	-	None	1	500 g	0.5 Kg/L	-	01 Jul 2017
10548	CARBOL FUCHSIN (MV0156, MV0008)					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1993	PG III	●3Y	None	6	500 g	3 Kg/L	-	08 Nov 2018
241719	EOSIN YELLOWISH WATER & ALCOHOL SOLUBLE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	No	No	-	-	-	None	6	25 g	0.15 Kg/L	-	08 Jun 2018
7527407	ERYTHROSIN B BIOLOGICAL STAIN					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	1	25 g	0.03 Kg/L	-	04 Jun 2017
12066	FERRIC CHLORIDE ANHYDROUS					CHEM-SUPPLY PTY LTD (1-800-498-5701; 1-303-389-1414/ 1-800-424-9300; 1-703-527-3887/ (02) 9037 2994/ 1800-127-406 (Australia); +64-4-917-9888 (International))					
	Yes	DG 8	UN 1773	PG III	2X	None	1	1 Kg	1 Kg/L	Available	30 Sep 2015
1934	GIEMSA STAIN SOLUTION					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3 / 6.1	UN 1992	PG II	●3WE	Approved	2	500 mL	1 Kg/L	Available	20 Aug 2017
7056	HEXAMETHYLENETETRAMINE (HEXAMINE)					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 1328	PG III	1Z	Approved	1	500 g	0.5 Kg/L	Available	28 May 2017
2396	MAGNESIUM SULPHATE HEPTAHYDRATE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	No	No	-	-	-	None	2	500 g	1 Kg/L	Available	09 Feb 2017
7527425	OXALIC ACID					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	1	500 g	0.5 Kg/L	-	14 Jul 2020
5468	PERIODIC ACID					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 5.1	UN 1479	PG II	1Y	Approved	2	25 g	0.05 Kg/L	Available	28 Sep 2016
7527426	PHENOL EXTRA PURE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 6.1	UN 1671	PG II	2X	None	1	500 g	0.5 Kg/L	-	18 Mar 2019
7527427	POTASSIUM CARBONATE ANHYDROUS					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	1	500 g	0.5 Kg/L	-	27 Sep 2017
5755	POTASSIUM CHLORIDE EXTRA PURE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	No	No	-	-	-	None	1	500 g	0.5 Kg/L	-	11 Oct 2017
5792	POTASSIUM HEXACYANOFERRATE (II)					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	No	-	-	-	Approved	1	0.5 Kg	0.5 Kg/L	Available	20 Aug 2017
1951	POTASSIUM METABISULPHITE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	Approved	1	500 g	0.5 Kg/L	-	11 Jul 2016
3279	POTASSIUM NITRATE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 5.1	UN 1486	PG III	1Z	None	1	500 g	0.5 Kg/L	-	22 Jan 2017
1884	POTASSIUM PERMANGANATE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 5.1	UN 1490	PG II	1Y	Approved	2	500 g	1 Kg/L	Available	02 Jan 2018
9399	SODIUM DICHROMATE DIHYDRATE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 5.1 / 6.1	UN 3087	PG II	1W	Approved	1	500 g	0.5 Kg/L	-	08 Jun 2018
3250	SODIUM METABISULPHITE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	Approved	1	500 g	0.5 Kg/L	Available	18 Apr 2017
7527543	SODIUM SULPHATE ANHYDROUS GRANULAR					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	No	No	-	-	-	None	1	500 g	0.5 Kg/L	-	28 Oct 2018
3491	SODIUM SULPHITE ANHYDROUS					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	1	3 Kg	3 Kg/L	Available	28 Sep 2016
7527558	SODIUM THIOSULPHATE (2293766)					HACH PACIFIC (13 11 26)					
	No	No	-	-	-	None	1	500 g	0.5 Kg/L	-	09 Jun 2020
175	THINPREP PRESERVACYT SOLUTION					HOLOGIC AUSTRALIA PTY.LTD ((02) 9888 8000)					
	Yes	DG 3 / 6.1	UN 1992	PG III	●3W	None	10	200 mL	2 Kg/L	Available	19 Oct 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ MICROBIOLOGY/ MICRO CUPBOARD

2102	ACETONE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1090	PG II	●2YE	None	1	4 L	4 Kg/L	Available	04 Jul 2020
724	CRYSTAL VIOLET 1 LITRE					THERMO FISHER SCIENTIFIC (FORMERLY OXOID AUSTRALIA PTY LIMITED) (1800 331 163)					
	No	No	-	-	-	None	5	1 L	5 Kg/L	-	10 Jul 2015
8835	IODINE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 8 / 6.1	UN 3495	PG III	2WE	None	1	4 L	4 Kg/L	Available	05 Mar 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ MICROBIOLOGY/ MICRO FRIDGE

243438	SCHIFF'S REAGENT (3952016)					SIGMA-ALDRICH PTY. LTD. (1800 448 465/ (02) 9037 2994)					
	Yes	DG 8	UN 1789	PG II	2R	None	1	500 mL	0.5 Kg/L	-	17 Jun 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PATHOLOGY - GRIFFITH/ STORAGE MAINTENANCE ROOM

243013	ACETONE					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1090	PG II	●2YE	None	4	4 L	16 Kg/L	Available	04 Jul 2020
7527408	ETHANOL DENATURED					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	20	5 L	100 Kg/L	Available	17 Jul 2017
7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	20	5 L	100 Kg/L	Available	19 Feb 2018
11393	XYLENES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1307	PG III	3Y	Approved	28	5 L	140 Kg/L	Available	13 Jun 2018

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PHARMACY/ COMPACTOR

37707513	ACETIC ACID 5%					MURABAN LABORATORIES ((02) 9457 7260/ 1800 127 406)					
	Yes	No	-	-	-	None	3	100 mL	0.3 Kg/L	Available	31 Oct 2017
5270	BOSISTO'S EUCALYPTUS OIL					FELTON GRIMWADE & BOSISTO'S PTY LTD (0416 118 909; 0451 058 346 (After Hours)/ 13 11 26 (PIC))					
	Yes	DG 3	UN 1993	PG III	●3Y	None	2	50 mL	0.1 Kg/L	Available	18 May 2017
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	12	400 mL	4.8 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	2	1 Kg	2 Kg/L	Available	06 Jan 2019
447	GRAFCO SILVER NITRATE APPLICATORS					GF HEALTH PRODUCTS, INC. (+1 800 347 5678)					
	Yes	DG 5.1	UN 1477	PG II	1Y	None	1	100 None	0 Kg/L	Available	01 Jun 2015
618	HYDROGEN PEROXIDE TOPICAL SOLUTION, 3%					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	Yes	No	-	-	-	None	18	100 mL	1.8 Kg/L	Available	27 Jul 2017
7523406	QUELLADA SCABIES					ASPEN PHARMACARE AUSTRALIA PTY LTD (+61 2 8436 8300/ 13 11 26)					
	Yes	No	-	-	-	None	2	100 mL	0.2 Kg/L	-	(PRODUCT OBSOLETE)

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PHARMACY/ MAIN BENCH

11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	1	325 Sheet	1.78 Kg/L	Available	11 Sep 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ PHARMACY/ SINK

14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ STERILISATION SERVICES UNIT

11319	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	1	75 Sheet	0.41 Kg/L	Available	24 Aug 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ STERILISATION SERVICES UNIT/ COMPACTOR SHELF

7523532	HIGH CAPACITY TONER CARTRIDGE (BLACK) S050229					EPSON AUSTRALIA PTY LTD ((02) 8899 3666)					
	No	No	-	-	-	None	4	1 Unknown	0 Kg/L	-	31 Oct 2013
7523533	HIGH CAPACITY TONER CARTRIDGE (CYAN) S050228					EPSON AUSTRALIA PTY LTD ((02) 8899 3666)					
	No	No	-	-	-	None	2	1 Unknown	0 Kg/L	-	(PRODUCT OBSOLETE)
7523534	HIGH CAPACITY TONER CARTRIDGE (MAGENTA) S050227					EPSON AUSTRALIA PTY LTD ((02) 8899 3666)					
	No	No	-	-	-	None	2	1 Unknown	0 Kg/L	-	(PRODUCT OBSOLETE)
7523535	HIGH CAPACITY TONER CARTRIDGE (YELLOW) S050226					EPSON AUSTRALIA PTY LTD ((02) 8899 3666)					
	No	No	-	-	-	None	2	1 Unknown	0 Kg/L	-	(PRODUCT OBSOLETE)
242445	PERMANENT BLACK INK					BIC AUSTRALIA PTY LTD (000 (Emergency) 13 11 26 (PIC))					
	Yes	DG 3	UN 1210	PG III	●3Y	None	20	1 Unknown	0 Kg/L	-	25 Oct 2016
7523530	PERMANENT RED INK					BIC AUSTRALIA PTY LTD (000 (Emergency) 13 11 26 (PIC))					
	Yes	DG 3	UN 1210	PG III	●3Y	None	20	1 Unknown	0 Kg/L	-	09 Jul 2015
11629	RICOH TONER TYPE 1270D BLACK (DISCONTINUED)					RICOH AUSTRALIA PTY LTD (13 11 26; (02) 8977 1111)					
	No	No	-	-	-	None	1	1 Unknown	0 Kg/L	-	07 Aug 2008

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ STERILISATION SERVICES UNIT/ CUPBOARD UNDER SINK

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	•3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ STERILISATION SERVICES UNIT/ DETERGENT SHELF

10560	ASEPTI CITRIC RINSE					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	8	2 L	16 Kg/L	Available	06 Jan 2016
6063	ASEPTI METAL BRIGHT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 1805	PG III	2R	Approved	6	5 L	30 Kg/L	Available	05 Nov 2015
6207	ASEPTI MULTI ZYME					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	6	5 L	30 Kg/L	Available	05 Nov 2015
6060	ASEPTI VALIDATE					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG II	2X	Approved	12	5 L	60 Kg/L	-	16 Dec 2015
8966	ASEPTI-WASH					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	6	5 L	30 Kg/L	Available	16 Dec 2015
14053	OPTIPRO GEL INSTRUMENT PRE-CLEANER					ECOLAB HEALTHCARE DIVISION (1800 328 0026)					
	No	No	-	-	-	None	36	0.95 mL	0.03 Kg/L	Available	24 Sep 2014
240528	TUFFIE DETERGENT WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	4	1 Unknown	0 Kg/L	Available	30 Sep 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ STERILISATION SERVICES UNIT/ ZEXA WASHER SHELF

6532	CONVACARE ADHESIVE REMOVER WIPES					CONVATEC (AUSTRALIA) PTY LTD (+1 703 527 3887/ +1 800 424 9300/ 13 11 26)					
	Yes	No	-	-	-	None	1	100 Sheet	0.55 Kg/L	Available	08 Mar 2018

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ LOWER GROUND FLOOR/ STERILISATION SERVICES UNIT/ ZEXA WASHER SHELF/ WATER TEST KIT

10154	56888 INDICATOR P-014					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 3	UN 1987	PG III	●3Y	None	1	30 mL	0.03 Kg/L	Available	26 Sep 2016
3929	56898 HARDNESS BUFFER-007					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	30 mL	0.03 Kg/L	Available	28 Feb 2016
7523536	56905 HARDNESS INDICATOR-013					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 3 / 8	UN 2924	PG I	●3WE	None	1	30 mL	0.03 Kg/L	Available	04 Jul 2016
11462	CHLORIDE G					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	30 mL	0.03 Kg/L	-	24 Nov 2016
7523537	QAC TITRATING SOLUTION HIGH (R-0884)					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	30 mL	0.03 Kg/L	-	(PRODUCT OBSOLETE)
11461	TK CHLORIDE F 250ML					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	None	1	30 mL	0.03 Kg/L	Available	02 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MATERNITY WARD

974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	10	100 Sheet	5.46 Kg/L	Available	09 Nov 2015
7526153	CLINELL UNIVERSAL WIPES					GAMA HEALTHCARE AUSTRALIA PTY LTD (+61 3 5976 1555)					
	No	No	-	-	-	Approved	10	200 Sheet	10.93 Kg/L	Available	31 Mar 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MATERNITY WARD/ BATHROOMS

7524145	CUTAN LUXURY SHAMPOO, CONDITIONER & BODYWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	8	1 L	8 Kg/L	Available	06 Jan 2019
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	6	200 mL	1.2 Kg/L	Available	31 Dec 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MATERNITY WARD/ CLEANERS ROOM

242832	ACTICHLOR PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 9	UN 3077	PG III	2Z	Approved	1	150 Tablet	0 Kg/L	Available	29 Aug 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	1 None	0 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
7525120	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	2	750 mL	1.5 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	4	500 mL	2 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MATERNITY WARD/ LABOUR WARD

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015
4114	CHLORHEXIDINE ACETATE SOLUTION					BAXTER HEALTHCARE PTY LTD (1800 229 839; 13 11 26)					
	No	No	-	-	-	Approved	80	100 mL	8 Kg/L	Available	10 Jan 2019

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MATERNITY WARD/ PAN ROOM

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	20	1 L	20 Kg/L	Available	07 Feb 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	40	400 mL	16 Kg/L	Available	04 May 2017
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	30	1 L	30 Kg/L	Available	04 May 2017
37710239	CUTAN CLEAR FOAM HANDWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	35	1 L	35 Kg/L	Available	03 Jul 2019
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	35	1 L	35 Kg/L	Available	06 Jan 2019
7524145	CUTAN LUXURY SHAMPOO, CONDITIONER & BODYWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	16	1 L	16 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	30	400 mL	12 Kg/L	Available	22 Dec 2016
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	30	1 L	30 Kg/L	Available	22 Dec 2016
37709981	JOHNSON'S BABY HEAD-TO-TOE WASH / JOHNSON'S HEAD-TO-TOE BABY WASH					JOHNSON & JOHNSON CONSUMER COMPANIES INC. (1-877-236-9871)					
	No	No	-	-	-	None	2	200 mL	0.4 Kg/L	-	24 May 2015
3579	VIVA					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	5	750 mL	3.75 Kg/L	Available	01 Feb 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MEDICAL GAS STORAGE ROOM

6081	AIR (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2	UN 1002	-	2T	Approved	2	1 Gas Cylinder - Size C	5.56 Kg/L	Available	29 Nov 2018
6081	AIR (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2	UN 1002	-	2T	Approved	4	1 Gas Cylinder - Size C	11.11 Kg/L	Available	29 Nov 2018

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
6081	AIR (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2	UN 1002	-	2T	Approved	4	1 Gas Cylinder - Size G	200 Kg/L	Available	29 Nov 2018
6081	AIR (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2	UN 1002	-	2T	Approved	2	1 Gas Cylinder - Size E	46.51 Kg/L	Available	29 Nov 2018
8003	BACTIGAS					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2	UN 3163	-	2RE	None	1	1 Gas Cylinder - Size D	10 Kg/L	-	31 Jan 2020
2302	ENTONOX					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2 / 5.1	UN 3156	-	2S	None	3	1 Gas Cylinder - Size D	30 Kg/L	Available	01 Nov 2016
2489	MEDICAL CARBON DIOXIDE, COMPRESSED, GAS & LIQUID WITHDRAWAL					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2	UN 1013	-	2RE	Approved	1	1 Gas Cylinder - Size D	10 Kg/L	Available	31 Jan 2020
2489	MEDICAL CARBON DIOXIDE, COMPRESSED, GAS & LIQUID WITHDRAWAL					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2	UN 1013	-	2RE	Approved	4	1 Gas Cylinder - Size C	11.11 Kg/L	Available	31 Jan 2020
2478	MEDICAL NITROUS OXIDE, COMPRESSED					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2 / 5.1	UN 1070	-	2P	Approved	2	1 Gas Cylinder - Size C	5.56 Kg/L	Available	01 Nov 2016
2478	MEDICAL NITROUS OXIDE, COMPRESSED					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2 / 5.1	UN 1070	-	2P	Approved	1	1 Gas Cylinder - Size C	2.78 Kg/L	Available	01 Nov 2016
2151	OXYGEN (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	2	1 Gas Cylinder - Size CD	4.8 Kg/L	Available	29 Nov 2018
2151	OXYGEN (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	7	1 Gas Cylinder - Size E	162.79 Kg/L	Available	29 Nov 2018
2151	OXYGEN (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	3	1 Gas Cylinder - Size D	30 Kg/L	Available	29 Nov 2018
2151	OXYGEN (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	19	1 Gas Cylinder - Size E	441.86 Kg/L	Available	29 Nov 2018
2151	OXYGEN (MEDICAL)					COREGAS PTY LTD (1300607577)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	3	1 Gas Cylinder - Size C	8.33 Kg/L	Available	29 Nov 2018
2151	OXYGEN (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	10	1 Gas Cylinder - Size C	27.78 Kg/L	Available	29 Nov 2018
7524892	PESTIGAS					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2	UN 1968	-	2TE	None	1	1 Gas Cylinder - Size D	10 Kg/L	-	24 Mar 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MEDICAL RECORDS

37711524	ISOPROPANOL					ORITECH PTY LTD (1800 108 800/ 13 11 26)					
	Yes	DG 3	UN 1219	PG II	●2YE	None	1	5 L	5 Kg/L	-	02 Nov 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MEDICAL WARD

7525267	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	1	6 L	6 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	12	400 mL	4.8 Kg/L	Available	04 May 2017
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524145	CUTAN LUXURY SHAMPOO, CONDITIONER & BODYWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MEDICAL WARD/ CLEAN ROOM

2107	PALMOLIVE NATURALS ACTIVE NOURISHMENT SHAMPOO ALOE VERA					COLGATE-PALMOLIVE PTY LTD ((02) 9037 2994)					
	Yes	No	-	-	-	Approved	12	400 mL	4.8 Kg/L	Available	26 Mar 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MEDICAL WARD/ CLEANERS ROOM

242832	ACTICHLOR PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 9	UN 3077	PG III	2Z	Approved	1	150 Tablet	0 Kg/L	Available	29 Aug 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	2	750 None	0 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	4	500 mL	2 Kg/L	Available	17 Apr 2020

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MEDICAL WARD/ STORE ROOM

9595	AQUASONIC 100 ULTRASOUND TRANSMISSION GEL					AUSMEDIC AUSTRALIA PTY LTD ((02) 9477 3422)					
	No	No	-	-	-	None	3	250 mL	0.75 Kg/L	Available	27 May 2015
5046	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	None	10	1 Unknown	0 Kg/L	Available	24 Aug 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ MORTUARY

7525267	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	4	1 L	4 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	6	1 L	6 Kg/L	Available	06 Jan 2019
7526450	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	1	1 L	1 Kg/L	Available	22 Dec 2016
7524757	DEODOURGAS NEUTRAL					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					
	Yes	DG 2.2	UN 3163	-	2TE	None	1	0 Gas Cylinder - Size C	0 Kg/L	-	31 Jan 2020
7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	1	20 L	20 Kg/L	Available	19 Feb 2018
127	MILTON ANTIBACTERIAL TABLETS					MILTON AUSTRALIA PTY LTD ((03) 8586 0500)					
	Yes	No	-	-	-	Approved	1	12 Tablet	0 Kg/L	Available	28 May 2018
37710340	NEUTRAL DETERGENT - SANITISER					RJS PRODUCTS PTY LTD (1800 201 700)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	-	22 Sep 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ NUCLEAR MEDICINE/CT

7641	DECON 90					BACTO LABORATORIES ((02) 9823 9000)					
	Yes	No	-	-	-	Approved	1	5 L	5 Kg/L	Available	01 Jun 2020
3110	MICROL					WHITELEY CORPORATION PTY LTD ((02) 9929 9155; 13 11 26)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	1	500 mL	0.5 Kg/L	Available	09 Sep 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ QUALITY OFFICE BLOCK

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	2	400 mL	0.8 Kg/L	Available	04 May 2017
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	2	400 mL	0.8 Kg/L	Available	22 Dec 2016
7526822	DETERGENT WIPES (225 TUB)					BUNZL OUTSOURCING SERVICES (13 11 26)					
	No	No	-	-	-	None	1	225 Sheet	1.23 Kg/L	Available	27 Feb 2013
37711973	RP HAND SANITISER TGA0420					REED PACIFIC PTY LIMITED (0417 655 847)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	4	500 mL	2 Kg/L	Available	09 Apr 2020
37712143	WORLD HEALTH ORGANIZATION HAND SANITISER FORMULA (ETHANOL-BASED)					WESTEND ESTATE T/A CALABRIA FAMILY WINES ((02) 6969 0807)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	1	500 mL	0.5 Kg/L	-	01 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ RENAL/ BEVERAGE BAY

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ RENAL/ CLEANERS ROOM

242832	ACTICHLOR PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 9	UN 3077	PG III	2Z	Approved	1	150 Tablet	0 Kg/L	Available	29 Aug 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	2	750 None	0 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	8	500 mL	4 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ RENAL/ DIRTY UTILITY ROOM

14346	BLEACH 4%					TRUE BLUE CHEMICALS (13 11 26)					
	Yes	No	-	-	-	Approved	6	5 L	30 Kg/L	Available	03 Oct 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
9523	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	None	2	750 mL	1.5 Kg/L	Available	06 Jan 2020

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ RENAL/ RO ROOM

6491	DPD NO.4					WATERLILLY AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	500 Unknown	0 Kg/L	Available	05 May 2014
511850	MALMET MACHINE DETERGENT					MALMET (AUSTRALIA) PTY LTD (13 11 26)					
	Yes	DG 8	UN 1719	PG II	2R	Approved	6	5 L	30 Kg/L	Available	08 Oct 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ RENAL/ STAFF ROOM

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ RENAL/ STORE ROOM

240724	3M AVAGARD ANTISEPTIC HAND RUB WITH CHLORHEXIDINE GLUCONATE 0.5% W/V IN 70% V/V ETHANOL 9250H & 9250P					3M AUSTRALIA PTY LIMITED (1800 097 146)					
	Yes	DG 3	UN 1170	PG III	●2Y	Approved	20	500 mL	10 Kg/L	Available	01 Mar 2020
11291	BIBAG - SODIUM BICARBONATE POWDER					FRESENIUS MEDICAL CARE AUSTRALIA PTY. LTD. ((02) 8788 5900/ 13 11 26)					
	No	No	-	-	-	Approved	128	650 g	83.2 Kg/L	Available	07 Feb 2019
90	CITROSTERIL					FRESENIUS MEDICAL CARE AUSTRALIA PTY. LTD. ((02) 8788 5900/ 13 11 26)					
	Yes	No	-	-	-	None	1	5 L	5 Kg/L	Available	07 Feb 2019
5276	HAEMODIALYSIS SOLUTIONS PH. EUR. PART A					FRESENIUS MEDICAL CARE AUSTRALIA PTY. LTD. ((02) 8788 5900/ 13 11 26)					
	Yes	No	-	-	-	Approved	159	5 L	795 Kg/L	Available	07 Feb 2019
512062	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	1	500 mL	0.5 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ RENAL/ TREATMENT ROOM CUPBOARD

500150	AQIUM GEL					EGO PHARMACEUTICALS PTY LTD ((03) 9586 8800; 1800 033 706/ 13 11 26)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	4	375 mL	1.5 Kg/L	Available	17 May 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016
37709547	ECOULTRA GEL					GETZ HEALTHCARE PTY LTD (FORMERLY MEDTEL PTY LTD) (1300 886 385)					
	No	No	-	-	-	None	3	250 mL	0.75 Kg/L	-	31 Oct 2019
3770	OZON-A ODOUR NEUTRALISER					NEU-SOLUTIONS PTY LTD ((02) 4355 4162)					
	No	No	-	-	-	Approved	5	250 mL	1.25 Kg/L	Available	31 Dec 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SPECIALIST CLINICS

11319	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	2	75 Sheet	0.82 Kg/L	Available	24 Aug 2017
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	4	225 Sheet	4.92 Kg/L	Available	11 Sep 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SPECIALIST CLINICS/ CONSULTING ROOMS

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016
11319	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	8	75 Sheet	3.28 Kg/L	Available	24 Aug 2017
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	7	225 Sheet	8.61 Kg/L	Available	11 Sep 2017
240528	TUFFIE DETERGENT WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	8	225 Sheet	9.84 Kg/L	Available	30 Sep 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SPECIALIST CLINICS/ GYNAECOLOGY ROOM

14667	ACETIC ACID 5 - 10%					HYDRO-CHEM PTY LTD (1300 558 788)					
	Yes	DG 8	UN 2790	PG III	2R	None	2	0 Unknown	0 Kg/L	-	20 Sep 2017
13467	CYTOLOGY SPRAY FIXATIVE - CYTOPAP / REFILLS / & SPRAY PACKS					HD SCIENTIFIC SUPPLIES PTY LTD (0405 155 919)					
	Yes	DG 3	UN 1993	PG II	•3YE	None	3	250 mL	0.75 Kg/L	-	(PRODUCT OBSOLETE)
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	1	225 Sheet	1.23 Kg/L	Available	11 Sep 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SPECIALIST CLINICS/ RM 1 STORAGE CUPBOARD

99	OPSITE MOISTURE VAPOUR PERMEABLE SPRAY DRESSING					SMITH AND NEPHEW PTY LTD ((03) 8540 6777)					
	Yes	DG 2.1	UN 1950	-	2YE	Approved	2	100 mL	0.2 Kg/L	Available	20 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SURGICAL WARD/ BATHROOMS

14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	7	1 L	7 Kg/L	Available	06 Jan 2019
7524145	CUTAN LUXURY SHAMPOO, CONDITIONER & BODYWASH					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	7	1 L	7 Kg/L	Available	06 Jan 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SURGICAL WARD/ CLEANERS ROOM

242832	ACTICHLOR PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 9	UN 3077	PG III	2Z	Approved	1	150 Tablet	0 Kg/L	Available	29 Aug 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	3	750 mL	2.25 Kg/L	Available	05 Oct 2015
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	06 Jan 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	26 Nov 2015
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	2	750 None	0 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	8	500 mL	4 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SURGICAL WARD/ HALLWAY - OUTSIDE PATIENT ROOMS

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	14	1 L	14 Kg/L	Available	04 May 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SURGICAL WARD/ PATIENT ROOMS

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	20	400 mL	8 Kg/L	Available	04 May 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ SURGICAL WARD/ STORE ROOM

7525267	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	12	1 L	12 Kg/L	Available	07 Feb 2019
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	4	1 L	4 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	20	1 L	20 Kg/L	Available	22 Dec 2016

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ TACP BUILDING

9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	1	1 L	1 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	2	1 L	2 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	22 Dec 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ TACP BUILDING/ TACP KITCHEN

7523585	CLEERA BLEACH					WINC AUSTRALIA (FORMERLY STAPLES AUSTRALIA PTY LTD) (13 26 44/ 02 8014 4558/ 13 11 26)					
	Yes	No	-	-	-	None	2	5 L	10 Kg/L	-	11 Apr 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ THEATRE

7526449	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	Approved	6	1 L	6 Kg/L	Available	07 Feb 2019
5317	ACETIC ACID 5% V/V (SDS DISCONTINUED)					ORION LABORATORIES PTY LTD, TRADING AS PERRIGO AUSTRALIA ((08) 9441 7800)					
	No	No	-	-	-	Approved	3	100 mL	0.3 Kg/L	Available	09 Jun 2013
7524610	BENZOIN TINCTURE COMPOUND					PROBIOTEC PHARMA PTY LTD ((03) 9278 7555; 1800 620 898)					
	Yes	DG 3	UN 1993	PG II	●3YE	Approved	1	25 mL	0.03 Kg/L	Available	20 Apr 2018
4914	BIOTECH IODINE SOLUTION AQUEOUS APF					PROBIOTEC PHARMA PTY LTD ((03) 9278 7555; 1800 620 898)					
	No	No	-	-	-	None	2	100 mL	0.2 Kg/L	Available	12 Sep 2016
242820	CARBON DIOXIDE, COMPRESSED (NZ)					BOC LIMITED (NEW ZEALAND) (0800 111 333 (NZ only))					
	Yes	DG 2.2	UN 1013	-	2T	None	2	1 Gas Cylinder - Size C	5.56 Kg/L	Available	13 Jun 2018
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
2120	ETHANOL 70% (UNDENATURED, WATER ONLY)					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	6	500 mL	3 Kg/L	Available	15 Apr 2020
240798	FAULDING REMEDIES GLYCERINE					SANOFI CONSUMER HEALTHCARE PTY LTD ((07) 3212 8777)					
	Yes	No	-	-	-	None	2	100 mL	0.2 Kg/L	-	24 Jun 2018
2478	MEDICAL NITROUS OXIDE, COMPRESSED					BOC LIMITED (AUSTRALIA) (1800 653 572 (24/7) (Australia only))					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	DG 2.2 / 5.1	UN 1070	-	2P	Approved	4	935 L	3740 Kg/L	Available	01 Nov 2016
1544	NEACO SAFETY SPRAY					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 3	UN 1170	PG II	•2YE	Approved	2	200 mL	0.4 Kg/L	Available	20 Mar 2016
1776	OBSTETRIC CARE LOTION CHLORHEXIDINE GLUCONATE 1% W/W					PERRIGO AUSTRALIA (Australia: 13 11 26 (Poisons Information Centre))					
	Yes	No	-	-	-	Approved	10	50 mL	0.5 Kg/L	Available	30 Nov 2016
14053	OPTIPRO GEL INSTRUMENT PRE-CLEANER					ECOLAB HEALTHCARE DIVISION (1800 328 0026)					
	No	No	-	-	-	None	1	1 L	1 Kg/L	Available	24 Sep 2014
7548	OXYGEN COMPRESSED					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2 / 5.1	UN 1072	-	2S	Approved	4	1 Gas Cylinder - Size C	11.11 Kg/L	Available	02 Jul 2019
11943	POLYFORM F					UNITED BIOSCIENCES ((07) 3219 2964/ 13 11 26 (PIC))					
	No	No	-	-	-	None	1	0.5 Kg	0.5 Kg/L	Available	(PRODUCT OBSOLETE)
240195	POVIDONE-IODINE SOLUTION 10%					FARNAM COMPANIES, INC. (1-800-234-2269)					
	No	No	-	-	-	None	50	30 mL	1.5 Kg/L	Available	18 Jul 2013
14102	RAPICIDE PA, PART A					CANTEL (AUSTRALIA) PTY LTD (1800 039 008)					
	Yes	DG 5.1 / 8	UN 3149	PG II	2P	None	1	0 L	0 Kg/L	Available	24 Jul 2017
14103	RAPICIDE PA, PART B					CANTEL (AUSTRALIA) PTY LTD (1800 039 008)					
	Yes	No	-	-	-	Approved	1	0 L	0 Kg/L	Available	18 Jul 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ THEATRE/ ANAESTHETIC BAY 1

460	MEDI SWAB					BSN MEDICAL (AUST.) PTY. LTD. (1300 688 826)					
	Yes	No	-	-	-	Approved	2	200 Sheet	2.19 Kg/L	Available	04 Aug 2017
7163	SOLU-I.V. SWABS					3M AUSTRALIA PTY LIMITED (1800 097 146)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	2	200 Sheet	2.19 Kg/L	Available	07 Jul 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ THEATRE/ CLEANERS ROOM

242832	ACTICHLOR PLUS					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 9	UN 3077	PG III	2Z	Approved	1	150 Tablet	0 Kg/L	Available	29 Aug 2019
3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	750 mL	1.5 Kg/L	Available	05 Oct 2015
7525123	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	20 Aug 2019
14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	01 Jun 2016
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	2 L	4 Kg/L	Available	01 Jun 2016
7523025	RETREAT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	DG 8	UN 3266	PG III	2X	Approved	1	750 None	0 Kg/L	Available	06 Jan 2020
241432	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	2	500 mL	1 Kg/L	Available	17 Apr 2020

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ THEATRE/ CUPBOARD BACK CORRIDOR

6081	AIR (MEDICAL)					COREGAS PTY LTD (1300607577)					
	Yes	DG 2.2	UN 1002	-	2T	Approved	2	1 Gas Cylinder - Size E	46.51 Kg/L	Available	29 Nov 2018
14277	PERACETIC ACID SOLUTION (269336)					SIGMA-ALDRICH PTY. LTD. (1800 448 465/ (02) 9037 2994)					
	Yes	DG 5.2 / 8	UN 3105	PG II	2WE	None	20	76 mL	1.52 Kg/L	-	23 Oct 2019

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ THEATRE/ OT 1

241281	BAXTER HEALTHCARE AERRANE; ISOFLURANE					BAXTER HEALTHCARE PTY LTD (1800 229 839; 13 11 26)					
	Yes	DG 9	UN 3334	PG III	2Z	None	2	250 mL	0.5 Kg/L	Available	27 Jun 2017
6085	BD CYTOFIX/CYTOPERM PLUS FIXATION/PERMEABILIZATION KIT WITH GOLGIPLUG (FIXATION AND PERMEABILIZATION SOLUTION)					BECTON DICKINSON PTY LTD (1800 656 100/ (02) 9037 2994)					
	Yes	No	-	-	-	None	3	200 mL	0.6 Kg/L	Available	20 Feb 2015
240487	DESFLURANE					BAXTER HEALTHCARE PTY LTD (1800 229 839; 13 11 26)					
	No	DG 9	UN 3334	PG III	2Z	None	3	240 mL	0.72 Kg/L	Available	26 Aug 2018
618	HYDROGEN PEROXIDE TOPICAL SOLUTION, 3%					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	Yes	No	-	-	-	None	15	30 mL	0.45 Kg/L	Available	27 Jul 2017
242835	SEVORANE (ANZ)					ABBVIE PTY LTD (1800 043 460)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	No	No	-	-	-	None	4	250 mL	1 Kg/L	Available	15 Nov 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ THEATRE/ OT 2

241281	BAXTER HEALTHCARE AERRANE; ISOFLURANE					BAXTER HEALTHCARE PTY LTD (1800 229 839; 13 11 26)					
	Yes	DG 9	UN 3334	PG III	2Z	None	2	250 mL	0.5 Kg/L	Available	27 Jun 2017
240487	DESFLURANE					BAXTER HEALTHCARE PTY LTD (1800 229 839; 13 11 26)					
	No	DG 9	UN 3334	PG III	2Z	None	3	240 mL	0.72 Kg/L	Available	26 Aug 2018
618	HYDROGEN PEROXIDE TOPICAL SOLUTION, 3%					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	Yes	No	-	-	-	None	15	30 mL	0.45 Kg/L	Available	27 Jul 2017
242835	SEVORANE (ANZ)					ABBVIE PTY LTD (1800 043 460)					
	No	No	-	-	-	None	4	250 mL	1 Kg/L	Available	15 Nov 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ THEATRE/ OT CLEAN UP ROOM

7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	4	500 mL	2 Kg/L	Available	19 Feb 2018
7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	2	800 mL	1.6 Kg/L	Available	19 Feb 2018
7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	1	10 L	10 Kg/L	Available	19 Feb 2018
7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	2	2100 mL	4.2 Kg/L	Available	19 Feb 2018
7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	100	70 mL	7 Kg/L	Available	19 Feb 2018
7526474	FORMALIN NEUTRAL BUFFERED 10%					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	No	-	-	-	None	2	5000 mL	10 Kg/L	Available	19 Feb 2018

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ THEATRE/ THEATRE STORE

514126	3M AVAGARD ANTISEPTIC SURGICAL HAND SCRUB WITH CHLORHEXIDINE GLUCONATE 4% W/W 9241P, 9241A, 9241D					3M AUSTRALIA PTY LIMITED (1800 097 146)					
	Yes	No	-	-	-	Approved	20	500 mL	10 Kg/L	Available	01 Mar 2020
6207	ASEPTI MULTI ZYME					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	4	500 mL	2 Kg/L	Available	05 Nov 2015
8966	ASEPTI-WASH					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	2	5000 mL	10 Kg/L	Available	16 Dec 2015
12476	BETADINE OINTMENT					SANOFI CONSUMER HEALTHCARE PTY LTD ((07) 3212 8777)					
	Yes	No	-	-	-	Approved	6	30 mL	0.18 Kg/L	Available	07 Dec 2016
240250	BETADINE SURGICAL SCRUB					SANOFI CONSUMER HEALTHCARE PTY LTD ((07) 3212 8777)					
	No	No	-	-	-	None	2	1.5 L	3 Kg/L	Available	07 Dec 2016
242820	CARBON DIOXIDE, COMPRESSED (NZ)					BOC LIMITED (NEW ZEALAND) (0800 111 333 (NZ only))					
	Yes	DG 2.2	UN 1013	-	2T	None	1	1 Gas Cylinder - Size C	2.78 Kg/L	Available	13 Jun 2018
242836	CHLORHEXIDINE ACETATE SOLUTION					BAXTER HEALTHCARE PTY LTD (1800 229 839; 13 11 26)					
	No	No	-	-	-	None	48	100 mL	4.8 Kg/L	Available	10 Jan 2019
4114	CHLORHEXIDINE ACETATE SOLUTION					BAXTER HEALTHCARE PTY LTD (1800 229 839; 13 11 26)					
	No	No	-	-	-	Approved	48	100 mL	4.8 Kg/L	Available	10 Jan 2019
616	CHLORHEXIDINE IN ALCOHOL 70%					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	20	50 mL	1 Kg/L	Available	24 Jun 2016
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
13025	INSTRUMAX PINK					WHITELEY CORPORATION PTY LTD ((02) 9929 9155; 13 11 26)					
	No	No	-	-	-	Approved	4	5000 mL	20 Kg/L	Available	13 Sep 2016
1859	JOHNSON & JOHNSON MEDICAL CIDEX OPA SOLUTION					JOHNSON & JOHNSON MEDICAL PTY LTD (13 11 26)					
	No	No	-	-	-	Approved	6	5000 mL	30 Kg/L	Available	01 Jul 2019
503108	MICROSHIELD 4 CHLORHEXIDINE SURGICAL HANDWASH					SCHULKE AUSTRALIA (13 11 26/ (02) 8875 9300)					
	No	No	-	-	-	Approved	2	1.5 L	3 Kg/L	Available	05 Oct 2015
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	No	No	-	-	-	Approved	6	325 Sheet	10.66 Kg/L	Available	11 Sep 2017

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ BREW ROOM

243429	LIQUIBAR					MCI (AUST) PTY LTD ((03) 9315 1711)					
	No	No	-	-	-	None	2	1 L	2 Kg/L	Available	28 Feb 2015
243398	X-OPAQUE-HD					MCI (AUST) PTY LTD ((03) 9315 1711)					
	No	No	-	-	-	Approved	1	20 Unknown	0 Kg/L	Available	31 May 2015

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ CLEANERS ROOM

14109	OASIS PRO 12 NEUTRAL CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	20 Aug 2019
12143	OASIS PRO 41 GLASS CLEANER					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	26 Nov 2015
14110	OASIS PRO 66 BATHROOM CLEANER DISINFECTANT					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	Yes	No	-	-	-	Approved	1	2 L	2 Kg/L	Available	01 Jun 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ CLINICAL STORE ROOM

9717	CHLORHEXIDINE 2% IN ALCOHOL 70% TINTED PINK					PERRIGO AUSTRALIA (Australia: 13 11 26 (Poisons Information Centre))					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	30	30 mL	0.9 Kg/L	Available	29 Nov 2016
616	CHLORHEXIDINE IN ALCOHOL 70%					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	Yes	DG 3	UN 1170	PG II	●2YE	Approved	30	30 mL	0.9 Kg/L	Available	24 Jun 2016
460	MEDI SWAB					BSN MEDICAL (AUST.) PTY. LTD. (1300 688 826)					
	Yes	No	-	-	-	Approved	1	200 Sheet	1.09 Kg/L	Available	04 Aug 2017
14681	NAIL POLISH REMOVER PADS					PROFESSIONAL DISPOSABLES INTERNATIONAL, INC. (+1 845 365 1700)					
	Yes	DG 4.1	UN 3175	PG II	1Z	None	1	100 Sheet	0.55 Kg/L	Available	23 Mar 2015
240489	PFIZER 0.05% CHLORHEXIDINE & 0.5% CETRIMIDE AQUEOUS					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	No	No	-	-	-	Approved	24	30 mL	0.72 Kg/L	Available	04 Dec 2017
13757	POVIDONE-IODINE SOLUTION (ALCOHOLIC)					PFIZER GLOBAL MANUFACTURING (13 11 26 (Poisons Information Centre)/ 1703 527 3887)					
	Yes	DG 3	UN 1170	PG II	●2YE	None	6	30 mL	0.18 Kg/L	Available	22 Feb 2018
512062	VIRACLEAN					WHITELEY MEDICAL - A DIVISION OF WHITELEY CORPORATION PTY LTD ((02) 9929 9155)					
	No	No	-	-	-	Approved	1	500 mL	0.5 Kg/L	Available	17 Apr 2020
241265	WEBCOL/CURITY ALCOHOL PREP PADS					MEDTRONIC AUSTRALASIA PTY LTD AUS (+61 2 (0) 9857 9000/ 13 11 26)					

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date
	Yes	No	-	-	-	None	1	200 Sheet	1.09 Kg/L	Available	(PRODUCT OBSOLETE)

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ CONTROL ROOM

11949	BILISCOPIN / BULK					BAYER AUSTRALIA LIMITED (CONSUMER HEALTH) (1800 033 111)					
	No	No	-	-	-	None	1	100 mL	0.1 Kg/L	Available	12 Jan 2016
242828	GASTROGRAFIN / BULK					BAYER AUSTRALIA LIMITED (CONSUMER HEALTH) (1800 033 111)					
	No	No	-	-	-	None	10	100 mL	1 Kg/L	Available	23 Jun 2016
11788	KEMSAFE GLUTARALDEHYDE AND OPA NEUTRALIZING MATS					MEDTEX PTY LTD (PAST DISTRIBUTOR) ((03) 9543 4800)					
	No	No	-	-	-	None	1	1 Unknown	0 Kg/L	Available	(PRODUCT OBSOLETE)
13746	ULTRAVIST					BAYER AUSTRALIA LIMITED (CONSUMER HEALTH) (1800 033 111)					
	No	No	-	-	-	Approved	30	20 mL	0.6 Kg/L	Available	13 May 2016
10507	UROGRAFIN / BULK					BAYER AUSTRALIA LIMITED (CONSUMER HEALTH) (1800 033 111)					
	No	No	-	-	-	None	3	250 mL	0.75 Kg/L	-	17 Mar 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ CONTROL ROOM / CONTROL ROOM STORAGE CUPBOARD

7525267	2% CHLORHEXIDINE FOAMING SKIN CLEANSER					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	Yes	No	-	-	-	None	1	6 L	6 Kg/L	Available	07 Feb 2019
974	ASEPTI NEUTRAL WIPES					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	4	325 Sheet	7.1 Kg/L	Available	09 Nov 2015
9863	CUTAN ALCOHOL FOAM (FORMERLY)					DEB AUSTRALIA PTY LTD (13 11 26)					
	Yes	DG 3	UN 1987	PG II	●3YE	Approved	6	1 L	6 Kg/L	Available	04 May 2017
14888	CUTAN FOAMING SOAP					SC JOHNSON PROFESSIONAL PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	06 Jan 2019
7524423	CUTAN MOISTURISING CREAM					DEB AUSTRALIA PTY LTD (13 11 26)					
	No	No	-	-	-	None	6	1 L	6 Kg/L	Available	22 Dec 2016
11319	PROMED ISOPROPYL WIPES					THERMO FISHER SCIENTIFIC AUSTRALIA PTY LTD ((03) 9757 4559/ (02) 8014 4558)					
	Yes	DG 4.1	UN 3175	PG II	1Z	Approved	2	75 Sheet	0.82 Kg/L	Available	24 Aug 2017
11350	TUFFIE 5 UNIVERSAL SANITISING WIPES					EBOS HEALTHCARE (1800 269 534; 02 9502 8429)					
	No	No	-	-	-	Approved	3	325 Sheet	5.33 Kg/L	Available	11 Sep 2017

Stock Holding By Site

(Site Name: LOCAL HEALTH DISTRICTS/ RURAL AREAS/ MURRUMBIDGEE LHD/ GRIFFITH/ GRIFFITH BASE HOSPITAL, Child Sites
Included)
(Sort By: Product Name, Filter By: None)

Stock Number	Product Name					Supplier (Emergency Contact)					
	Hazardous	Dangerous Good	UN number	Packing Group	Hazchem Code	Status	Number of Containers	Container Size	Total Quantity (Kg/L)	Risk Assessment	SDS Date

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ GENERAL OFFICE

12584	HP LASERJET Q5942A-X-XC-YC-XD PRINT CARTRIDGE					HP PPS AUSTRALIA PTY LTD (FORMERLY HEWLETT-PACKARD AUSTRALIA) (13 11 26)					
	No	No	-	-	-	Approved	1	1 None	0 Kg/L	Available	27 Jun 2020
7794	RICOH TONER TYPE 1230D BLACK (BLACK TONER)					RICOH AUSTRALIA PTY LTD (13 11 26; (02) 8977 1111)					
	No	No	-	-	-	None	1	1 None	0 Kg/L	Available	25 May 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ PROBE ROOM

6207	ASEPTI MULTI ZYME					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	2	5 L	10 Kg/L	Available	05 Nov 2015
A208047	TROPHON NANONEBULANT					NANOSONICS LIMITED ((03) 9573 3112)					
	Yes	DG 5.1 / 8	UN 2014	PG II	2P	None	24	80 mL	1.92 Kg/L	Available	30 Mar 2018

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ TEAROOM

3638	BUDDY					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	Approved	1	750 mL	0.75 Kg/L	Available	05 Oct 2015
241960	VIVA					ECOLAB PTY LTD (1800 205 506, +64 7 958 2372)					
	No	No	-	-	-	None	1	5 L	5 Kg/L	Available	01 Feb 2016

Site: GRIFFITH/ GRIFFITH BASE HOSPITAL/ X-RAY/ TYPIST OFFICE

240570	HP LASERJET CE390A-X-XC-XD PRINT CARTRIDGE					HP PPS AUSTRALIA PTY LTD (FORMERLY HEWLETT-PACKARD AUSTRALIA) (13 11 26)					
	No	No	-	-	-	None	1	1 None	0 Kg/L	Available	19 Sep 2015

Appendix B

Planning Secretary's Environmental Assessment Requirements

B1 Griffith Base Hospital SEARs

Planning Secretary's Environmental Assessment Requirements

Section 4.12(8) of the *Environmental Planning and Assessment Act 1979*
Schedule 2 of the Environmental Planning and Assessment Regulation 2000

Application Number	SSD-9838218
Project Name	Griffith Base Hospital Redevelopment
Location	5-39 Animoo Avenue, Griffith
Applicant	Health Administration Corporation
Date of Issue	29 October 2020
General Requirements	The Environmental Impact Statement (EIS) must be prepared in accordance with and meet the minimum requirements of clauses 6 and 7 of Schedule 2 the Environmental Planning and Assessment Regulation 2000 (the Regulation). Notwithstanding the key issues specified below, the EIS must include an environmental risk assessment to identify the potential environmental impacts associated with the development. In addition, the EIS must include: • an executive summary. • a complete description of the development, including: - o the need for the development. - o justification for the development. - o suitability of the site. - o alternatives considered - o likely interactions between the development and existing, approved and proposed operations in the vicinity of the site. - o a description of any proposed building works. - o a description of existing and proposed hospital operations. - o site survey plan, showing existing levels, location and height of existing and adjacent structures / buildings and site boundaries. - o a detailed constraints map identifying the key environmental and other land use constraints that have informed the final design of the development. - o plans, elevations and sections of the proposed development. - o cladding, window and floor details, including materials. - o a site plan showing all infrastructure and facilities (including any infrastructure that would be required for the development, but the subject of a separate approvals process). - o plans and details of any advertising/business identification signs to be installed, including size, location and finishes. - o any staging of the development. - o details of construction and decommissioning including timing. - o an estimate of the jobs that would be created during the construction and operational phases of the development along with details of the methodology to determine the figures provided. • a detailed assessment of the key issues identified below, and any other significant issues identified in the risk assessment, including:

	- o a description of the existing environment, using sufficient baseline data and methodology to establish baseline conditions. - o an assessment of the potential impacts of all stages of the development on all potentially impacted environments, sensitive receivers, stakeholders and future developments. The assessment must consider any relevant legislation, policies and guidelines. - o consideration of the cumulative impacts due to all other developments in the vicinity (completed, underway or proposed). - o identification of all proposed monitoring or required changes to existing monitoring programs. - o measures to avoid, minimise and if necessary, offset predicted impacts, including detailed contingency plans for managing any significant risks to the environment and triggers for each action. - o details of alternative measures considered. • a consolidated summary of all the proposed environmental management and monitoring measures, identifying all commitments included in the EIS. • the reasons why the development should be approved and a detailed evaluation of the merits of the development, including consequences of not carrying out the development. • The EIS must be accompanied by a report from a qualified quantity surveyor providing a detailed calculation of the capital investment value (CIV) (as defined in clause 3 of the Regulation) of the proposal, including details of all assumptions and components from which the CIV calculation is derived.
Key issues	The EIS must address the following specific matters: 1. Statutory and Strategic Context Address the statutory provisions contained in all relevant environmental planning instruments, including but not limited to: • State Environmental Planning Policy (State and Regional Development) 2011 • State Environmental Planning Policy (Infrastructure) 2007 • State Environmental Planning Policy No 64 – Advertising and Signage • State Environmental Planning Policy No 55 – Remediation of Land • State Environmental Planning Policy No. 33 – Hazardous and Offensive Development • Draft State Environmental Planning Policy (Remediation of Land) • Draft State Environmental Planning Policy (Environment) • Griffith Local Environmental Plan 2014. Having regard to the relevant environmental planning instruments: • address the permissibility of the development, including the nature and extent of any prohibitions. • identify compliance with the development standards applying to the site and provide justification for any contravention of the development standards. • adequately demonstrate and document how each of the provisions in the listed instruments are addressed, including reference to necessary technical documents.

2. Policies

Address the relevant planning provisions, goals and strategic planning objectives in all relevant planning policies including but not limited to the following:

- NSW State Priorities
- State Infrastructure Strategy 2018 – 2038 Building the Momentum
- Future Transport Strategy 2056
- Crime Prevention through Environmental Design (CPTED) Principles
- Better Placed: An integrated design policy for the built environment of New South Wales (Government Architect NSW (GANSW), 2017)
- Healthy Urban Development Checklist (NSW Health, 2009)
- Draft Greener Places Design Guide (GANSW)
- Riverina Murray Regional Plan 2036
- Griffith Local Strategic Planning Statement
- Griffith Pedestrian and Bicycle Strategy 2018.

3. Built Form and Urban Design

- Address:
 - o the height, density, bulk and scale, setbacks and interface of the proposal in relation to the surrounding development, topography, streetscape and any public open spaces.
 - o design quality and built form, with specific consideration of the overall site layout, streetscape, open spaces, façade, rooftop, massing, setbacks, building articulation, materials and colours.
 - o how Crime Prevention through Environmental Design (CPTED) principles are to be integrated into development.
 - o how good environmental amenity would be provided, including access to natural daylight and ventilation, acoustic separation, access to landscape and outdoor spaces and future flexibility.
 - o how services, including but not limited to waste management, loading zones, and mechanical plant are integrated into the design of the development.
- Provide:
 - o a detailed site and context analysis to justify the proposed site planning and design approach including massing options and preferred strategy for future development.
 - o a visual impact assessment that identifies any potential impacts on the surrounding built environment and landscape including views to and from the site and any adjoining heritage items.

4. Tree Removal and Landscaping

- Provide:
 - o an arboricultural impact assessment, prepared by a Level 5 (Australian Qualifications Framework) Arborist in accordance with the Australian Standard 4970 Protection of trees on development sites (AS 4970), which details the number, location and condition of trees to be removed and retained and existing canopy coverage on-site.
 - o a detailed site-wide landscape strategy, that:

- details the proposed site planting, including location, number and species of plantings, heights of trees at maturity and proposed canopy coverage.
- demonstrates how the proposed development would:
 - contribute to long term landscape setting in respect of the site and the streetscape.
 - mitigate the urban heat island effect and ensure appropriate comfort levels on-site.
 - contribute to objectives to increase urban tree canopy cover.
- o a detailed landscape plan prepared by a suitably qualified person, which details footpaths and road reserves. Any proposed street trees should be selected in consultation with Council.

Relevant Policies and Guidelines:

- Draft Greener Places Design Guide (GANSW)
- Objective 30 of The Greater Sydney Region Plan - A Metropolis of Three Cities
- Technical Guidelines for Urban Green Cover in NSW (Office of Environment and Heritage (OEH), 2015).

5. Environmental Amenity

- Assess amenity impacts on the surrounding locality, including solar access, visual privacy, visual amenity, overshadowing, wind impacts and acoustic impacts. A high level of environmental amenity for any surrounding residential land uses must be demonstrated.
- Demonstrate how internal amenity for patients and workers would be provided through:
 - o access to natural daylight and ventilation.
 - o acoustic separation and solar shading provisions.
 - o additional spaces for patients and visitors to gather.
 - o visual and physical access to outdoor landscape from inpatient rooms and waiting and circulation areas.
 - o interior design strategies to promote patient recovery.
- Provide:
 - o shadow diagrams.
 - o a view analysis of the site from key vantage points and streetscape locations and public domain including photomontages or perspectives showing the proposed and likely future development.
 - o an analysis of proposed lighting that identifies measures to reduce spill into the surrounding sensitive receivers.
 - o a view impact assessment that has been prepared in accordance with the established planning principles.

6. Transport and Accessibility

Include a transport and accessibility impact assessment, which includes, but is not limited to the following:

- analysis of the existing transport network, including:
 - o road hierarchy.
 - o pedestrian, cycle and public transport infrastructure.
 - o details of current daily and peak hour vehicle movements based on traffic surveys and / or existing traffic studies relevant to the locality.

	- o existing performance levels of nearby intersections utilising appropriate traffic modelling methods (such as SIDRA network modelling). • details of the proposed development, including: - o a map of the proposed access which identifies public roads, bus routes, footpaths and cycleways. - o vehicular access arrangements, including for service and emergency vehicles and loading/unloading, including swept path analysis demonstrating the largest design vehicle entering and leaving the site and moving in each direction through intersections along the proposed transport routes. - o car parking, bicycle parking and end-of-trip facilities. - o pedestrian or road infrastructure improvements or safety measures. • analysis of the impacts due to the operation of the proposed development, including: - o proposed modal split for all users of the development including vehicle, pedestrian, cyclist, public transport and other sustainable travel modes. - o estimated total daily and peak hour vehicular trip generation. - o a clear explanation and justification of the: ▪ assumed growth rate applied. ▪ volume and distribution of proposed trips to be generated. ▪ type and frequency of design vehicles accessing the site. - o details of performance of nearby intersections with the additional traffic generated by the development both at the commencement of operation and in a 10-year time period (using SIDRA network modelling). - o cumulative traffic impacts from any surrounding approved development(s). - o adequacy of pedestrian, bicycle and public transport infrastructure to accommodate the development. - o adequacy of car parking and bicycle parking provisions when assessed against the relevant car / bicycle parking codes and standards. - o adequacy of the existing / proposed pedestrian infrastructure to enable convenient and safe access to and from the site for all users. • measures to ameliorate any adverse traffic and transport impacts due to the development based on the above analysis, including: - o travel demand management measures to encourage sustainable transport (such as a Green Travel Plan and / or specific Workplace Travel Plan). - o infrastructure improvements, including details of timing and method of delivery. • identify infrastructure (if required) to ameliorate any impacts on traffic efficiency and road safety impacts associated with the proposed development, including details on improvements required to affected intersections. • analysis of the impacts of the traffic generated during construction of the proposed development, including: - o construction vehicle routes, types and volumes. - o construction program (duration and milestones). - o on-site car parking and access arrangements for construction, emergency and construction worker vehicles. - o cumulative impacts associated with other construction activities in the locality (if any).
--	--

	- o road safety at identified intersections near the site due to conflicts between construction vehicles and existing traffic in the locality. - o measures to mitigate impacts, including to ensure the safety of pedestrian and cyclists during construction. • a preliminary Construction Traffic and Pedestrian Management Plan. <i>Note: Further guidance is provided in the TfNSW advice attached to the SEARs.</i> <u>Relevant Policies and Guidelines:</u> • Guide to Traffic Generating Developments (Roads and Maritime Services, 2002) • EIS Guidelines - Road and Related Facilities (Department of Urban Affairs and Planning (DUAP), 1996) • Cycling Aspects of Austroads Guides • NSW Planning Guidelines for Walking and Cycling (Department of Infrastructure, Planning and Natural Resources (DIPNR), 2004) • Guide to Traffic Management Part 12: Integrated Transport Assessments for Developments (Austroads, 2020) • Guide to Traffic Management Part 13: Traffic Studies and Analysis (Austroads, 2020) • Australian Standard 2890.3 Parking facilities, Part 3: Bicycle parking (AS 2890.3) • Griffith Pedestrian & Bicycle Strategy (Griffith City Council, 2018) • Engineering Standards: Subdivision and Development (Griffith City Council, 2008). 7. Ecologically Sustainable Development (ESD) • Detail: - o how ESD principles (as defined in clause 7(4) of Schedule 2 of the Regulation) would be incorporated in the design and ongoing operation phases of the development. - o proposed measures to minimise consumption of resources, water (including water sensitive urban design) and energy. - o how the future development would be designed to consider and reflect national best practice sustainable building principles to improve environmental performance and reduce ecological impact. This should be based on a materiality assessment and include waste reduction design measures, future proofing, use of sustainable and low-carbon materials, energy and water efficient design (including water sensitive urban design) and technology and use of renewable energy. • Include: - o an assessment against an accredited ESD rating system or an equivalent program of ESD performance. This should include a minimum rating scheme target level. - o a statement regarding how the design of the future development is responsive to the CSIRO projected impacts of climate change. - o an Integrated Water Management Plan detailing any proposed alternative water supplies, proposed end uses of potable and non-potable water, and water sensitive urban design.
--	---

	<u>Relevant Policies and Guidelines:</u> • NSW and ACT Government Regional Climate Modelling (NARClIM) climate change projections. 8. Heritage • Provide a statement of significance and an assessment of the impact on the heritage significance of the heritage items on and adjacent to the site in accordance with the guidelines in the NSW Heritage Manual (Heritage Office and DUAP, 1996) and Assessing Heritage Significance (OEH, 2015). • Address any archaeological potential and significance on the site and the impacts the development may have on this significance. 9. Aboriginal Cultural Heritage • Provide a Aboriginal Cultural Heritage Assessment Report (ACHAR) that: - o identifies and describes the Aboriginal cultural heritage values that exist across the site. - o includes surface surveys and test excavations where necessary. - o has been prepared in accordance with the Guide to investigating, assessing and reporting on Aboriginal Cultural Heritage in NSW (OEH, 2011) and Code of Practice for Archaeological Investigations of Aboriginal Objects in NSW (OEH, 2010). - o incorporates consultation with Aboriginal people in accordance with Aboriginal Cultural Heritage Consultation Requirements for Proponents (Department of Environment, Climate Change and Water, 2010). - o documents the significance of cultural heritage values of Aboriginal people who have a cultural association with the land. - o identifies, assesses and documents all impacts on the Aboriginal cultural heritage values. - o demonstrates attempts to avoid any impact upon cultural heritage values and identify any conservation outcomes. Where impacts are unavoidable, the ACHAR and EIS must outline measures proposed to mitigate impacts. Any objects recorded as part of the assessment must be documented and notified to the Environment, Energy and Science Group of the Department of Planning, Industry and Environment. • Any Aboriginal objects recorded as part of the Aboriginal Cultural Heritage Assessment must be documented and notified to the Aboriginal Heritage Information Management System (AHIMS) within Heritage NSW of the Department of Premier and Cabinet. • Demonstrate that Aboriginal themed artwork, place naming, planting and other cultural features has been incorporated into the design of the proposed development. 10. Social Impacts • Prepare a social impact assessment, which: - o identifies and analyses the potential social impacts of the development, from the points of view of the affected community/ies and other relevant stakeholders, i.e. how they expect to experience the project. - o considers how potential environmental changes in the locality may affect people's way of life; community; access to and use of infrastructure, services, and facilities; culture; health and wellbeing; surroundings;
--	---

	personal and property rights; decision-making systems; and fears and aspirations, as relevant and considering how different groups may be disproportionately affected. - o assesses the significance of positive, negative, and cumulative social impacts considering likelihood, extent, duration, severity/scale, sensitivity/importance, and level of concern/interest. - o includes mitigation measures for likely negative social impacts, and any proposed enhancement measures. - o details how social impacts will be adaptively monitored and managed over time. 11. Noise and Vibration • Provide a noise and vibration impact assessment that: - o includes a quantitative assessment of the main noise and vibration generating sources during demolition, site preparation, bulk excavation and construction. - o details the proposed construction hours and provide details of, and justification for, instances where it is expected that works would be carried out outside standard construction hours. - o includes a quantitative assessment of the main sources of operational noise. - o outlines measures to minimise and mitigate the potential noise impacts on nearby sensitive receivers. - o considers sources of external noise intrusion in proximity to the site (including, road rail and aviation operations) and identifies building performance requirements for the proposed development to achieve appropriate internal amenity standards. - o demonstrates that the assessment has been prepared in accordance with policies and guidelines relevant to the context of the site and the nature of the proposed development. <u>Relevant Policies and Guidelines:</u> • NSW Noise Policy for Industry 2017 (NSW Environment Protection Authority (EPA)) • Interim Construction Noise Guideline (Department of Environment and Climate Change, 2009) • Assessing Vibration: A Technical Guideline 2006 (Department of Environment and Conservation, 2006) • Development Near Rail Corridors and Busy Roads - Interim Guideline (Department of Planning, 2008) 12. Biodiversity • Provide a Biodiversity Development Assessment Report (BDAR) that assesses the biodiversity impacts of the proposed development in accordance with the requirements of Section 7.9 of the <i>Biodiversity Conservation Act 2016</i>, <i>Biodiversity Conservation Regulation 2017</i> and Biodiversity Assessment Method, except where a BDAR waiver has been issued in relation to the development or the development is located on biodiversity certified land. • Where a BDAR is not required because a BDAR waiver has been issued in relation to the development, provide:
--	---

- o a copy of the BDAR waiver and demonstrate that the proposed development is consistent with that covered in BDAR waiver.
- o assessment of flora and fauna impacts where significant vegetation or flora and fauna values would be affected by the proposed development.

Note: Further guidance is provided in the Biodiversity and Conservation Division Standard Environmental Assessment Requirements attached to the SEARs.

13. Contributions

- Identify:
 - o any Section 7.11/7.12 Contribution Plans, Voluntary Planning Agreements or Special Infrastructure Contribution Plans that affect land to which the application relates or the proposed development type.
 - o any contributions applicable to the proposed development under the identified plans and/or agreements. Justification is to be provided where it is considered that the proposed development is exempt from making a contribution.
 - o any actions required by a Voluntary Planning Agreement or draft Voluntary Planning Agreement affecting the site or amendments required to a Voluntary Planning Agreement affected by the proposed development.

14. Staging

- Assess impacts of staging where it is proposed and detail how construction works and operations would be managed to ensure public safety and amenity on and surrounding the site.

15. Utilities

- In consultation with relevant service providers:
 - o assess of the impacts of the development on existing utility infrastructure and service provider assets surrounding the site.
 - o identify any infrastructure upgrades required off-site to facilitate the development and any arrangements to ensure that the upgrades will be implemented on time and be maintained.
 - o provide an infrastructure delivery and staging plan, including a description of how infrastructure requirements would be co-ordinated, funded and delivered to facilitate the development.

16. Stormwater Drainage

- Provide:
 - o a preliminary stormwater management plan for the development that:
 - is prepared by a suitably qualified person in consultation with Council and any other relevant drainage authority.
 - details the proposed drainage design for the site including on-site detention facilities, water quality measures and the nominated discharge point.
 - demonstrates compliance with Council or other drainage authority requirements.
 - o stormwater plans detailing the proposed methods of drainage without impacting on the downstream properties.
- Where drainage infrastructure works are required that would be handed over to Council, provide full hydraulic details and detailed plans and specifications of

proposed works that have been prepared in consultation with Council and comply with Council's relevant standards.

Relevant Policies and Guidelines:

- Guidelines for developments adjoining land managed by the Office of Environment and Heritage (OEH, 2013).
- Onsite Detention Policy (Griffith City Council, 2017).
- Engineering Standards: Subdivision and Development (Griffith City Council, 2008)

17. Flooding

- Identify any flood risk on-site in consultation with Council and having regard to the most recent flood studies for the project area and the potential effects of climate change, sea level rise and an increase in rainfall intensity.
- Assess the impacts of the development, including any changes to flood risk on-site or off-site, and detail design solutions to mitigate flood risk where required.

Relevant Policies and Guidelines:

- NSW Floodplain Development Manual (DIPNR, 2005).
- CBD Overland Flow Flood Study (Griffith City Council, 2012).
- CBD Overland Flow Floodplain Risk Management Study and Plan (Griffith City Council 2013).

18. Soil and Water

- Provide:
 - o an assessment of potential impacts on surface and groundwater (quality and quantity), soil, related infrastructure and watercourse(s) where relevant.
 - o details of measures and procedures to minimise and manage the generation and off-site transmission of sediment, dust and fine particles.
 - o an assessment of salinity and acid sulphate soil impacts, including a Salinity Management Plan and/or Acid Sulphate Soils Management Plan, where relevant.

Relevant Policies and Guidelines:

- Managing Urban Stormwater - Soils and Construction Volume 1 (Landcom, 2004)
- Approved Methods for the Modelling and Assessment of Air Pollutants in NSW (EPA, 2016)
- Guidelines for development adjoining land managed by the Office of Environment and Heritage (OEH, 2013).

19. Waste

- Identify, quantify and classify the likely waste streams to be generated during construction and operation.
- Describe the measures to be implemented to manage, reuse, recycle and safely dispose of this waste.
- Identify appropriate servicing arrangements (including but not limited to, waste management, loading zones, mechanical plant) for the site.

Relevant Policies and Guidelines:

- Waste Classification Guidelines (EPA, 2014).

	20. Contamination - Assess and quantify any soil and groundwater contamination and demonstrate that the site is suitable for the proposed use in accordance with SEPP 55. This must include the following prepared by certified consultants recognised by the NSW Environment Protection Authority: - Preliminary Site Investigation (PSI). - Detailed Site Investigation (DSI) where recommended in the PSI. - Remediation Action Plan (RAP) where remediation is required. This must specify the proposed remediation strategy. - Preliminary Long-term Environmental Management Plan (LEMP) where containment is proposed on-site. - Provide a hazardous materials survey of existing aboveground buildings that are proposed to be demolished or altered. - Assess how the development would comply with Council's Contamination Land Management Policy. <u>Relevant Policies and Guidelines:</u> - Managing Land Contamination: Planning Guidelines - SEPP 55 Remediation of Land (DUAP, 1998) - Sampling Design Guidelines (EPA, 1995) - Guidelines for Consultants Reporting on Contaminated Sites (OEH, 2011) - National Environment Protection (Assessment of Site Contamination) Measure (National Environment Protection Council, as amended 2013). - Contaminated Land Management Policy (Griffith City Council 2017). 21. Hazards and Risk - Provide: - a preliminary risk screening completed in accordance with SEPP 33, providing a clear indication of class (and any subsidiary hazard), quantity and location of all dangerous goods and hazardous materials associated with the development. - should the preliminary risk screening indicate that the development is "potentially hazardous", a Preliminary Hazard Analysis must be prepared. <u>Relevant Policies and Guidelines:</u> - Hazardous Industry Planning Advisory Paper No. 6, 'Hazard Analysis' (DoP, 2011) - Multi-Level Risk Assessment (DoP, 2011).
Plans and Documents	The EIS must include all relevant plans, architectural drawings, diagrams and relevant documentation required under Schedule 1 of the Regulation. Provide these as part of the EIS rather than as separate documents. Any plans and diagrams included in the EIS must include key dimensions, RLs, scale bar and north point. In addition to the plans and documents required in the General Requirements and Key Issues sections above, the EIS must include the following: Section 10.7(2) and (5) Planning Certificates (previously Section 149(2) and (5) Planning Certificate).

	• Design report to demonstrate how design quality would be achieved in accordance with the above Key Issues including: - o architectural design statement - o diagrams, structure plan, illustrations and drawings to clarify the design intent of the proposal - o detailed site and context analysis - o analysis of options considered to justify the proposed site planning and design approach - o summary of feedback provided by GANSW and NSW State Design Review Panel (SDRP) and responses to this advice - o summary report of consultation with the community and response to any feedback provided. • Geotechnical and Structural Report. • Accessibility Report.
Consultation	During the preparation of the EIS, you must consult with the relevant local, State or Commonwealth Government authorities, service providers, community groups, relevant special interest groups, including local Aboriginal land councils and registered Aboriginal stakeholders and affected landowners. In particular, you must consult with: • the relevant Council • Government Architect NSW (through the NSW SDRP process) • Transport for NSW. Consultation should commence as soon as practicable to inform the scope of investigation and progression of the proposed development. The EIS must describe and evidence the consultation process and the issues raised and identify where the design of the development has been amended in response to these issues. Where amendments have not been made to address an issue, a short explanation should be provided.
Further consultation after two years	If you do not lodge a development application and EIS for the development within two years of the issue date of these SEARs, you must consult further with the Planning Secretary in relation to the preparation of the EIS.
References	The assessment of the key issues listed above must consider, but not be limited to, relevant guidelines, policies, and plans as identified.