

## APPENDIX N SOIL ASSESSMENT



## **SOIL SURVEY REPORT**

### **PROPOSED WALLA WALLA SOLAR FARM**

**OCTOBER 2019**

**DM McMahon Pty Ltd**

6 Jones St (PO Box 6118)

East Wagga Wagga NSW 2650

**t (02) 6931 0510** [www.dmmcmahon.com.au](http://www.dmmcmahon.com.au)

**SOIL SURVEY REPORT****PROPOSED WALLA WALLA SOLAR FARM**

October 2019

**Project brief**

At the request of Erwin Budde of NGH Environmental Pty Ltd, soil sampling, analysis and reporting was carried out to assess the site in April 2019 for a proposed solar farm. The document provides information about the site and soil conditions from field observations and laboratory analysis.

**Site identification**

**Address:** 161 & 116 Schneiders Road, Walla Walla NSW 2659.

**Real property description:** Lot 1 (DP 1069452), Lot 3 (DP 253113) & Lots 16, 17, 20, 21, 87, 88, 89, 108, 109 & 118 (DP 753735).

**Centre co-ordinate:** 497025E 6044089N MGA GDA z55

**Property size:** (investigated area) 593 ha approximately

**Owner:** Danny Phegan & Andrew Williams


**Local Council Area:** Great Hume Shire Council

**Present use:** Broadacre Agriculture

**Development Application Reference:** N/A

**Report identification:** 5550

**Certification**

Name	Signed	Date	Revision Number
<b>David McMahon</b> CEnvP BAppSc SA GradDip WRM MEnvMgmt		4/10/19	01

## Contents

<b>Project brief .....</b>	<b>2</b>
<b>Site identification .....</b>	<b>2</b>
<b>Contents .....</b>	<b>3</b>
<b>1.0 Introduction .....</b>	<b>5</b>
<b>2.0 Site characteristics .....</b>	<b>5</b>
2.1 Topography.....	5
2.2 Vegetation.....	5
2.3 Weather .....	5
2.4 Hydrology.....	5
2.5 Soil & landform.....	6
2.6 Geology & lithology .....	6
2.7 Hydrogeology.....	6
<b>3.0 Investigation scope of works .....</b>	<b>7</b>
<b>4.0 Results.....</b>	<b>8</b>
4.1 Field survey.....	8
4.2 Typical soil profiles.....	8
4.2.1 Chromosols.....	9
4.3 Laboratory analysis .....	9
4.3.1 Topsoil analysis .....	9
<b>5.0 Summary of test results .....</b>	<b>10</b>
<b>6.0 Comments and recommendations.....</b>	<b>12</b>
6.1 Potential limitations .....	12
6.2 Erosion control .....	13
6.3 Acid sulphate soils .....	14
6.4 Potential impacts on salinity, groundwater resources and hydrology.....	14
6.5 Soil characteristics and management responses .....	15
6.5.1 Chromosols.....	15
<b>7.0 Notes relating to results .....</b>	<b>18</b>
<b>8.0 Disclaimer.....</b>	<b>18</b>
<b>9.0 References.....</b>	<b>18</b>
<b>10.0 Attachments .....</b>	<b>20</b>

## List of Figures

<b>Figure 1:</b> <i>Soil survey investigation borehole locations</i> .....	8
<b>Figure 2:</b> <i>Digital Atlas of Australian Soils mapping units with site overlay (My10, Va17, and Va16)</i> .....	13

## List of Tables

<b>Table 1:</b> <i>Scope of works</i> .....	7
<b>Table 2:</b> <i>Topsoil - Results of laboratory testing</i> .....	11
<b>Table 3:</b> <i>Subsoil - Results of laboratory testing</i> .....	12
<b>Table 4:</b> <i>Potential landscape limitation assessment</i> .....	12
<b>Table 5:</b> <i>Chromosol characteristics and management responses</i> .....	15

## Attachments

<i>Log sheets</i> .....	<i>Attachment A</i>
<i>Laboratory reports</i> .....	<i>Attachment B</i>

---

**DM McMahon Pty Ltd** 6 Jones St (PO Box 6118) Wagga Wagga NSW 2650  
 t (02) 6931 0510 [www.dmmcmahon.com.au](http://www.dmmcmahon.com.au)

## 1.0 Introduction

The report presents the results of a soil survey carried out by DM McMahon Pty Ltd (McMahon) for the proposed Walla Walla Solar Farm near Walla Walla, NSW.

The soil and land survey were commissioned by Erwin Budde of NGH Environmental Pty Ltd and was undertaken in general accordance with the provided scope of works as can be seen in **Section 3**. Zach Bradley and James Halse of McMahon conducted a soil survey on 3 April 2019 using standard soil surveying techniques. The survey was carried out utilising a coring rig to excavate the soil profile to a depth of approximately 1.5 metres. Sampling and classification of in situ soils was carried out as per the Australian Soil and Land Survey Field Handbook (2009) and The Australian Soil Classification (ASC) (Isbell, 1996). Density of investigation boreholes was determined via Guidelines for Surveying Soil and Land Resources (2008) where selection of a 'Moderately High (Detailed)' intensity level was deemed appropriate for satisfying the objectives for detailed project planning.

## 2.0 Site characteristics

A desktop review and investigation of the topography, hydrology, soil, lithology, geology and hydrogeology of the site has been undertaken and are as follows.

### 2.1 Topography

The site is located over the Walbundrie and Howlong 1:50,000 Topographic Maps (Sheets 8226-N & 8226-S respectively) at an elevation range of approximately 205m to 225m AHD. The landform of the site consists of extremely low relief and shallow alluvial stream channels forming an alluvial plain. One large open drainage known as Back Creek, runs through the site from east to north west. Smaller open depressions and drainage lines feed into the creek from both sides. Back Creek runs into the moderately deep and partly perennial Billabong Creek which lies ~7km north of the site.

### 2.2 Vegetation

The site is currently used for broad acre agriculture, predominantly grazing and winter cropping. At the time of the soil survey, approximately half of the site was stubble as a result of last year's winter cropping season, with the remaining half dominated by lower lying areas consisting of dry pasture being grazed by cattle. Some broadleaf weed species such as thistles were present on site but were not prevalent. There are established eucalypt trees scattered throughout the property, mostly in clumps and along the drainages, depressions or property boundaries. A more detailed assessment of vegetation present can be seen in the NGH Environmental Scoping Report for the site.

### 2.3 Weather

The mean rainfall for the Albury Airport AWS weather station (35km away) is approximately 614.6 mm per annum. The wettest months are July, August and October; however, the rainfall is spread relatively evenly throughout the year. The mean maximum temperatures range from 13.2 °C in July to 32.5 °C in January and mean minimum temperatures range from 3.1 °C in July to 16.7 °C in February. Historical records retrieved from the Albury Airport AWS 072160 weather station (Bureau of Meteorology, 2019).

### 2.4 Hydrology

The site is located within the Murray River catchment. The large open drainage known as Back Creek runs through the property from the eastern border and exits via the north western site corner. Back Creek is fed by both Middle Creek and Mountain Dam Creek. Middle Creek, fed by Snake

Gully and Hermitage Creek, runs into the site from the south and drains into Back Creek in the center of the property. The confluence of Billabong Creek and Back Creek is approximately 7.4km to the north northwest of the site. Upwards of 12 farm dams are present across the site, holding varying volumes of water, in varying condition. Many man-made drains have been formed in the lower lying areas of the property, designed to shed water to the drainages, assumed to abate water logging in the paddocks.

### **2.5 Soil & landform**

The site lies within the mapping units **Va14** & **Va17** from the Digital Atlas of Australian Soils (CSIRO, 1991).

#### **"Va14"**

"Plains of hard alkaline and neutral yellow mottled soils (Dy3.43 and Dy3.42). Associated are various earths (Gn2.2 and Gn2.9) with other undescribed soils. Data are limited. Occurs on sheet(s): 3"

#### **"Va17"**

"Flat to gently undulating country with some swamps and broken by an occasional low gravelly or stony ridge or hillock: chief soils are hard alkaline yellow mottled soils (Dy3.43) and (Dr2.33), both containing ironstone gravel and sometimes forming soil complexes. Associated are: ridges and hillocks of (Dr2.32, Dr2.42) and (Um4.1) soils similar to unit Qc3; small flat areas of (Dr2.23); and various undescribed soils in local situations, e.g. subjacent to swamps and on stream terraces. Data are limited. Occurs on sheet(s): 3"

### **2.6 Geology & lithology**

The site geology forms part of the broader Shepparton formation with lithology dominated by Cainozoic alluvium deposits of unconsolidated to poorly consolidated mottled variegated clays and silty clays. This forms the fluvio-lacustrine, floodplain, channel and levee environments found across the site. A deposit of siluro-devonian acid volcanics exists in the very centre of the site running across both sides of Back Creek, this deposit is defined to an area of less than 1km<sup>2</sup>.

### **2.7 Hydrogeology**

From the Geoscience Australia hydrogeology dataset, the groundwater beneath the site is described as fractured or fissured, extensive aquifers of low to moderate productivity over the entire extent of the site.



### 3.0 Investigation scope of works

The specifications for the site investigation and soil survey are as follows, **Table 1**:

**Table 1:** *Scope of works*

Item	Description	Description
1.	Where available, review provided plans and other general related documents to gain a comprehensive understanding of the proposed project.	-
2.	Undertake a desktop study of local landform, geological, lithological & hydrogeological conditions.	See <b>Section 2.0</b>
3.	Conduct Dial Before You Dig search.	-
4.	Carry out field investigations by reference to Guidelines for Surveying Soil and Land Resources (2008) & AS1726:1993 Geotechnical Site Investigations.	30 boreholes in total. Samples of topsoils - A (A1, A2); and subsoils - B (B1, B2) and C horizons were taken when present to adequately classify soils as per the Australian Soil Classification (ASC).
5.	Analyse soils in situ and at NATA accredited laboratory to AS/RMS methods.	10 x Representative samples for topsoil analysis – pH, EC, nutrient and cation status. 12 x representative samples for subsoil analysis – pH, EC, dispersion.
6.	Generate laboratory reports and review results.	-
7.	Compile results in report detailing methodology, desktop study, physical conditions, field work results, test locations, bore logs, in-situ test results, laboratory results and discussion.	-
8.	Recommendations for erosion control and prevention measures and management recommendations for earthworks.	-



## 4.0 Results

### 4.1 Field survey

A soil survey was conducted on 3 April 2019 using standard soil surveying techniques, a map of the development site boundary and investigation borehole locations can be seen as follows, **Figure 1**.



**Figure 1:** Soil survey investigation borehole locations

Sampling and classification of in situ soils was carried out as per the Australian Soil and Land Survey Field Handbook (2009) and The Australian Soil Classification, (Isbell, 1996). Density of investigation boreholes was determined via Guidelines for Surveying Soil and Land Resources (2008) where selection of a 'Moderately High (Detailed)' intensity level was deemed appropriate for satisfying the objectives for detailed project planning. Soils encountered were typical of the locale, generally falling into reconnaissance survey classes. Slight variations in profiles exist due to remnant parent formations, drainage plains and the complex soil sequences that are associated with such. Soil moisture contents varied between soil types but were generally found to be moderately moist in the topsoil and usually drier with depth. Free groundwater was not encountered to the investigated depth.

### 4.2 Typical soil profiles

Soils can be classified into a typical soil profile across the site as per the Australian Soil Classification (ASC) system (Isbell, 1996). Representative photographs from profiles examined on site can be seen below with a brief description of the profile characteristics. All soil boreholes investigated were located on managed agricultural lands. Field soil log sheets can be seen attached. Description of the typical soil type encountered; Chromosols can be seen as follows.

#### 4.2.1 Chromosols

Chromosols have a strong texture contrast between A and B horizons. There is a clear or abrupt textural B horizon in which the upper portion of the horizon (0.2m) is not strongly acid and not sodic. These soils are the most commonly encountered soils under agricultural use in Australia.

##### *Topsoil*

Brown fine sandy clay loams, sandy clay loams and loams, granular. pH (1:5 soil/water) 5.4 – 6.6 in the A horizon; to 10-20cm depth. Pronounced A2 horizon on the lower lying areas. Clear boundary to-

##### *Subsoils*

Moderately massive structure across the majority of site and granular in the lower lying areas along Back Creek. Hues vary from yellowish-brown to yellowish-red in B and C horizon (where encountered) with significant mottling on alluvial floodplain on the east extent of the site. Light to medium clays, silty and/or sandy clays and silty loams in B horizon and C horizon.

#### 4.3 Laboratory analysis

10 representative topsoil samples were obtained and analysed at a NATA accredited laboratory for the establishment of baseline soil data that may be referred to and used in preparation of a site decommissioning plan. Laboratory COA can be found in the Attachments and topsoil soil parameters can be seen summarised in **Table 2**. 12 subsoil samples were also analysed for pH and EC, and tested for dispersion, **Table 3**.

#### 4.3.1 Topsoil analysis

##### *4.3.1.1 pH & Electrical Conductivity*

Topsoil pH (1:5 soil/water) ranged from 5.4 – 6.6 and were on average 'Moderately acid'. However, topsoils could also be classed as 'Neutral' (7.3-6.6); 'Slightly acid' (6.5-6.1); 'Moderately acid' (6.0-5.6); or 'Strongly acid' (5.5-5.1) (Bruce & Rayment, 1982). Electrical Conductivity (EC) ranged from 0.06 to 0.20 dS/m and therefore the salinity rating was 'low' to 'very low' (Agriculture Victoria, 2011).

##### *4.3.1.2 Cation Exchange Capacity, Exchangeable Sodium Percentage & Dispersion*

Cation Exchange Capacity (CEC) ranges from 4.8 to 11.2 cmol (+)/kg. CEC of the soils is rated by Hazelton and Murphy (2007), as 'low' (6 – 12) and 'very low' (<6). Exchangeable Sodium Percentage (ESP) ranges from 0.57% to 6.5%. Soils are classified as 'non-sodic' when the ESP is <6%; and may be sodic if >6% (Agriculture Victoria, 2011).

##### *4.3.1.3 Colwell Phosphorus and Phosphorus Buffering Index*

Colwell P (plant available phosphorus) ranges from 28 to 61mg/kg, which is classed as 'very high' (Hazelton and Murphy, 2007). Phosphorus Buffering Index (PBI) ranged from 45 to 100 and can be classed as 'low' (71-140) to 'very low' (36-70), (Agriculture Victoria, 2011).

##### *4.3.1.4 Calcium: Magnesium Ratio*

Ca:Mg ratio ideally should be at least 2:1. Higher calcium contents are acceptable however higher magnesium content may result in soil dispersion (Agriculture Victoria, 2011). Ca:Mg determined for topsoils returned results ranging from 2.0 – 11.0.

#### *4.3.1.5 Soil infiltration rates and water holding capacity*

Water holding capacity is variable across the site with topsoils determined as moderate to high based on available water by percentage (20 - 28%) and moderate permanent wilting point (~16%). Water holding capacity for subsoils is lower due to a higher clay content which has a lower available water percentage (12-13%) and higher permanent wilting point (25-34%), (Hazleton & Murphy 2007).

Topsoil infiltration based on texture and degree of structure for loam and clay loams with evident peds is inferred to be around 50-90mm/h. This is given a moderate to rapid rating for saturated hydraulic conductivity with rare and occasional runoff (Hazleton & Murphy 2007). Infiltration in subsoils is considered to be very slow with a permeability of less than 5mm per hour. Subsoils are liable to waterlogging where there is a limited topsoil horizon due to the very slow infiltration rates (Hunt & Gilkes 1992).

## **5.0 Summary of test results**

Please see next page.

**Table 2:** Topsoil - Results of laboratory testing

Parameter	UnitS	Sample Identification									
		28, 29	27, 30	20, 21, 22, 23, 24, 25, 26	17, 18, 19	14	13, 15, 16	8, 10, 12	7, 9	3, 4, 5	1, 2, 6, 11
pH (1:5 Water)		5.7	5.7	5.6	5.5	6.1	5.4	6.2	6.4	6.6	5.8
pH (1:5 CaCl2)		5.1	5.1	4.7	5	5.5	4.6	5.4	5.7	5.9	4.9
Electrical Conductivity	dS/m	0.2	0.14	0.13	0.2	0.14	0.11	0.11	0.08	0.07	0.06
Chloride	mg/kg	63	10	25	13	17	<10	<10	<10	<10	<10
Nitrate Nitrogen	mg/kg	32	16	24	41	36	30	29	19	11	11
Ammonium Nitrogen	mg/kg	4	3	3	6	3	5	7	3	2	2
Phosphorus (Colwell)	mg/kg	31	34	30	32	28	35	54	49	61	21
PBI		59	45	100	67	66	79	64	68	53	63
Sulphur (KCl40)	mg/kg	36	37	23	58	7	11	5	5	4	5
CEC	cmol(+)/kg	5.8	5.1	7.7	5.6	11.2	5	6.8	6.5	4.8	3.9
Calcium (Amm-acet.)	cmol(+)/kg	4.1	3.7	4.2	4.1	8.3	2.8	4.7	5	4.1	2.6
Magnesium (Amm-acet.)	cmol(+)/kg	0.5	0.5	2.1	0.7	1.9	0.8	1.1	0.9	0.4	0.7
Sodium (Amm-acet.)	cmol(+)/kg	0.24	0.09	0.5	0.11	0.1	0.03	0.12	0.12	<0.02	0.09
Potassium (Amm-acet.)	cmol(+)/kg	0.24	0.8	0.72	0.74	0.89	1.1	0.88	0.51	0.34	0.5
Available Potassium	mg/kg	360	310	280	290	350	420	350	200	130	200
Aluminium (KCl)	cmol(+)/kg	<0.1	<0.1	0.2	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	<0.1
Aluminium % Cations	%	<1.0	<1.0	2.3	<1.0	<1.0	3.8	<1.0	<1.0	<1.0	<1.0
Calcium % Cations	%	71	74	54	73	74	57	69	77	85	66
Magnesium % Cations	%	9.3	9.1	28	12	17	17	16	13	7.5	18
Sodium % Cations (ESP)	%	4.1	1.7	6.5	2	0.85	0.57	1.8	1.9	<1.00	2.3
Potassium % Cations	%	16	16	9.3	13	8	22	13	7.8	7	13
Cal/Mag Ratio		7.6	8	2	6	4.4	3.4	4.3	5.9	11	3.6

**Table 3: Subsoil - Results of laboratory testing**

Pit/Sample	Horizon	pH (1:5 soil/water)	Electrical Conductivity	Dispersion <sup>+</sup>
Units	-	-	µS/cm	-
2/2	A2	6.4	0.04	-
2/3	B	6.0	0.08	*
4/2	A2	5.8	0.07	*
6/3	B1	6.7	0.07	P
7/3	B	7.6	0.15	P
13/2	B	5.6	0.05	*
16/2	B	7.2	0.06	*
17/2	A2	6.9	0.08	P
18/2	B1	7.2	0.06	*
20/2	B1	6.2	0.10	*
21/2	B1	7.7	0.07	C
29/2	B	7.5	0.14	P

<sup>+</sup>Dispersion testing results were rated N, P or C being Nil, Partial or Complete dispersion.

\* Denotes slaking but no dispersion.

## 6.0 Comments and recommendations

The discussion and recommendations provided below are based on field observations and testing at discrete locations.

### 6.1 Potential limitations

Potential landscape limitations have been summarised below, **Table 4**.

**Table 4: Potential landscape limitation assessment.**

Soil Type	Erosion Hazard	Salinity Risk	Acid Soil	Waterlogging Risk	Acid Sulphate Soils	Infrastructure
Chromosol	LOW	LOW	YES	MODERATE	NO	LOW

As follows is the soil landscape map (eSpade, 2019) which has been generally validated by the soil survey through laboratory and field techniques. As such, management practices can be grouped into management classes of Australian Soil Classification (ASC) units with Chromosols being represented across the Va17 soil type, **Figure 2**. This report identifies management practices for ASC units in **Section 6.5** below.



**Figure 2:** Digital Atlas of Australian Soils mapping units with development site boundary overlay (Va14, My10, Va17, and Pb4)

## 6.2 Erosion control

To mitigate the occurrence of erosion the following primary principles should be adhered to, particularly throughout the construction period of the project. Best Management Practices (BMPs) should be employed where applicable to further reduce the risk of potential erosion and sediment control.

- Integrate project design with any site constraints.
- Preserve and stabilise drainageways.
- Minimise the extent and duration of disturbance.
- Control stormwater flows onto, through and from the site in stable drainage structures.
- Install perimeter controls.
- Stabilise disturbed areas promptly.
- Protect steep slopes.
- Employ the use of sediment control measures to prevent off and on-site damage.
- Protect inlets, storm drain outlets and culverts.
- Provide access and general construction controls.
- Inspect and maintain sediment and erosion control measures regularly.

The risk of erosion on site due to construction activities is considered low due to the low relief and generally low salinity and sodicity of topsoils and subsoils. Excavation of subsoils should be limited where possible, and excavated subsoils should be stockpiled and contained to avoid potential dispersion and sediment transfer. Ground cover around the structures should be maintained where possible. Maintenance of ground cover will also aid in the prevention of topsoil losses from wind erosion. Managing Urban Stormwater: Soils and Construction Volume 1 (Landcom, 2004) and Volume 2A & 2C (DECC, 2008) should be consulted further in the development of an Erosion and Sediment Control Plan (ESCP).



### **6.3 Acid sulphate soils**

Acid sulphate soils is the common name given to naturally occurring soils containing iron sulphides. Exposure of the sulphides present in these soils to oxygen from drainage or excavation will lead to the generation of sulphuric acid. Field pH of these soils in their undisturbed state is generally pH 4 or less.

Landscape characteristics such as; the dominance of mangroves, reeds, rushes and other marine/estuarine or swamp-tolerant vegetation, low lying areas, back swamps or scalded areas of coastal estuaries and floodplains and sulphurous smell following rain after prolonged dry periods (Stone *et al*, 1998) after soil disturbance were not observed. There was no evidence of a jarositic horizon or jarosite precipitates or coatings on any root channels or cracks in the soil.

From the soil survey conducted, it has been assessed that acid sulphate soils are not present on site.

### **6.4 Potential impacts on salinity, groundwater resources and hydrology**

Current operational procedures include dryland cropping and grazing. Associated water features across the investigated area include at least 12 dams and various open drainage channels and depressions. There is one registered groundwater bore on site (Lot 1) and no further registered bores within 500 metres of the site boundary. Most of the paddocks on the higher ground had maintained ground cover or stubble at the time of the investigation. Given the majority of soils on site are classified as 'non-sodic' and are of low salinity, the risk of salt build-up in discharge areas is low. However, changing direction of surface waters and any run-on should be avoided as local changes in the water regime are likely to mobilise any salts stores, however low, in the soil. Deep rooted vegetation should be maintained where present and established where absent, ground clearing should be minimised.



## 6.5 Soil characteristics and management responses

### 6.5.1 Chromosols

**Table 5:** Chromosol characteristics and management responses.

Soil property	Behaviour of soil to activity or environment	Management responses/measures
<b>Soil surface</b>		
These soils generally have a moderate to weak structure in the surface with a firm to hard setting surface condition.	A firm to hard setting surface will generally have poor initial infiltration resulting in a large proportion of water running off causing erosion.	Surface infiltration rate can be increased through the incorporation of composted organic matter and by maintaining vegetative cover.
	A hard setting surface will also cause poor germination and seedling emergence.	Soil structure and moisture holding capacity can be improved through the incorporation of composted organic matter leading to better seedling establishment.
	A sandy to loamy surface with poor structure can have low soil strength causing trafficability issues.	Trafficability of these soils may be difficult when wet, however the use of gravel road surfaces may improve site access.
	If sandy to loamy surface soil with poor structure and low soil strength is overworked or excessively trafficked there is a high potential to generate dust.	Limit traffic and do not disturb unless necessary to avoid destruction of the limited soil structure. Construct gravel roads on site and limit access off these roads. Consider the use of stabilisation products.
<b>Expansive clays</b>		
These soils contain little to no expansive clays.	-	-
<b>Clay subsoils</b>		
These soils contain non-sodic, slightly acidic to slightly alkaline clay subsoils that may be mottled.	These soils have imperfect drainage and lower landscape positions and can stay wet for extended periods of time. Subsoil permeability is moderate.	Subsoil material is unsuitable for use on the soil surface and should be adequately covered with topsoil. Appropriate drainage design and materials (i.e. sand and gravel) can improve site access for construction. Depending on subsoil structure, plant roots are generally able to extend into the subsoil material without restriction. Gypsum additions can be used to assist structure improvement where required.

Soil property	Behaviour of soil to activity or environment	Management responses/measures
<b>Dispersion</b>		
These soils are generally non-dispersive;	Although not generally dispersive, these soils are still susceptible to rill, sheet and stream bank erosion.	Maintain cover to reduce sheet and rill erosion. Stream bank erosion managed by maintaining vegetative cover and encouraging plants with fibrous root systems. Do not concentrate water flow unless using appropriate erosion and sediment control treatments. Erosion and sediment controls may need to be installed to manage drainage, erosion and prevent movement of sediment off-site.
<b>Salinity</b>		
These soils can have high salt levels (depending on parent material and landscape practices) particularly on lower slopes.	High salt levels will affect plant growth and will also impact water quality if leached or washed off.	If irrigating salty soils, maintain a leaching profile to reduce salt levels (salinity management handbook (DERM 2011) contains thresholds for different plants). Treat salty soils as dispersive soils, even if field testing results are negative, because salt can mask dispersion.
	Salt can cause scalding, erosion and damage to infrastructure.	Discharge salinity expressions can be managed by reducing water inputs and by increasing soil water use at the site or upslope if possible. Soil amelioration with gypsum and planting salt tolerant species may assist scald areas.
<b>Fertility</b>		
These soils generally have a low to moderate fertility.	The sandy surface and pale subsurface layers (where present) generally mean that nutrient content is low in these soils, as is their ability to hold onto nutrients.	Fertiliser additions may improve plant growth, particularly nitrogen, phosphorus, and potassium. To limit leaching/loss of nutrients, specific fertiliser rates should be divided up into regular smaller applications during the growing season, rather than one single application. Increasing organic matter content with composted organics will improve the fertility and assist nutrient retention in these soils.

Soil property	Behaviour of soil to activity or environment	Management responses/measures
<b>Revegetation</b>		
These soils are poorly to imperfectly drained with low to moderate fertility, highly alkaline subsoils and low plant available water holding capacity.	Plant species need be selected that are adapted to these conditions.	Addition of gypsum may be required to alleviate dispersion risk. Increasing organic matter content with composted organics will improve fertility, assist nutrient retention and improve moisture holding capacity of these soils. Relieve any compaction present and ensure adequate fertility for quick establishment. These soils will require frequent, low volume watering due to the dense subsoils. Protect surface with mulch material to reduce raindrop induced crusted or hard setting surface. Fertiliser additions should be divided up into regular smaller applications during the growing season to limit leaching of nutrients. Dense subsoil material significantly restricts plant root extension into the subsoil. Stabilisation and revegetation targets and timeframes should be in accordance with IECA (2008) guidelines.
<b>Soil handling</b>		
Some of these soils have very salty and/ or dispersive subsoils and potentially dusty topsoil.	The objective of soil handling is to minimise off site impacts and maximise the productive capacity of the soil on site consistent with the intended use.	Topsoil stripping should maximise available reserves and should avoid mixing with alkaline, salty and/or sodic subsoils – a simple survey of the site is recommended. Topsoil and subsoil stockpiles should be kept separate. Reinstall soil in the order they were removed (i.e. deeper subsoil below upper subsoil). Final placement of dispersive materials should be covered with adequate topsoil material to protect from erosion. Installation of erosion and sediment control structures may be required where soil is exposed. Trafficability of these soils may be difficult when wet, the use of gravel road surfaces may improve site access. Minimise the handling of topsoil material and ensure traffic is concentrated on constructed road surfaces.

## 7.0 Notes relating to results

### Groundwater

No free groundwater was encountered during the investigation. A groundwater table or seepage may be present at other times and fluctuations in groundwater levels and seepage could occur due to rainfall, changes in temperature and other factors.

### Bore hole / test borehole logging

The information supplied in the log sheets is based on a visual and tactile assessment with consideration given to field conditions at the time of testing. The log sheets can include inferred data based on the experience of the consultant as well as factual data from in situ testing.

## 8.0 Disclaimer

The information contained in this report has been extracted from field and laboratory sources believed to be reliable and accurate. DM McMahon Pty Ltd will not assume any responsibility for the misinterpretation of information supplied in this report. The accuracy and reliability of recommendations identified in this report need to be evaluated with due care according to individual circumstances. It should be noted that the recommendations and findings in this report are based solely upon the said site location and the ground level conditions at the time of testing. The results of the said investigations undertaken are an overall representation of the conditions encountered. The properties of the soil within the location may change due to variations in ground conditions outside of the tested area. The author has no control or liability over site variability that may warrant further investigation that may lead to significant design changes.

### Notice of Copyright

The information contained in this report must not be copied, reproduced or used for any purpose other than a purpose approved by DM McMahon Pty Ltd, except as permitted under the Copyright Act 1968. Information cannot be stored or recorded electronically in any form without such permission.

© DM McMahon Pty Ltd

## 9.0 References

Agriculture Victoria (2011). Understanding soil tests – pastures.  
<<http://agriculture.vic.gov.au/agriculture/farm-management/soil-and-water/soils/understanding-soil-tests-pastures>>

Bureau of Meteorology (2019). Climate Statistics for Australian locations - Albury Airport.  
<[http://www.bom.gov.au/climate/averages/tables/cw\\_072160.shtml](http://www.bom.gov.au/climate/averages/tables/cw_072160.shtml)>

Bureau of Rural Sciences after Commonwealth Scientific and Industrial Research Organisation (1991), *Digital Atlas of Australian Soils*.

Bruce, R. C., and Rayment, G. E. (1982). Analytical methods and interpretations used by the Agricultural Chemistry Branch for Soil and Land Use Surveys. Queensland Department of Primary Industries. Bulletin QB8 (2004), Indooroopilly, Queensland.

DERM. (2011). Salinity management handbook (2nd ed.). Queensland, Australia: Department of Environment and Resource Management.

Department of Primary Industries Office of Water (2019). NSW Government.  
<<http://allwaterdata.water.nsw.gov.au/water.stm>>

Geeves GW, Craze B and Hamilton GJ 2007. Soil physical properties. In 'Soils – their properties and management'. 3rd edn. (Eds Charman PEV and Murphy BW) pp. 168-191 Oxford University Press Melbourne.

Geology information: Copyright Commonwealth of Australia (MDBC) 1999

Hazelton P and Murphy B 2007. Interpreting Soil Test Results, What do All the Numbers Mean?. NSW Department of Natural Resources, CSIRO Publishing, Collingwood Vic, Australia.

International Erosion Control Association (IECA) 2008. Best Practice Erosion and Sediment Control. Books 1 – 3.

Ipswich City Council. (Undated). Soil Management Guidelines. Ipswich City Council ([www.ipswich.qld.gov.au](http://www.ipswich.qld.gov.au)).

Isbell, R. F. (1996). Australian Soil and Land Survey Handbook-The Australian Soil Classification, CSIRO Publishing, Collingwood Vic, Australia.

Isbell, R.F. (1996) The Australian Soil Classification (ASC). CSIRO Publishing, Melbourne.

McKenzie, N. J., Grundy, M. J., Webster, R., Ringrose-Voase, A. J., 2008. Guidelines for Surveying Soil and Land Resources, 2<sup>nd</sup> Ed. CSIRO Publishing, Collingwood Vic, Australia.

Metson, A. J. (1961). Methods of chemical analysis for soil survey samples. Soil Bureau Bulletin No. 12, New Zealand Department of Scientific and Industrial Research, pp. 168-175. Wellington, New Zealand.

National Committee on Soil and Terrain (Australia) (2009). Australian Soil and Land Survey Field Handbook, 3<sup>rd</sup> Ed. CSIRO Publishing, Collingwood Vic, Australia.

NSW Agriculture (2000). Understanding Soil pH.  
<[https://www.dpi.nsw.gov.au/\\_\\_data/assets/pdf\\_file/0003/167187/soil-ph.pdf](https://www.dpi.nsw.gov.au/__data/assets/pdf_file/0003/167187/soil-ph.pdf)>

NSW DPI Office of Water, 2019  
<<http://allwaterdata.water.nsw.gov.au/water.stm>>

Standards Australia AS 1726 – 2017 Geotechnical Site Investigations

Standards Australia AS 3798 – 2007 Guidelines on earthworks for commercial and residential developments

Stone, Y., Ahern, C. R., and Blunden, B. (1998). Acid Sulfate Soil Manual 1998. Acid Sulfate Soil Management Committee, Wollongbar, NSW, Australia.

Strahler, A. N. (1952), "Hypsometric (area-altitude) analysis of erosional topology", Geological Society of America Bulletin 63 (11): 1117–1142

## 10.0 Attachments

Attachment	Details
A. Log sheets	6 pages
B. Laboratory reports	20 pages



# DOCUMENT ATTACHMENTS

REPORT 2019


DM McMahon Pty Ltd  
6 Jones Street, (PO Box 6118)  
Wagga Wagga NSW 2650

t (02) 6931 0510  
[www.dmmcmahon.com.au](http://www.dmmcmahon.com.au)





**Attachment A : *Log sheets***

[illegible]






Job No:	5550
Project:	Walla Walla Solar Farm
Site:	Walla Walla Solar Farm

Site Identity	Sample	Co-ordinates MGA GDA94 z55	Layer	Layer Top (m)	Layer Bottom (m)	Horizon	Boundary	Colour	Munsell Code	Texture	Moisture	Consistence	Mottles	Mottle Type	Structure	Coarse Fragments	Fragment Size (mm)	Fragment (%)	Comments
17	17/1	495555 E	1	0.0	0.20	A1	-	-B	10YR 4/3	FSCL	D	3	-	-	GRANULAR	-	-	-	
	17/2	6044596 N	2	0.20	0.30	A2	C	--BW	7.5YR 4/3	ZL	D	3	-	-	GRANULAR	-	-	-	
	17/3		3	0.30	1.50	B	D	YB	10YR 5/4	HC	D	6	-	-	MASS	-	-	-	
18	18/1	495547 E	1	0.00	0.20	A	-	B	7.5YR 4/2	FSCL	D	4	-	-	GRANULAR	-	-	-	
	18/2	6044524 N	2	0.20	0.30	B1	C	RYB	5YR 3/4	SCL	D	4	-	-	GRANULAR	-	-	-	
	18/3		3	0.30	1.30	B2	D	YR	10YR 5/6	MC	D	5	-	-	MASS	-	-	-	
	18/4		4	1.30	1.50	C	D	Y	10YR 4/4	HC	D	6	-	-	MASS				
19	19/1	495609 E	1	0.00	0.20	A1	-	B	7.5YR 4/2	FSCL	D	3	-	-	GRANULAR	-	-	-	
	19/2	6044032 N	2	0.20	0.60	A2	C	BY	10YR 4/4	SCL	D	4	-	-	GRANULAR	-	-	-	
	19/3		3	0.60	1.50	B	D	YR	10YR 5/6	MC	D	5	2	R, Y, D	MASS	-	-	-	
20	20/1	496127 E	1	0.00	0.20	A	-	+B	5YR 3/3	FSCL	D	4	-	-	GRANULAR	-	-	-	
	20/2	6044135 N	2	0.20	1.00	B1	D	YB	10YR 5/4	MC	D	6	-	-	MASS	-	-	-	
	20/3		3	1.00	1.50	B2	D	GB	10YR 5/2	HC	T	6	2	O	MASS	-	-	-	
21	21/1	496024 E	1	0.00	0.20	A	-	+B	5YR 3/3	FSCL	T	4	-	-	GRANULAR	-	-	-	
	21/2	6043714 N	2	0.20	0.80	B1	D	+B	5YR 3/3	MC	D	6	2	R	MASS	-	-	-	CaCO <sub>3</sub>
	21/3		3	0.80	1.50	B2	D	BY	10YR 4/4	HC	T	6	2	D	MASS	-	-	-	
22	22/1	496454 E	1	0.00	0.20	A	-	B	7.5YR 4/2	FSCL	T	4	-	-	GRANULAR	-	-	-	
	22/2	6043689 N	2	0.20	0.80	B1	D	YB	10YR 5/4	MC	D	5	2	R	MASS	-	-	-	CaCO <sub>3</sub>
	22/3		3	0.80	1.50	B2	D	BY	10YR 4/4	HC	T	6	-	-	MASS	-	-	-	

Job No:	5550
Project:	Walla Walla Solar Farm
Site:	Walla Walla Solar Farm

Site Identity	Sample	Co-ordinates MGA GDA94 z55	Layer	Layer Top (m)	Layer Bottom (m)	Horizon	Boundary	Colour	Munsell Code	Texture	Moisture	Consistence	Mottles	Mottle Type	Structure	Coarse Fragments	Fragment Size (mm)	Fragment (%)	Comments
23	23/1	496943 E	1	0.0	0.20	A	-	B	7.5YR 4/2	FSCL	T	3	2	O	GRANULAR	-	-	-	
	23/2	6043483 N	2	0.20	1.30	B1	D	YB	10YR 5/4	MC	D	6	2	R, D	MASS	-	-	-	
	23/3		3	1.30	1.50	B2	D	YB	10YR 5/4	HC	D	6	2	R	MASS	-	-	-	
24	24/1	497394 E	1	0.00	0.20	A	-	+B	5YR 3/3	FSCL	D	3	-	-	GRANULAR	-	-	-	
	24/2	6043782 N	2	0.20	1.30	B1	C	B	7.5YR 4/2	MC	D	6	2	O	MASS	-	-	-	
	24/3		3	1.30	1.50	B2	D	YB	10YR 5/4	HC	T	6	-	-	MASS	-	-	-	
25	25/1	497848 E	1	0.00	0.20	A	-	B	7.5YR 4/2	FSCL	T	3	-	-	GRANULAR	-	-	-	
	25/2	6043562 N	2	0.20	0.60	B1	C	YB	10YR 5/4	MC	D	6	-	-	MASS	-	-	-	
	25/3		3	0.60	1.50	B2	D	BY	10YR 4/4	HC	D	6	2	D	MASS	-	-	-	
26	26/1	498246 E	1	0.00	0.20	A	-	B	7.5YR 4/2	FSCL	D	3	-	-	GRANULAR	-	-	-	
	26/2	6043717 N	2	0.20	0.90	B1	C	YB	10YR 5/4	MC	T	5	-	-	MASS	-	-	-	
	26/3		3	0.90	1.50	B2	D	BY	10YR 4/4	HC	T	5	2	O	MASS	-	-	-	
27	27/1	498090 E	1	0.00	0.10	A	-	B	7.5YR 4/2	FSCL	D	3	-	-	GRANULAR	-	-	-	
	27/2	6043127 N	2	0.10	0.20	B	C	YB	10YR 5/4	SCL	D	4	-	-	GRANULAR	-	-	-	
	27/3		3	0.20	1.50	C	D	Y	10YR 4/4	LMC	D	6	2	D	MASS	-	-	-	
28	28/1	498476 E	1	0.00	0.10	A	-	+B	5YR 3/3	FSCL	T	3	-	-	GRANULAR	-	-	-	
	28/2	6043303 N	2	0.10	0.20	B	C	-B	10YR 4/3	SCL	D	4	2	O	GRANULAR	-	-	-	
	28/3		3	0.20	1.50	C	D	Y	10YR 4/4	LMC	D	5	2	O	MASS	-	-	-	

[illegible]





**Attachment B** : *Laboratory reports*



# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018866  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 28,29  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		5.7
pH (1:5 CaCl <sub>2</sub> )		5.1
Electrical Conductivity (1:5 water)	dS/m	0.20
Chloride	mg/kg	63
Nitrate Nitrogen	mg/kg	32
Ammonium Nitrogen	mg/kg	4
Phosphorus (Colwell)	mg/kg	31
Phosphorus Buffer Index		59
Sulphur (KCl40)	mg/kg	36
Cation Exch. Cap. (CEC)	cmol(+)/kg	5.8
Calcium (Amm-acet.)	cmol(+)/kg	4.1
Magnesium (Amm-acet.)	cmol(+)/kg	0.5
Sodium (Amm-acet.)	cmol(+)/kg	0.24
Potassium (Amm-acet.)	cmol(+)/kg	0.92
Available Potassium	mg/kg	360
Aluminium (KCl)	cmol(+)/kg	<0.1
Aluminium % of Cations	%	<1.0
Calcium % of Cations	%	71.0
Magnesium % of Cations	%	9.3
Sodium % of Cations (ESP)	%	4.10
Potassium % of Cations	%	16.00
Calcium/Magnesium Ratio		7.6



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018866  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 28,29  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018867  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 27 & 30  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		5.7
pH (1:5 CaCl <sub>2</sub> )		5.1
Electrical Conductivity (1:5 water)	dS/m	0.14
Chloride	mg/kg	10
Nitrate Nitrogen	mg/kg	16
Ammonium Nitrogen	mg/kg	3
Phosphorus (Colwell)	mg/kg	34
Phosphorus Buffer Index		45
Sulphur (KCl40)	mg/kg	37
Cation Exch. Cap. (CEC)	cmol(+)/kg	5.1
Calcium (Amm-acet.)	cmol(+)/kg	3.7
Magnesium (Amm-acet.)	cmol(+)/kg	0.5
Sodium (Amm-acet.)	cmol(+)/kg	0.09
Potassium (Amm-acet.)	cmol(+)/kg	0.80
Available Potassium	mg/kg	310
Aluminium (KCl)	cmol(+)/kg	<0.1
Aluminium % of Cations	%	<1.0
Calcium % of Cations	%	74.0
Magnesium % of Cations	%	9.1
Sodium % of Cations (ESP)	%	1.70
Potassium % of Cations	%	16.00
Calcium/Magnesium Ratio		8.0



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018867  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 27 & 30  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018868  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 20-26  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		5.6
pH (1:5 CaCl <sub>2</sub> )		4.7
Electrical Conductivity (1:5 water)	dS/m	0.13
Chloride	mg/kg	25
Nitrate Nitrogen	mg/kg	24
Ammonium Nitrogen	mg/kg	3
Phosphorus (Colwell)	mg/kg	30
Phosphorus Buffer Index		100
Sulphur (KCl40)	mg/kg	23
Cation Exch. Cap. (CEC)	cmol(+)/kg	7.7
Calcium (Amm-acet.)	cmol(+)/kg	4.2
Magnesium (Amm-acet.)	cmol(+)/kg	2.1
Sodium (Amm-acet.)	cmol(+)/kg	0.50
Potassium (Amm-acet.)	cmol(+)/kg	0.72
Available Potassium	mg/kg	280
Aluminium (KCl)	cmol(+)/kg	0.2
Aluminium % of Cations	%	2.3
Calcium % of Cations	%	54.0
Magnesium % of Cations	%	28.0
Sodium % of Cations (ESP)	%	6.50
Potassium % of Cations	%	9.30
Calcium/Magnesium Ratio		2.0



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018868  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 20-26  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.







# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018869  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 17,18,19  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		5.5
pH (1:5 CaCl <sub>2</sub> )		5.0
Electrical Conductivity (1:5 water)	dS/m	0.20
Chloride	mg/kg	13
Nitrate Nitrogen	mg/kg	41
Ammonium Nitrogen	mg/kg	6
Phosphorus (Colwell)	mg/kg	32
Phosphorus Buffer Index		67
Sulphur (KCl40)	mg/kg	58
Cation Exch. Cap. (CEC)	cmol(+)/kg	5.6
Calcium (Amm-acet.)	cmol(+)/kg	4.1
Magnesium (Amm-acet.)	cmol(+)/kg	0.7
Sodium (Amm-acet.)	cmol(+)/kg	0.11
Potassium (Amm-acet.)	cmol(+)/kg	0.74
Available Potassium	mg/kg	290
Aluminium (KCl)	cmol(+)/kg	<0.1
Aluminium % of Cations	%	<1.0
Calcium % of Cations	%	73.0
Magnesium % of Cations	%	12.0
Sodium % of Cations (ESP)	%	2.00
Potassium % of Cations	%	13.00
Calcium/Magnesium Ratio		6.0



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018869  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 17,18,19  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018870  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 14  
**Sample Depth (cm):** 0 To 15

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		6.1
pH (1:5 CaCl <sub>2</sub> )		5.5
Electrical Conductivity (1:5 water)	dS/m	0.14
Chloride	mg/kg	17
Nitrate Nitrogen	mg/kg	36
Ammonium Nitrogen	mg/kg	3
Phosphorus (Colwell)	mg/kg	28
Phosphorus Buffer Index		66
Sulphur (KCl40)	mg/kg	7
Cation Exch. Cap. (CEC)	cmol(+)/kg	11.2
Calcium (Amm-acet.)	cmol(+)/kg	8.3
Magnesium (Amm-acet.)	cmol(+)/kg	1.9
Sodium (Amm-acet.)	cmol(+)/kg	0.10
Potassium (Amm-acet.)	cmol(+)/kg	0.89
Available Potassium	mg/kg	350
Aluminium (KCl)	cmol(+)/kg	<0.1
Aluminium % of Cations	%	<1.0
Calcium % of Cations	%	74.0
Magnesium % of Cations	%	17.0
Sodium % of Cations (ESP)	%	0.85
Potassium % of Cations	%	8.00
Calcium/Magnesium Ratio		4.4



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018870  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 14  
**Sample Depth (cm):** 0 To 15

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018871  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 13,15,16  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		5.4
pH (1:5 CaCl <sub>2</sub> )		4.6
Electrical Conductivity (1:5 water)	dS/m	0.11
Chloride	mg/kg	<10
Nitrate Nitrogen	mg/kg	30
Ammonium Nitrogen	mg/kg	5
Phosphorus (Colwell)	mg/kg	35
Phosphorus Buffer Index		79
Sulphur (KCl40)	mg/kg	11
Cation Exch. Cap. (CEC)	cmol(+)/kg	5.0
Calcium (Amm-acet.)	cmol(+)/kg	2.8
Magnesium (Amm-acet.)	cmol(+)/kg	0.8
Sodium (Amm-acet.)	cmol(+)/kg	0.03
Potassium (Amm-acet.)	cmol(+)/kg	1.10
Available Potassium	mg/kg	420
Aluminium (KCl)	cmol(+)/kg	0.2
Aluminium % of Cations	%	3.8
Calcium % of Cations	%	57.0
Magnesium % of Cations	%	17.0
Sodium % of Cations (ESP)	%	0.57
Potassium % of Cations	%	22.00
Calcium/Magnesium Ratio		3.4



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018871  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 13,15,16  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018872  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 8,10,12  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		6.2
pH (1:5 CaCl <sub>2</sub> )		5.4
Electrical Conductivity (1:5 water)	dS/m	0.11
Chloride	mg/kg	<10
Nitrate Nitrogen	mg/kg	29
Ammonium Nitrogen	mg/kg	7
Phosphorus (Colwell)	mg/kg	54
Phosphorus Buffer Index		64
Sulphur (KCl40)	mg/kg	5
Cation Exch. Cap. (CEC)	cmol(+)/kg	6.8
Calcium (Amm-acet.)	cmol(+)/kg	4.7
Magnesium (Amm-acet.)	cmol(+)/kg	1.1
Sodium (Amm-acet.)	cmol(+)/kg	0.12
Potassium (Amm-acet.)	cmol(+)/kg	0.88
Available Potassium	mg/kg	350
Aluminium (KCl)	cmol(+)/kg	<0.1
Aluminium % of Cations	%	<1.0
Calcium % of Cations	%	69.0
Magnesium % of Cations	%	16.0
Sodium % of Cations (ESP)	%	1.80
Potassium % of Cations	%	13.00
Calcium/Magnesium Ratio		4.3



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)







# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018872  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 8,10,12  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018873  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 7,9  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		6.4
pH (1:5 CaCl2)		5.7
Electrical Conductivity (1:5 water)	dS/m	0.08
Chloride	mg/kg	<10
Nitrate Nitrogen	mg/kg	19
Ammonium Nitrogen	mg/kg	3
Phosphorus (Colwell)	mg/kg	49
Phosphorus Buffer Index		68
Sulphur (KCl40)	mg/kg	5
Cation Exch. Cap. (CEC)	cmol(+)/kg	6.5
Calcium (Amm-acet.)	cmol(+)/kg	5.0
Magnesium (Amm-acet.)	cmol(+)/kg	0.9
Sodium (Amm-acet.)	cmol(+)/kg	0.12
Potassium (Amm-acet.)	cmol(+)/kg	0.51
Available Potassium	mg/kg	200
Aluminium (KCl)	cmol(+)/kg	<0.1
Aluminium % of Cations	%	<1.0
Calcium % of Cations	%	77.0
Magnesium % of Cations	%	13.0
Sodium % of Cations (ESP)	%	1.90
Potassium % of Cations	%	7.80
Calcium/Magnesium Ratio		5.9



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018873  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 7,9  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018874  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 3,4,5  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		6.6
pH (1:5 CaCl <sub>2</sub> )		5.9
Electrical Conductivity (1:5 water)	dS/m	0.07
Chloride	mg/kg	<10
Nitrate Nitrogen	mg/kg	11
Ammonium Nitrogen	mg/kg	2
Phosphorus (Colwell)	mg/kg	61
Phosphorus Buffer Index		53
Sulphur (KCl40)	mg/kg	4
Cation Exch. Cap. (CEC)	cmol(+)/kg	4.8
Calcium (Amm-acet.)	cmol(+)/kg	4.1
Magnesium (Amm-acet.)	cmol(+)/kg	0.4
Sodium (Amm-acet.)	cmol(+)/kg	<0.02
Potassium (Amm-acet.)	cmol(+)/kg	0.34
Available Potassium	mg/kg	130
Aluminium (KCl)	cmol(+)/kg	<0.1
Aluminium % of Cations	%	<1.0
Calcium % of Cations	%	85.0
Magnesium % of Cations	%	7.5
Sodium % of Cations (ESP)	%	<1.00
Potassium % of Cations	%	7.00
Calcium/Magnesium Ratio		11.0



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018874  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 3,4,5  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

DM McMahon Pty Ltd  
PO BOX 6118  
  
WAGGA WAGGA  
NSW 2650

**Report Print Date:** 12/04/2019  
**Agent/Dealer:**  
**Advisor/Contact:** D M MCMAHON PTY LTD  
**Phone:** 02 6931 0510  
**Purchase Order No:** WALLA WALLA

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018875  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 1,2,6,11  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

Analyte / Assay	Units	Value
pH (1:5 Water)		5.8
pH (1:5 CaCl <sub>2</sub> )		4.9
Electrical Conductivity (1:5 water)	dS/m	0.06
Chloride	mg/kg	<10
Nitrate Nitrogen	mg/kg	11
Ammonium Nitrogen	mg/kg	2
Phosphorus (Colwell)	mg/kg	21
Phosphorus Buffer Index		63
Sulphur (KCl40)	mg/kg	5
Cation Exch. Cap. (CEC)	cmol(+)/kg	3.9
Calcium (Amm-acet.)	cmol(+)/kg	2.6
Magnesium (Amm-acet.)	cmol(+)/kg	0.7
Sodium (Amm-acet.)	cmol(+)/kg	0.09
Potassium (Amm-acet.)	cmol(+)/kg	0.50
Available Potassium	mg/kg	200
Aluminium (KCl)	cmol(+)/kg	<0.1
Aluminium % of Cations	%	<1.0
Calcium % of Cations	%	66.0
Magnesium % of Cations	%	18.0
Sodium % of Cations (ESP)	%	2.30
Potassium % of Cations	%	13.00
Calcium/Magnesium Ratio		3.6



Analyses conducted by **Nutrient Advantage Laboratory Services**

NATA Accreditation No: 11958

Certificate of Analysis is available upon request.

8 South Road, Werribee VIC 3030

Tel: 1800 803 453

Email: [lab.feedback@incitecpivot.com.au](mailto:lab.feedback@incitecpivot.com.au)





# Nutrient Advantage®

## Nutrient Advantage Advice®

## Nutrient Report

**Grower Name :** D M MCMAHON PTY LTD  
**Sample No:** 022018875  
**Paddock Name:** 5550 WALLA WALLA  
**Sample Name:** SAMPLES 1,2,6,11  
**Sample Depth (cm):** 0 To 10

**Nearest Town:** WAGGA NORTH  
**Test Code:** E11  
**Sample Type:** Soil  
**Sampling Date:** 11/04/2019

The results reported pertain only to the sample submitted.

Analyses performed on soil dried at 40 degrees Celsius and ground to <2mm (excluding moisture assay)

\* One or more components of this test are below their detection limit. The value used is indicative only.

**Disclaimer:** Laboratory analyses and fertiliser recommendations are made in good faith, based on the best technical information available as at the date of this report. Incitec Pivot Limited, its officers, employees, consultants, Agents and Dealers do not accept any liability whatsoever arising from or in connection with the analytical results, interpretations and recommendations provided, and the client takes the analytical results, interpretations and recommendations on these terms. In respect of liability which cannot be excluded by law, Incitec Pivot's liability is restricted to the re-supply of the laboratory analysis or the cost of having the analysis re-supplied.





