33 Table of tables

Table 3-1	SEARs – strategic context and project need
Table 3-2	NSW 2021 goals that are relevant to the New M53-2
Table 4-1	SEARs – project development and alternatives4-1
Table 4-2	Summary assessment of the strategic alternatives against the project objectives . 4-19
Table 4-3	Description of performance ratings used in analysis of tunnel options 4-29
Table 4-4	Summary of analysis of short-listed options against performance criteria 4-30
Table 5-1	SEARs – project description5-1
Table 5-2	Main alignment tunnels lane configuration and widths5-55
Table 5-3	St Peters interchange road bridges5-75
Table 5-4	Euston Road intersection upgrades
Table 5-5	Bedwin Road / Campbell Street / Campbell Road intersection works 5-89
Table 5-6	Bourke Road / Bourke Street intersection works
Table 5-7	Design speeds and posted speed limits 5-111
Table 5-8	Suggested heavy vehicle turning provisions – local road upgrades5-112
Table 5-9	Summary of motorway operations complexes and operational ancillary infrastructure
Table 5-10	Key components of the project's ventilation system5-130
Table 5-11	Indicative summary of the parcels of land that would be permanently acquired by the project
Table 5-12	Urban design criteria and rationale for their use5-155
Table 6-1	SEARs – construction work6-1
Table 6-2	Indicative construction program6-2
Table 6-3	Indicative summary of the parcels of land that would be temporarily or permanently occupied by the project6-3
Table 6-4	Construction compound areas and property acquisition summary 6-4
Table 6-5	Overview of construction works6-13
Table 6-6	Summary of temporary construction compounds
Table 6-7	Indicative program for Kingsgrove North construction compound (C1)6-20
Table 6-8	Indicative program for the Kingsgrove South construction compound (C2) 6-21
Table 6-9	Indicative program for the Commercial Road construction program (C3) 6-22
Table 6-10	Indicative program for the Bexley Road North construction compound (C4) 6-23
Table 6-11	Indicative program for the Bexley Road South construction compound (C5) 6-25
Table 6-12	Indicative program for the Bexley Road East construction compound (C6)6-25
Table 6-13	Indicative program for the Arncliffe construction compound (C7) 6-27
Table 6-14	Indicative program for the Canal Road construction compound (C8) 6-28
Table 6-15	Indicative program for the Campbell Road construction compound (C9) 6-29
Table 6-16	Indicative program for the Landfill Closure construction compound (C10)6-30
Table 6-17	Indicative program for the Burrows Road construction compound (C11)6-30
Table 6-18	Indicative program for the Campbell Road bridge construction compound (C12) 6-31

Table 6-19	Indicative program for the Gardeners Road Bridge construction compound (C13) 6-3	2
Table 6-20	Indicative program for the Sydney Park construction compound (C14) 6-3	3
Table 6-21	Indicative tunnel dimensions6-5	8
Table 6-22	Indicative temporary road closures and diversions during construction6-7	1
Table 6-23	Indicative Construction compound light vehicle parking provisions6-7	5
Table 6-24	Construction compound access and egress points6-7	7
Table 6-25	Peak construction workforce estimates6-7	8
Table 6-26	Construction hours6-7	9
Table 6-27	Construction work hours at construction compounds6-8	1
Table 6-28	Indicative construction plant and equipment6-8	5
Table 6-29	Temporary construction noise attenuation structures6-8	9
Table 6-30	Anticipated spoil generation6-9	0
Table 6-31	Potential spoil management sites6-9	1
Table 6-32	Indicative wastewater volumes at construction compounds6-9	2
Table 6-33	Indicative resource requirements6-9	4
Table 6-34	Construction power supply requirements6-9	4
Table 6-35	Indicative construction water supply6-9	6
Table 7-1	SEARs – Consultation7-	1
Table 7-2	Summary of contacts made during the preparation of the EIS7-	3
Table 7-3	Communication and consultation activities undertaken during the development of t Strategic Environmental Review7-	
Table 7-4	Project milestone announcements and consultation7-	6
Table 7-5	Consultation undertaken with community, interest and bicycle and pedestrian us groups during the preparation of the EIS7-1	
Table 7-6	Consultation activities undertaken during environmental and technical investigations7-1	
Table 7-7	Ongoing communication and consultation activities7-1	3
Table 7-8	Consultation with Members of Parliament7-1	4
Table 7-9	Meetings and briefings with local, State and Commonwealth Government authorities7-1	
Table 7-10	Consultation with utility and service providers during preparation of the EIS7-2	1
Table 7-11	Issues raised by government agencies7-2	3
Table 7-12	Issues raised by local government	9
Table 7-13	Issues raised by the community7-4	4
Table 9-1	Secretary's Environmental Assessment Requirements – traffic and transport9-	1
Table 9-2	Traffic modelling scenarios9-1	0
Table 9-3	Level of service criteria for intersections9-1	7
Table 9-4	Mid-block level of service definitions and criteria – multi-lane roads and freeways 9-1	8
Table 9-5	Comparison of the average weekday travel mode shares of LGAs which are travers by the M5 East Motorway with the Sydney Greater Metropolitan Area9-2	
Table 9-6	Bicycle survey counts within Beverly Grove Park (12 May to 18 May 2014)9-2	6

Table 9-7	Average mid-block counts on the M5 East Motorway9-29
Table 9-8	Travel speed and travel time on the M5 East Motorway between King Georges Road and Foreshore Road (2015)9-33
Table 9-9	M5 East Motorway mid-block traffic and volumes and level of service (2014) 9-33
Table 9-10	Crash rates per 100 MVKT along the M5 East between King Georges Road and General Holmes Drive9-34
Table 9-11	Comparison of mid-block traffic counts on the M5 East Motorway between the existing case (2012) and 2021 and 2031 without the project (do minimum)9-36
Table 9-12	Comparison of average travel times along the M5 East Motorway between King Georges Road and Foreshore Road between the existing (2012) case and 2021 and 2031 under the without project scenario9-37
Table 9-13	Comparison of M5 East Motorway mid-block traffic and volumes and level of service in 2012 (existing case) and without the project ('do minimum' scenario) in 2021 and 20319-38
Table 9-14	Average weekday travel mode share for LGAs around the St Peters interchange and local road upgrades9-40
Table 9-15	Public transport services around St Peters interchange and local road upgrades . 9-41
Table 9-16	Bicycle counts around the St Peters and Mascot area during peak periods (2014)9-42
Table 9-17	Mid-block traffic volumes on local roads around the St Peters interchange 9-45
Table 9-18	Current network performance around the St Peters interchange and local road upgrades (2014)9-46
Table 9-19	Overview of existing (2014) intersection performance around the St Peters interchange and local road upgrades during the AM and PM peak9-46
Table 9-20	Crash statistics around the St Peters interchange and local road upgrades (2009-2013)9-47
Table 9-21	Crash rates per 100 MVKT (2014) on local roads around the St Peters interchange 9-47
Table 9-22	Comparison of average peak travel times along the Princes Highway and the New M5 in 2021 with and without the project and in 2031 without the project and with the Full WestConnex program of works and Southern extension during the AM and PM peak9-48
Table 9-23	Comparison of the road network performance for the existing case (2012) with 2021 and 2031 under the 'without project' scenarios within the area around the St Peters interchange and local road upgrades
Table 9-24	Summary of intersection level of service under existing (2012) traffic conditions and under the 'without project' scenario in 2021 and 20319-51
Table 9-25	Construction compound access points and traffic volumes around the western surface works9-54
Table 9-26	Construction compound access requirements from local roads around the western surface works, Kingsgrove Road surface works and Bexley Road surface works . 9-55
Table 9-27	Mid-block traffic and volumes and level of service (2016) with construction and without construction around the western surface works, Kingsgrove Road surface works and Bexley Road surface works9-66
Table 9-28	Intersection performance (2016) with construction and without construction (including spoil disposal) around the western surface works, Kingsgrove Road surface works and Bexley Road surface works9-69
Table 9-29	Construction traffic routes, access points and volumes around the Arncliffe surface works9-79

Mid-block traffic and volumes and level of service (2016) with construction and without construction around the Arncliffe surface works
Intersection performance (2016) with construction and without construction (including spoil disposal) around the Arncliffe surface works9-86
Construction traffic routes, access points and volumes around the St Peters interchange and local road upgrades
Local road access requirements around the St Peters interchange and local road upgrades9-100
Mid-block traffic and volumes and level of service (2016) with construction and without construction around the St Peters interchange and local road upgrades9-101
Intersection performance (2016) with construction and without construction (including spoil disposal) around the St Peters interchange and local road upgrades 9-103
Road and lane closures around the St Peters interchange and local road upgrades 9-105
Indicative temporary impacts to parking during construction around St Peters interchange and the local road upgrades
Summary of heavy vehicle movements at construction compounds for the project9-113
Potential spoil management sites9-114
Timing of projects that form part of the WestConnex program of works 9-121
Comparison of average travel times and speeds along the M5 East Motorway between the existing (2012) case, and 2021 and 2031 under the 'without project' and 'with project' scenarios
Comparison of average travel times and speeds along the New M5 in 2021 and 2031 (Kingsgrove to St Peters)
Mid-block traffic volumes and level of service along the M5 East Motorway in 2021 with the project and 2031 with the full WestConnex program of works
Mid-block traffic volumes and level of service for the New M5 in 2021 and 2031 9-128
Mid-block traffic volumes and level of service for the New M5 in 2031 with the full WestConnex program of works and the future Southern extension
Forecast crash statistics along the M5 East Motorway corridor
Two-way comparison of screenlines in 2021 and 2031 with and without the project and with the full WestConnex program of works in 2031
Comparison of average peak travel times along the Princes Highway and the New M5 in 2021 with and without the project and in 2031 without the project and with the Full WestConnex program of works and Southern extension during the AM and PM peak
Comparison of the road network performance for the in 2021 with and without the project and 2031 without the project and with the full WestConnex program of works and the future Southern extension on local roads around the St Peters interchange 9-136
Intersection performance on local roads around the St Peters interchange in 2021 with the project and in 2031 with the full WestConnex program of works and the future Southern extension9-139
Changes to mid-block traffic flows on traffic routes adjacent to the traffic and transport study area near the St Peters interchange and local road upgrades in 2021 with the project and in 2031 with the full WestConnex program of works and the future Southern extension
Indicative permanent changes to car parking around the local road upgrades 9-143

Table 9-53	Changes to bus travel times in 2021 with the project	9-145
Table 9-54	Comparison of forecast crash statistics with and without the project in 2021 an	
Table 9-55	Environmental management measures – traffic and transport	9-148
Table 10-1	SEARs – air quality	10-1
Table 10-2	Advisory reporting standards for PM _{2.5} in AAQ NEPM	10-4
Table 10-3	Impact assessment criteria for 'criteria pollutants' in NSW Approved Method 2005b)	
Table 10-4	Investigation levels for air toxics in accordance with the Air Toxics NEPM	10-6
Table 10-5	Impact assessment criteria for air toxics	10-7
Table 10-6	In-tunnel operational criteria for CO and NO ₂	10-7
Table 10-7	In-tunnel operational criteria for visibility	10-8
Table 10-8	Expected traffic scenarios for the operational assessment	10-10
Table 10-9	Concentration limits for ventilation outlets	10-11
Table 10-10	Assessment criteria for particulate matter (DEC, 2005b)	10-14
Table 10-11	EPA criteria for dust fallout (insoluble solids)	10-14
Table 10-12	Odour performance criteria for the assessment of odour	10-15
Table 10-13	Point source specific odour emission rate	10-21
Table 10-14	Expected traffic scenarios for the in-tunnel air quality assessment	10-21
Table 10-15	Full list of community receivers	10-30
Table 10-16	Summary of RWR receiver types	10-31
Table 10-17	Climate averages for Sydney Olympic Park	10-42
Table 10-18	Climate averages for Canterbury Racecourse	10-42
Table 10-19	Air quality monitoring stations	10-62
Table 10-20	Maximum in-tunnel concentrations for all scenarios	10-73
Table 10-21	Total emissions in the WestConnex GRAL domain	10-73
Table 10-22	Changes in total emissions in the WestConnex model domain	10-74
Table 10-23	Ventilation outlet locations and heights	10-75
Table 10-24	Results of regulatory worst case assessment (RWR receivers)	10-81
Table 10-25	M5 East ventilation outlet location and height	10-81
Table 10-26	Emission rates: existing M5 East outlet	10-81
Table 10-27	Contribution of project ventilation outlets to annual mean NO_{χ} concentration	10-101
Table 10-28	Contribution of project ventilation outlets to annual mean PM ₁₀ concentration 2 km grid around outlet	
Table 10-29	Contribution of project ventilation outlets to maximum 24-hour PM ₁₀ concentra	
Table 10-30	Contribution of project ventilation outlets to annual mean PM _{2.5} concentration.	10-173
Table 10-31	Comparison of changes in odorous pollutant concentrations with criteria in Methods (RWR receivers)	
Table 10-32	Environmental management measures – air quality	10-189
Table 11-1	SEARs – human health	11-1

Table 11-2	Community receivers included in health risk assessment
Table 11-3	Assessment of acute exposures to VOCs - maximum impacts in community associated with project
Table 11-4	Assessment of chronic exposures to VOCs and PAHs – maximum impacts in community associated with project
Table 11-5	Assessment of incremental lifetime carcinogenic risk – maximum impacts in community associated with project
Table 11-6	Review of potential acute and chronic health impacts – carbon monoxide 11-15
Table 11-7	Review of potential acute health impacts – NO ₂ 11-16
Table 11-8	Review of potential chronic health impacts – NO ₂
Table 11-9	Adopted exposure-responses relationships for assessment of changes in nitrogen dioxide concentrations
Table 11-10	Maximum calculated risks associated with short-term exposure to changes in NO_2 concentrations with operation of the project
Table 11-11	Ambient air quality goals for particulates
Table 11-12	Calculated individual risk associated with changes in PM _{2.5} and PM ₁₀ concentrations – cumulative scenario in 203111-21
Table 11-13	Calculated individual risk associated with changes in PM2.5 concentrations – cumulative scenario in 2031 for elevated receivers
Table 11-14	Maximum calculated risks associated with short-term exposure changes in NO_2 concentrations: regulatory worst case
Table 11-15	Maximum calculated risks associated with short-term exposure changes in $PM_{2.5}$ concentrations: regulatory worst case
Table 11-16	In-tunnel average limits along length of tunnel
Table 11-17	Environmental management measures – human health
Table 12-1	SEARs – Noise and vibration
Table 12-2	Background noise monitoring results
Table 12-3	Calculating construction noise management levels for residential receivers 12-30
Table 12-4	Construction noise management levels for residential receivers in each NCA 12-31
Table 12-5	Construction noise management levels – other sensitive receivers 12-33
Table 12-6	Construction noise sleep disturbance criteria
Table 12-7	Recommended structural damage vibration limits
Table 12-8	Preferred and maximum vibration dose values for intermittent vibration during construction activities
Table 12-9	Preferred and maximum values for continuous and impulsive vibration (1-80 Hz)12-37
Table 12-10	Criteria for exposure to continuous and impulsive vibration (peak velocity) 12-38
Table 12-11	Safe working distances for common construction equipment
Table 12-12	Amenity criteria for different receiver types
Table 12-13	Project specific noise criteria for operational fixed facilities
Table 12-14	Operational noise sleep disturbance criteria
Table 12-15	Road traffic noise assessment criteria for residential land use
Table 12-16	Road traffic noise assessment criteria for non-residential land use
Table 12-17	Construction noise (standard construction hours) – Surface works (earthworks). 12-50

Table 12-18	Construction noise (standard construction hours) – Surface works (construction of portals (cut and cover tunnel)
Table 12-19	Construction noise (standard construction hours) – Surface works (M5 East Motorway road widening and realignment)12-52
Table 12-20	Construction noise (standard construction hours) – Surface works (construction of St Peters Interchange)
Table 12-21	Construction noise (standard construction hours) – Surface works (Construction of toll infrastructure)
Table 12-22	Construction noise (standard construction hours) – Surface works (Local road works including construction of the Alexandra Canal Bridge and Camdenville Park basin)
Table 12-23	Construction noise (standard construction hours) – Surface works (General utility installation and relocation)
Table 12-24	Construction noise (standard construction hours) – Surface works (construction compound and car park generation operations (C1-C11))
Table 12-25	Construction noise (standard construction hours) – Surface works (construction of motorway operations complexes)
Table 12-26	Construction noise (standard construction hours) – Surface works (Tunnelling works – Site establishment)
Table 12-27	Construction noise (standard construction hours) – Tunnelling support establishment
Table 12-28	Construction noise (standard construction hours) – Tunnelling works (Construction compound and car park general operations)
Table 12-29	Construction noise (standard construction hours) – Tunnelling works - Tunnelling support site
Table 12-30	Construction noise (out of hours works) – Site establishment
Table 12-31	Construction noise (out of hours works) – Construction of portals (cut and cover tunnel)
Table 12-32	Construction noise (out of hours works) – M5 East Motorway road widening and realignment
Table 12-33	Construction noise (out of hours works) – Construction of St Peters Interchange 12-68
Table 12-34	Construction noise (out of hours works) – Local road works including construction of the Alexandra Canal Bridge12-69
Table 12-35	Construction noise (out of hours works) – General utility installation and relocation 12-70
Table 12-36	Construction noise (out of hours works) – Construction of tolling infrastructure 12-71
Table 12-37	Construction noise (out of hours works) – Construction compound and car park generation operations (C1-C11)
Table 12-38	Construction noise (out of hours works) – Construction of motorway operations complexes
Table 12-39	Construction noise (out of hours works) – Tunnelling site establishment 12-73
Table 12-40	Construction noise (out of hours works) – Tunnelling support site
Table 12-41	Ground-borne noise assessment outcomes
Table 12-42	Construction road traffic noise increases during the AM peak period12-79
Table 12-43	Construction road traffic noise increases during the PM peak period12-81
Table 12-44	Construction road traffic noise increases during the AM off-peak period 12-83

Table 12-45	Construction road traffic noise increases during the PM off-peak period 12-85
Table 12-46	Construction vibration – tunnelling activities
Table 12-47	Indicative timing of projects that form part of the WestConnex program of works 12-90
Table 12-48	Analysis of current maximum noise events
Table 12-49	Indicative construction noise management measures
Table 12-50	Environmental management measures – noise and vibration
Table 13-1	SEARs – land use and property
Table 13-2	Western surface works land use zonings and development
Table 13-3	Kingsgrove Road surface works land use zonings and development
Table 13-4	Bexley Road surface works land use zonings and development
Table 13-5	Arncliffe surface works land use zonings and development
Table 13-6	St Peters interchange and local road upgrade surface works land use zonings and development
Table 13-7	Potential temporary impacts on land use and development potential13-49
Table 13-8	Changes to access for the local road upgrades
Table 13-9	Changes to access for the local road upgrades
Table 13-10	Relevant minimum lot sizes
Table 13-11	Residual lots
Table 13-12	Environmental management measures – land use and property
Table 14-1	SEARs – urban design, landscape character and visual amenity
Table 14-2	Land use zonings within areas of the project
Table 14-3	Specific urban design objectives and their application to the project 14-6
Table 14-4	Description of landscape character zones – Western surface works 14-14
Table 14-5	Description of landscape character zones – Bexley Road surface works area 14-18
Table 14-6	Description of landscape character zones – Arncliffe surface works area 14-22
Table 14-7	Description of landscape character zones – St Peters surface works area 14-27
Table 14-8	Western surface works – construction activity within the motorway 14-32
Table 14-9	Proposed landscape character changes to and visual implications of pedestrian and cyclist routes
Table 14-10	Pedestrian and cyclist routes – Beverly Hills, Kingsgrove, Bexley construction visual impact assessment
Table 14-11	Construction visual impacts summary
Table 14-12	Construction night lighting impacts assessment summary14-42
Table 14-13	Assessment against WestConnex urban design framework
Table 14-14	Landscape character impact assessment summary14-65
Table 14-15	Operational visual impact assessment summary14-76
Table 14-16	Operational night lighting impacts summary
Table 14-17	Environmental management measures – urban design, landscape character and visual amenity
Table 15-1	SEARs – social and economic
Table 15-2	Educational facilities within the immediate vicinity of the project

Table 15-3	Community identity, values and aspirations (sourced from respective community strategic planning documents for each LGA)
Table 15-4	Feedback provided by stakeholders
Table 15-5	Businesses within the immediate vicinity of the project
Table 15-6	Potential impacts on amenity and health during construction
Table 15-7	Potential impacts of business acquisition
Table 15-8	Environmental management measures – social and economic
Table 16-1	SEARs – soil, water and hydrology16-1
Table 16-2	Soil landscapes
Table 16-3	Land use within the Cooks River catchment and sub-catchments within the surface water study area
Table 16-4	Surface water study area - Riverstyles categorisation
Table 16-5	Water quality in Rockdale LGA - City of Rockdale Water Quality Monitoring Study16-28
Table 16-6	Water quality in the Cooks River
Table 16-7	Water quality in the Cooks River
Table 16-8	Water sampling results in upper Alexandra Canal
Table 16-9	Water quality in Alexandra Canal
Table 16-10	Water quality in the Eastern Channel
Table 16-11	Expected water treatment plant rates of discharge
Table 16-12	Potential construction impacts on geomorphology
Table 16-13	Increases in imperviousness and resultant pollutant loads in surface water runoff, and required pollutant load reduction targets*
Table 16-14	Environmental management measures – Soils, surface water and flooding 16-55
Table 17-1	SEARs – contamination
Table 17-2	Western surface works: identified potential areas of contamination concern 17-8
Table 17-3	Bexley surface works: identified potential areas of contamination concern 17-11
Table 17-4	Arncliffe surface works: identified potential areas of contamination concern 17-12
Table 17-5	St Peters interchange and local roads upgrades: identified potential areas contamination concern
Table 17-6	Preliminary risk evaluation without the implementation of appropriate controls or remediation
Table 17-7	Environmental management measures - contamination
Table 18-1	SEARS – flooding and drainage
Table 18-2	Existing drainage systems
Table 18-3	Potential construction flooding impacts
Table 18-4	Project drainage systems
Table 18-5	Environmental management measures – flooding and drainage
Table 19-1	SEARs – groundwater19-1
Table 19-2	Relevant groundwater assessment guidelines
Table 19-3	Ground loss settlement parameters
Table 19-4	Acceptance criteria by structure type

Table 19-5	Damage category strain limits	19-11
Table 19-6	Monitored hydraulic conductivity for each hydrogeological unit (metres per day	y) 19-17
Table 19-7	Measured inflow rates from other drained Sydney Tunnels	19-19
Table 19-8	Summary of average major hydrogeochemical parameters	19-20
Table 19-9	Summary of registered bores within one kilometre of the project corridor	19-20
Table 19-10	Summary of impacts to GDEs from groundwater drawdown	19-46
Table 19-11	Select reference buildings and predicted settlement	19-48
Table 19-12	Maximum vertical settlement at key locations	19-49
Table 19-13	Utilities and predicted settlement	19-61
Table 19-14	Minimal Impact Considerations for a 'less productive fractured rock aquifer'	19-64
Table 19-15	Minimal impact considerations for a 'highly productive coastal aquifer'	19-65
Table 19-16	Environmental mitigation and management measures – groundwater	19-67
Table 20-1	SEARs – non-Aboriginal heritage	20-1
Table 20-2	Types of impacts to non-Aboriginal heritage items	20-5
Table 20-3	Non-Aboriginal heritage impact criteria	20-6
Table 20-4	Historic heritage items identified on heritage registers	20-7
Table 20-5	Significance listing and reasons for heritage significance	20-26
Table 20-6	Summary of impact assessment	20-32
Table 20-7	Environmental management measures – non-Aboriginal heritage	20-51
Table 21-1	SEARs – biodiversity	21-2
Table 21-2	Biodiversity landscape features within the biodiversity study area	21-15
Table 21-3	Native vegetation communities within the biodiversity study area	21-20
Table 21-4	Threatened flora species and populations with the potential to occur v biodiversity study area	
Table 21-5	Noxious and environmental weeds identified during field surveys	21-30
Table 21-6	Threatened fauna species and populations with the potential to occur v biodiversity study area	
Table 21-7	Hollow bearing tree survey results	21-34
Table 21-8	Green and Golden Bell Frog habitat types within Kogarah Golf Course	21-35
Table 21-9	Directly impacted vegetation within the biodiversity study area	21-46
Table 21-10	Summary of impacts to GDEs from groundwater drawdown	21-53
Table 21-11	Key threatening processes and potential impacts on biodiversity	21-55
Table 21-12	Environmental management measures – biodiversity	21-59
Table 21-13	Summary of biodiversity offset credits	21-62
Table 21-14	Process to identify biodiversity credits for the project	21-63
Table 21-15	Steps undertaken to identify and secure offsets for the project	21-64
Table 22-1	Emission sources and activities included in the assessment	22-2
Table 22-2	Construction greenhouse gas emission results	22-5
Table 22-3	Road infrastructure operation and maintenance greenhouse gas emissions re	
Table 22-4	Scope 3 operational road use greenhouse gas emissions results	22-11

Table 22-5	Greenhouse gas emission sources and activities associated with Alexandria landfill	
Table 22-6	Environmental management measures22-	
Table 23-1	SEARs – Aboriginal heritage23	-1
Table 23-2	Legislation relevant to the project – Aboriginal heritage	-3
Table 23-3	AHIMS sites identified within the Aboriginal heritage study area23-	10
Table 23-4	Criteria for assessing settlement damage	13
Table 23-5	Criteria for assessing vibration: DIN 4150: Structural damage safe limits for build vibration	
Table 23-6	Environmental management measures – Aboriginal heritage	14
Table 24-1	SEARs – resource and waste	1
Table 24-2	Materials required for construction	-2
Table 24-3	Water requirements (total construction period)24	-3
Table 24-4	Construction power supply for major construction compounds	-4
Table 24-5	Anticipated spoil generation24-7	11
Table 24-6	Spoil Management Strategy broad parameters	14
Table 24-7	Indicative wastewater volumes	16
Table 24-8	Environmental management measures – resource and waste24-	19
Table 25-1	SEARs – climate change risk and adaptation	-1
Table 25-2	Risk level matrix	-3
Table 25-3	Projections for the East Coast Cluster for 209025	-5
Table 25-4	Climate change risks ranked medium25	-7
Table 25-5	Environmental management measures – climate change risk and adaptation 25	-8
Table 25-6	Adaptation options for consideration during detailed design	-9
Table 26-1	Indicative dangerous goods and hazardous substances used onsite during construction period (quantities are indicative only)	
Table 26-2	Dangerous goods and hazardous substances that are expected to be transported construction compounds	
Table 26-3	Indicative dangerous goods and hazardous substances stored onsite during operated	
Table 26-4	Dangerous good and hazardous substances transported during operation 26-2	20
Table 26-5	Tunnel fire frequency based on available data for Australian tunnels (up to 2014)26-2	
Table 26-6	Environment management measures – hazards and risk	29
Table 27-1	SEARS – cumulative impacts	´-1
Table 27-2	Timing of WestConnex components and Identified environmental impacts27	-4
Table 27-3	Other nearby developments	'-6
Table 27.4	Environmental management measures – cumulative27-	15
Table 28-1	Secretary's environmental assessment requirements – Sustainability	-1
Table 28-2	Project consistency with key result areas of the NSW Waste Avoidance and Resou Recovery Strategy 2014-21	

Table 28-3	Project consistency with the WestConnex Sustainability Strategy Front objectives and targets	
Table 29-1	SEARs – environmental risk analysis	29-1
Table 29-2	Environmental risk categories	29-1
Table 29-3	Environmental risk analysis	29-4
Table 30-1	Summary of environmental management measures	30-1

34 List of figures

Figure 1-1	Regional context and the WestConnex program of works1-5
Figure 1-2	Key features of the project1-7
Figure 2-1	Assessment and approvals process2-3
Figure 3-1	Potential connections to address gaps in the Sydney motorway network by 2031 (Transport for NSW, 2012a)
Figure 3-2	Major freight activity precincts in the NSW Freights and Ports Strategy (adapted from Transport for NSW, 2013e)3-17
Figure 4-1	WestConnex project development process4-3
Figure 4-2	Comparison of truck and light commercial activity in NSW with trips on an average weekday (Transport for NSW, 2013e)4-15
Figure 4-3	Project motorway options4-21
Figure 4-4	Options considered for the location of the St Peters interchange
Figure 4-5	Ventilation system design options
Figure 5-1	Overview of the project5-7
Figure 5-2	Project operational footprint – Map 15-9
Figure 5-3	Project operational footprint – Map 25-11
Figure 5-4	Project operational footprint – Map 35-13
Figure 5-5	Project operational footprint – Map 45-15
Figure 5-6	Project operational footprint – Map 55-17
Figure 5-7	Project operational footprint – Map 65-19
Figure 5-8	Project operational footprint – Map 75-21
Figure 5-9	Overview of the western surface works
Figure 5-10	Western surface works – Map 15-27
Figure 5-11	Western surface works – Map 25-29
Figure 5-12	Western surface works – Map 35-31
Figure 5-13	Indicative elevation and cross section – Kindilan underpass5-35
Figure 5-14	Indicative cross section - western surface works - near Kindilan underpass 5-39
Figure 5-15	Indicative cross section - western surface works – west of eastbound portal 5-41
Figure 5-16	Indicative cross section - western surface works - east of eastbound portal 5-43
Figure 5-17	Indicative cross passage layout between Kingsgrove and Arncliffe5-47
Figure 5-18	Indicative cross section – western tunnel portals (eastbound entry) 5-49
Figure 5-19	Indicative cross section – western tunnel portals (westbound exit) 5-51
Figure 5-20	Indicative cross section – eastern tunnel portals at St Peters interchange 5-53
Figure 5-21	Indicative cross section – main alignment tunnels between the western portals and Southern extension caverns
Figure 5-22	Indicative cross section – main alignment tunnels between the Southern extension caverns and the St Peters caverns
Figure 5-23	Indicative cross section – main alignment tunnels between the St Peters caverns and the M4-M5 Link stub tunnels

Figure 5-24	Indicative cross section – New M5 ramps at the St Peters interchange (westbound) 5-63
Figure 5-25	St Peters interchange – New M5 operational layout 5-67
Figure 5-26	St Peters interchange – ultimate configuration
Figure 5-27	Indicative St Peters interchange bridges plan and section5-77
Figure 5-28	Indicative cross section – St Peters interchange
Figure 5-29	Euston Road widening and upgrades – map 1 5-83
Figure 5-30	Euston Road widening and upgrades – map 2 5-85
Figure 5-31	Bedwin Road, Campbell Street and Campbell Road realignment, widening and extension works – map 15-91
Figure 5-32	Bedwin Road, Campbell Street and Campbell Road, realignment, widening and extension works – Map 2
Figure 5-33	Bedwin Road, Campbell Street and Campbell Road realignment, widening an d extension works – Map 3
Figure 5-34	Bedwin road, Campbell Street and Campbell Road realignment, widening and extension works – Map 4 5-97
Figure 5-35	Bourke Road / Bourke Street widening and upgrade works 5-101
Figure 5-36	Gardeners Road upgrades widening and upgrade works 5-103
Figure 5-37	Indicative cross section – Campbell Road bridge 5-109
Figure 5-38	Kingsgrove motorway operations complex (MOC1) indicative layout 5-115
Figure 5-39	Bexley Road South motorway operations complex (MOC2) 5-117
Figure 5-40	Arncliffe motorway operations complex (MOC3)5-119
Figure 5-41	St Peters motorway operations complex (MOC4)5-121
Figure 5-42	Burrows Road motorway operations complex (MOC5) layout 5-123
Figure 5-43	Indicative ventilation system operational modes
Figure 5-44	Tunnel water management and treatment5-139
Figure 5-45	Indicative Alexandra Landfill closure plan
Figure 5-46	Indicative Alexandria Landfill monitoring locations
Figure 6-1	Project construction footprint – Map 1
Figure 6-2	Project construction footprint – Map 2
Figure 6-3	Project construction footprint – Map 36-9
Figure 6-4	Project construction footprint – Map 46-11
Figure 6-5	Overview of construction compounds6-17
Figure 6-6	Kingsgrove North (C1) and Kingsgrove South (C2) construction compound layouts6-35
Figure 6-7	Kingsgrove North (C1) construction compound – tunnelling support 6-37
Figure 6-8	Commercial Road construction compound (C3) layout
Figure 6-9	Bexley Road North construction compound (C4) layout 6-41
Figure 6-10	Bexley Road South construction (C5) compound layout 6-43
Figure 6-11	Bexley Road East construction compound (C6) layout 6-45
Figure 6-12	Arncliffe construction compound (C7) layout 6-47
Figure 6-13	Canal Road construction compound (C8) layout

Figure 6-14	Campbell Road (C9) and Landfill Closure (C10) construction compound layout 6-	-51
Figure 6-15	Burrows Road (C11), Campbell Road bridge (C12) and Gardeners Road bridge (Construction compound layouts6	
Figure 6-16	Sydney Park construction compound layout (C14)6	-55
Figure 6-17	Conceptual road header excavation method6	-59
Figure 7-1	Overview of historical consultation for the New M5	7-3
Figure 9-1	Traffic and Transport study area	9-5
Figure 9-2	Overview of traffic modelling approach	9-8
Figure 9-3	Traffic network modelling extents9-	-13
Figure 9-4	Traffic network performance modelling extent for local roads around the St Peinterchange9	
Figure 9-5	The National Road Network in NSW9	-21
Figure 9-6	Sydney orbital network9	-23
Figure 9-7	The existing cycle network along the M5 corridor between King Georges Road Bexley Road9	
Figure 9-8	Average weekday traffic profiles along the M5 East Motorway (26/11/201 11/02/2015)9	
Figure 9-9	The existing cycle network around the St Peters interchange and local road upgrad	
Figure 9-10	Kingsgrove North (C1), Kingsgrove South (C2) and Commercial Road construction compound vehicle routes9	(C3) -57
Figure 9-11	Bexley Road North construction compound (C4) vehicle routes9	-59
Figure 9-12	Bexley Road South construction compound (C5) vehicle routes9	-61
Figure 9-13	Bexley Road East construction compound (C6) vehicle routes9	-63
Figure 9-14	Bus services along construction compound vehicle routes around the West Kingsgrove Road and Bexley Road surface works areas	
Figure 9-15	Modifications to pedestrian and cyclist infrastructure around the Western surface w during construction9	
Figure 9-16	Arncliffe construction compound (C7) vehicle routes9	-81
Figure 9-17	Bus services along construction compound routes around the Arncliffe surface wor	
Figure 9-18	Canal Road construction compound (C8) vehicle routes9	-93
Figure 9-19	Campbell Road (C9) and Landfill Closure (C10) construction compound vehicle ro	
Figure 9-20	Burrows Road (C11), Campbell Road bridge (C12), Gardeners Road (C13) Sydney Park (C14) construction compound vehicle routes	
Figure 9-21	Bus services along construction compound routes around the St Peters intercha and local road upgrades9-1	_
Figure 9-22	Bus stops requiring closure or relocation during construction 9-1	111
Figure 9-23	Restricted access vehicle routes approved for B double use around the project. 9-1	117
Figure 9-24	Higher mass limit vehicle routes around the project9-1	119
Figure 10-1	Steps in an assessment of construction dust (IAQM, 2014)	-17
Figure 10-2	Overview of the GRAMM/GRAL modelling system10-	-23
Figure 10-3	Modelling domains for GRAMM and GRAL10-	-27

Figure 10-4	Modelled discrete receiver locations	10-33
Figure 10-5	Building heights at RWR receiver locations	10-37
Figure 10-6	Frequency distribution of building heights at RWR receiver locations	10-39
Figure 10-7	Meteorological stations in the GRAMM model domain	10-45
Figure 10-8	Hourly average wind speeds at Canterbury Racecourse - 2014	10-47
Figure 10-9	Hourly average temperatures at Canterbury Racecourse - 2014	10-47
Figure 10-10	Average wind speeds by hour of day at Canterbury Racecourse - 2014	10-49
Figure 10-11	Average temperatures by hour of day at Canterbury Racecourse - 2014	10-49
Figure 10-12	Sectoral emissions in Sydney, 2011 (values in tonnes per year and percentage	
Figure 10-13	Breakdown of road transport emissions - Sydney, 2011 (values in tonnes per percentage of total)	
Figure 10-14	Future projections of sectoral emissions - Sydney, 2011 - 2036	10-57
Figure 10-15	Future projections of road transport emissions - Sydney, 2011 - 2036	10-59
Figure 10-16	Predicted 99 th percentile odour concentration due to landfill closure works excavation and leachate management	
Figure 10-17	Peak in-tunnel NO ₂ , CO and extinction coefficient	10-71
Figure 10-18	Emission rates for project ventilation outlets (CO, NO_x and PM_{10})	10-77
Figure 10-19	Emission rates for project ventilation outlets (PM _{2.5} and THC)	10-79
Figure 10-20	Maximum rolling 8-hour mean CO at community receivers (2021-DS and 203	
Figure 10-21 (2021-DS)	Source contributions to maximum rolling 8-hour mean CO at community	
Figure 10-22 2031-DS)	Change in maximum rolling 8-hour mean CO at community receivers (202	
Figure 10-23	Annual mean NO ₂ at community receivers (2021-DS and 2031-DS)	10-86
Figure 10-24	Source contributions to annual mean NO ₂ at community receivers (2021-DS).	10-87
Figure 10-25	Change in annual mean NO ₂ at community receivers (2021-DS and 2031-DS)) 10-87
Figure 10-26	Source contributions to annual mean NO ₂ at RWR receivers (2021-DS)	10-91
Figure 10-27	Changes in annual mean NO ₂ at RWR receivers (2021-DS)	10-91
Figure 10-28	Contour plot showing annual mean NO ₂ without the project (2021-DM)	10-95
Figure 10-29	Contour plot showing annual mean NO ₂ with the project (2021-DS)	10-97
Figure 10-30	Contour plot showing change in annual mean NO ₂ with the project (2021-DS)	10-99
Figure 10-31 2021-DS)	Contour plot showing annual mean NO _X for ventilation outlets only (Kingsgro	
Figure 10-32 2021-DS)	Contour plot showing annual mean NO _X for ventilation outlets only (Arncli	
Figure 10-33 DS)	Contour plot showing annual mean NO _X for ventilation outlets only (SPI out	
Figure 10-34	Annual mean PM ₁₀ at community receivers (2021-DS and 2031-DS)	10-111
Figure 10-35	Source contributions to annual mean PM ₁₀ at community receivers (2021-DS)	. 10-111
Figure 10-36	Change in annual mean PM ₁₀ at community receivers (2021-DS and 2031-DS	S)10-113
Figure 10-37	Source contributions to annual mean PM ₁₀ at RWR receivers (2021-DS)	10-113

Figure 10-38	Changes in annual mean PM ₁₀ at RWR receivers (2021-DS)	. 10-115
Figure 10-39	Contour plot showing annual mean PM ₁₀ without the project (2021-DM)	10-117
Figure 10-40	Contour plot showing annual mean PM ₁₀ with the project (2021-DS)	. 10-119
Figure 10-41	Contour plot showing change in annual mean PM ₁₀ with the project (2021-DS)	10-121
Figure 10-42 2021-DS)	Contour plot showing annual mean PM ₁₀ for ventilation outlets only (Kingsgro	
Figure 10-43 2021-DS)	Contour plot showing annual mean PM ₁₀ for ventilation outlets only (Arnclif	
Figure 10-44 DS)	Contour plot showing annual mean PM ₁₀ for ventilation outlets only (SPI outl	
Figure 10-45	Maximum 24-hour PM ₁₀ at community receivers (2021-DS and 2031-DS)	10-133
Figure 10-46	Source contributions to maximum 24-hour PM ₁₀ at community receivers (2021	
Figure 10-47	Change in maximum 24-hour PM ₁₀ at community receivers (2021-DS and 203	
Figure 10-48	Source contributions to maximum 24-hour PM ₁₀ at RWR receivers (2021-DS)	. 10-135
Figure 10-49	Changes in maximum 24-hour PM ₁₀ at RWR receivers (2021-DS)	. 10-137
Figure 10-50	Contour plot showing maximum 24-hour average PM ₁₀ without the project (202	
Figure 10-51	Contour plot showing maximum 24-hour average PM ₁₀ with the project (2021-	DS) .10-141
Figure 10-52	Contour plot showing change in maximum 24-hour PM ₁₀ with the project (2021	
Figure 10-53	Contour plot showing maximum 24-hour PM ₁₀ for ventilation outlets only (Ki outlet, 2021-DS)	ngsgrove . 10-147
Figure 10-54	Contour plot showing maximum 24-hour PM ₁₀ for ventilation outlets only outlet, 2021-DS)	
Figure 10-55	Contour plot showing maximum 24-hour PM ₁₀ for ventilation outlets only (S 2021-DS)	
Figure 10-56	Annual mean PM _{2.5} at community receivers (2021-DS and 2031-DS)	10-155
Figure 10-57	Source contributions to annual mean PM _{2.5} at community receivers (2021-DS)	10-155
Figure 10-58	Change in annual mean PM _{2.5} at community receivers (2021-DS and 2031-DS	3)10-157
Figure 10-59	Source contributions to annual mean PM _{2.5} at RWR receivers (2021-DS)	10-157
Figure 10-60	Changes in annual mean PM _{2.5} at RWR receivers (2021-DS)	10-159
Figure 10-61	Contour plot showing annual mean PM _{2.5} without the project (2021-DM)	10-161
Figure 10-62	Contour plot showing annual mean PM _{2.5} with the project (2021-DS)	10-163
Figure 10-63	Contour plot showing change in annual mean PM _{2.5} with the project (2021-DS)	10-165
Figure 10-64	Contour plot showing annual mean PM _{2.5} for ventilation outlets only (Kingsgro 2021-DS)	
Figure 10-65	Contour plot showing annual mean PM _{2.5} for ventilation outlets only (Arnclif 2021-DS)	
Figure 10-66	Contour plot showing annual mean PM _{2.5} for ventilation outlets only (SPI outl DS)	et, 2021-
Figure 10-67	Change in maximum 1-hour mean benzene at community receivers (2021 2031-DS)	-DS and

Figure 10-68	Change in maximum 1-hour mean b(a)p at community receivers (2021-DS and 2031-DS)
Figure 10-69	Change in maximum 1-hour mean formaldehyde at community receivers (2021-DS and 2031-DS)
Figure 10-70	Change in maximum 1-hour mean 1,3-butadiene at community receivers (2021-DS and 2031-DS)
Figure 10-71	Maximum rolling 8-hour mean CO at community receivers (2031-DS and 2031-DSC).
Figure 10-72	Annual mean NO ₂ at community receivers (2031-DS and 2031-DSC) 10-181
Figure 10-73	Annual mean PM ₁₀ at community receivers (2031-DS and 2031-DSC) 10-183
Figure 10-74	Changes in annual mean PM _{2.5} at RWR receivers (2031-DSC)10-183
Figure 10-75	Maximum 24-hour mean PM _{2.5} at community receivers (2031-DS and 2031-DSC) 10-185
Figure 10-76	Change in maximum one-hour mean benzene at community receivers (2031-DS and 2031-DSC)
Figure 10-77	Change in maximum one-hour mean b(a)p at community receivers (2031-DS and 2031-DSC)
Figure 10-78	Change in max. one-hour formaldehyde at community receivers (2031-DS and 2031-DSC)
Figure 10-79	Change in max. one-hour 1,3-butadiene at community receivers (2031-DS and 2031-DSC)
Figure 11-1	Community receivers evaluated in human health risk assessment 11-7
Figure 12-1	Noise and vibration study area relevant to construction and operational sites 12-5
Figure 12-2	Noise monitoring locations - map 1
Figure 12-3	Noise monitoring locations - map 2
Figure 12-4	Noise monitoring locations - map 3
Figure 12-5	Noise monitoring locations - map 4
Figure 12-6	Noise monitoring locations - map 5
Figure 12-7	Noise monitoring locations - map 6
Figure 12-8	Noise monitoring locations - map 7
Figure 12-9	Noise monitoring locations - map 8
Figure 12-10	Noise monitoring locations - map 9
Figure 13-1	Regional zoning context of the project
Figure 13-2	Western surface works land use zonings
Figure 13-3	Bexley Road surface works land use zonings
Figure 13-4	Arncliffe surface works land use zonings
Figure 13-5	St Peters interchange and local road upgrade surface works land use zonings 13-35
Figure 13-6	Western surface works – land parcels to be temporarily occupied for construction 13-41
Figure 13-7	Bexley surface works – land parcels to be temporarily occupied for construction
Figure 13-8	Arncliffe surface works – land parcels to be temporarily occupied for construction

Figure 13-9	St Peters interchange and local road upgrades – land parcels to be temporarily occupied for construction
Figure 13-10	Land parcels to be permanently acquired for operation around the Western surface works
Figure 13-11	Land parcels to be permanently acquired for operation around the Bexley surface works
Figure 13-12	Land parcels to be permanently acquired for operation around the Arncliffe surface works
Figure 13-13	Land parcels to be permanently acquired for operation around the St Peters interchange
Figure 13-14	Example of sub-surface stratum acquisition
Figure 14-1	Project area and study area boundary14-11
Figure 14-2	Landscape character zones - Western surface works
Figure 14-3	Landscape character zones - Bexley surface works14-19
Figure 14-4	Landscape character zones - Arncliffe surface works
Figure 14-5	Landscape character zones - St Peters interchange and local road upgrades 14-29
Figure 14-6	Beverly Grove Park – artists impression
Figure 14-7	Kingsgrove motorway operations complex (MOC1)14-53
Figure 14-8	Bexley Road South motorway operations complex (MOC 2) - artists impression 14-55
Figure 14-9	Arncliffe motorway operations complex (MOC3) - artists impression 14-57
Figure 14-10	St Peters interchange - artists impression
Figure 15-1	Social and economic statistical areas
Figure 15-2	Sensitive receivers and community infrastructure in proximity to the Western and Kingsgrove Road surface works
Figure 15-3	Sensitive receivers and community infrastructure in proximity to the Bexley Road surface works
Figure 15-4	Sensitive receivers and community infrastructure in proximity to the Arncliffe surface works
Figure 15-5	Sensitive receivers and community infrastructure in proximity to the St Peters interchange and local road upgrades
Figure 16-1	Surface water study area16-5
Figure 16-2	Water quality data locations16-11
Figure 16-3	Regional geological context16-15
Figure 16-4	Soil landscapes
Figure 16-5	Acid sulfate soil risk areas within the study area16-21
Figure 16-6	Location of construction water treatment plants and discharge locations - Kingsgrove and Bexley Road construction compounds
Figure 16-7	Location of water treatment plants and discharge locations - Arncliffe and St Peters interchange
Figure 17-1	Phase 1 environmental site assessment study area
Figure 17-2	Potential contamination at the Western surface works
Figure 17-3	Potential contamination at the Bexley surface works
Figure 17-4	Potential contamination at the Arncliffe surface works

Figure 17-5	Potential contamination at the St Peters interchange and local roads upgrades . 17-23
Figure 17-6	Components of capping layer
Figure 18-1	Upper Wolli Creek existing flooding behaviour for the 20 year ARI and 100 year ARI
Figure 18-2	Lower Cooks River floodplain flooding behaviour for the 20 year ARI and 100 year ARI
Figure 18-3	Alexandra Canal existing flooding behaviour for the 20 year ARI and 100 year ARI 18-13
Figure 18-4	Impact of the project on flooding behaviour in the Upper Wolli Creek for the 20 year ARI and 100 year ARI
Figure 18-5	Impact of the project on flooding behaviour in the Lower Cooks River floodplain for the 20 year ARI and 100 year ARI
Figure 18-6	Impact of the project on flooding behaviour in the Alexandra Canal extent for the 20 year ARI and 100 year ARI18-31
Figure 19-1	Groundwater monitoring network
Figure 19-2	Packer test borehole locations
Figure 19-3	Existing bores surrounding the project - Western surface works
Figure 19-4	Existing bores surrounding the project - Bexley surface works
Figure 19-5	Existing bores surrounding the project - Arncliffe surface works
Figure 19-6	Existing bores surrounding the project - St Peters interchange and local road upgrades19-29
Figure 19-7	Predicted groundwater table elevations after completion of the project 19-41
Figure 19-8	Predicted drawdown caused by the project
Figure 19-9	Settlement contours – map 1
Figure 19-10	Settlement contours – map 2
Figure 19-11	Settlement contours – map 3
Figure 19-12	Settlement contours – map 4
Figure 19-13	Settlement contours – map 5
Figure 20-1	Non-Aboriginal heritage inventory results within the study area and surrounds 20-11
Figure 20-2	Non-Aboriginal heritage inventory results - map 1 (Western surface works) 20-15
Figure 20-3	Non-Aboriginal heritage inventory results - map 2 (Kingsgrove and Bexley Road surface works)
Figure 20-4	Non-Aboriginal heritage inventory results - map 3 (Arncliffe surface works) 20-19
Figure 20-5	Non-Aboriginal heritage inventory results - map 4 (St Peters interchange and local roads)
Figure 20-6	Non-Aboriginal heritage inventory results - map 5 (St Peters interchange and local roads)
Figure 20-7	Non-Aboriginal heritage items with significant impacts
Figure 21-1	Biodiversity assessment and offset process
Figure 21-2	Biodiversity study area21-13
Figure 21-3	Biodiversity landscapes within the study area
Figure 21-4	Vegetation communities around the western surface works area21-21
Figure 21-5	Vegetation communities around the Bexley Road surface works area21-23

Figure 21-6	Vegetation communities around the Arncliffe surface works
Figure 21-7	Vegetation communities around the St Peters interchange and local road upgrades 21-27
Figure 21-8	Green and Golden Bell Frog habitat within the biodiversity study area21-37
Figure 21-9	Groundwater dependent ecosystems relevant to the project
Figure 22-1	Construction GHG emissions by scope and emission source
Figure 22-2	Combined greenhouse gas emissions profile: construction, operation and maintenance emissions offset against emissions savings
Figure 23-1	Aboriginal heritage study area
Figure 24-1	Indicative construction power supply routes - Kingsgrove North (C1), Kingsgrove South (C2) and Commercial Road (C3) construction compounds24-5
Figure 24-2	Indicative construction power supply routes - Bexley Road North (C4), Bexley Road South (C5), Bexley Road East (C6) and Arncliffe (C7) construction compounds 24-7
Figure 24-3	Indicative construction power supply routes - Canal Road (C8) and Campbell Road (C9) construction compounds
Figure 28-1	WestConnex Sustainability Strategy Framework

(blank page)