



United Nations
Educational, Scientific and
Cultural Organization



Greater Blue Mountains Area
inscribed on the World
Heritage List in 2000



PO Box 6 Glenbrook NSW 2773
Phone: 0419 307 099

gbm.worldheritage@environment.nsw.gov.au

Our reference : DOC20/317874
Our contact : Jacqueline Reid ph: 0419 307 099

Major Projects
Department of Planning, Industry and Environment
NSW Planning Portal
Via online portal

Re. Angus Place Mine Extension Project (SSD 5602) Amended Development Application

The Advisory Committee for the Greater Blue Mountains Area World Heritage Property (GBMA) is jointly appointed by the NSW and Commonwealth environment ministers to provide advice on the protection, conservation, presentation and management of the GBMA and issues concerning surrounding land uses that have the potential to impact on the area.

World Heritage listing is the highest level of international recognition that may be afforded to an area. The GBMA contains outstanding examples of ongoing ecological and biological processes significant in the evolution of Australia's highly diverse ecosystems and communities of plants and animals, and significant natural habitats for the in situ conservation of biodiversity, including the eucalypts and eucalypt dominated communities and many rare and threatened plants and animals.

The Advisory Committee is concerned that developments, both within and on lands adjacent to the GBMA, should not impact detrimentally on these World Heritage values.

The Advisory committee, having considered input from various relevant experts, is concerned that the proposed Angus Place Mine Extension Project on the Newnes Plateau will detrimentally impact these World Heritage values.

Issues of serious concern include:

1. Potential loss of groundwater from endangered, groundwater-dependent, Newnes Plateau Shrub Swamp (NPSS) and Newnes Plateau Hanging Swamp (NPHS) ecological communities in the Gardens of Stone National Park and Wollemi National Park, in the World Heritage Area.

These NSW *Biodiversity Conservation Act* 2016 (BC Act) -listed peat swamp communities form part of the Commonwealth-listed (*Environment Protection Biodiversity Conservation Act* 1999 (EPBC Act)) Temperate Highland Peat Swamps on Sandstone Endangered Ecological Community and represent a unique assemblage of species which is restricted to the Plateau. Groundwater drawdown modelling of surface aquifers (referred to as "the uppermost watertable") at 38 years post mining¹ suggests that there could be significant groundwater drawdown associated with identified and mapped NPSS patches, including Twin Gully, Tristar, Trail Six, Crocodile and Birdrock swamps, as well as various smaller NPHS, in the mine project area, with a 5-10 m drawdown predicted for all swamps above or adjacent to the mine.

¹ Jacobs. (2019). Angus Place Amended Project. Centennial Angus Place Pty Ltd. Groundwater Impact Assessment IA161511-RPT-0006. Rev0 31 October 2019

Groundwater drawdown is also possible, albeit to a somewhat lesser degree, outside the mine project area in the adjoining World Heritage Area as a result of 'far field impacts' associated with geological lineaments. The effect of even a much smaller 1-2 m drawdown, however, will be devastating for any of these swamps reliant upon a high or emergent water table. This could potentially include swamps in the headwaters of tributaries of Deanes Creek, Rocky Creek and Nayook Creek to the east.

The impact of previous longwall mining on a number of the Endangered peat swamps on the Plateau (e.g. Narrow Swamp, East Wolgan Swamp, Junction Swamp, Sunnyside East Swamp, Carne West Swamp, Gang Gang West Swamp and Gang Gang East Swamp), which have been irreparably damaged, and on their associated populations of threatened species of plants and animals, provides dramatic evidence of the impacts of loss of groundwater on these groundwater dependent ecosystems². Permanent and irreparable damage to Carne West Swamp, for example, resulted from so-called 'far field impacts' associated with geological lineaments draining surface waters.

It is of serious concern that such far field impacts could extend to swamps outside the proposed Angus Place mine area. Groundwater drawdown modelling for this Angus Place Extension Project did not appropriately consider the possibility of lineaments draining surface waters, the cumulative impact from drawdown associated with the Springvale mine, or appropriately consider surface to seam fracturing. Such fracturing is predicted to occur up to 340 m for extractions of 3.4 m; depth of cover ranges between 270 m to 450 m, so fractures are likely to reach the surface anywhere depth of cover is <340 m.

With lowering water tables, swamp soils dry out, the organic component of the peat swamp soils oxidizes, reducing the water holding capacity of the soils, reducing the soil bulk and depth, and increases their vulnerability to combustion and further degradation (e.g. erosion and channelization) during and subsequent to fire events.

The evidence of fire impacts on dry peaty swamps has recently been starkly demonstrated in undermined swamps in the upper Wolgan River (e.g. Junction Swamp and East Wolgan Swamp) and Carne Creek (e.g. Carne West Swamp, Gang Gang West Swamp and Gang Gang East Swamp) catchments following the December 2019 fires. This process subsequently results in a loss of groundwater-dependent flora and fauna. These processes are likely to be compounded by a rapidly changing climate, with contractions in peat swamp habitat predicted³. These swamps then transition from being groundwater-dependent peat swamps to rainfall dependent drier communities on primarily mineral soils⁴. A significant proportion of the unique Endangered NPSS and NPHS have already been permanently destroyed by longwall mining by Centennial Coal.

2. Loss of populations of groundwater-dependent species which are restricted to these endangered peat swamp ecological communities.

These include, most notably, the Endangered Blue Mountains Water Skink (*Eulamprus leuraensis*) (BMWS) (EPBC Act, BC Act) and the Endangered Giant Dragonfly (*Petalura gigantea*) (BC Act). The Newnes Plateau supports an important complex of distinctive swamp patches which provide habitat for these patchily distributed species^{5,6}. Both species are reliant on groundwater seepage areas in these swamps for reproduction and maintenance of populations^{7,8}. Loss of these seepage areas, associated with consistently high water tables, will result in extirpation of individual swamp populations of these and other obligate swamp-dwelling species.

Other groundwater dependent swamp fauna of concern include stygofauna¹ and the vulnerable Red-crowned Toadlet (*Pseudophryne australis*). The Newnes Plateau swamps

also provide habitat for a number of noteworthy montane mire plant species, including the Endangered *Carex klaphakei*, Vulnerable *Boronia deanei*, Vulnerable *Xerochrysum palustre* and rare and previously unrecorded *Gentianella cunninghamii*.

Longwall mining by the Springvale Mine has resulted in recent years in the destruction of a series of NPSS in the upper Carne Creek Catchment², each of which had populations of BMWS and Giant Dragonflies, and several with populations of *Boronia deanei*. These swamps no longer provide suitable reproductive habitat for Giant Dragonflies or suitable core habitat for persistence of BMWS. Both species can be expected to be extirpated from these former peat swamps (I. Baird, pers. comm.). Loss of individual swamp populations or loss of groups of swamp populations can be expected to detrimentally affect long-term metapopulation dynamics of these species. BMWS populations on the Newnes Plateau have been identified as genetically distinct from populations further east in the Blue Mountains Swamps, with evidence of genetic differentiation among populations or groups of populations on the Plateau. It has been recommended that individual swamp populations be treated as distinct conservation units^{9,10}.

In addition to the existing swamps which have been destroyed as a result of loss of groundwater, all swamps in the proposed mine area can be expected to be permanently and irreparably damaged as result of longwall mining-related subsidence and subsequent groundwater drawdown.

It is of considerable concern to the Advisory Committee that ongoing loss of these populations within and, potentially adjoining the mine project area as a result of far field impacts, may have a significant detrimental impact upon metapopulations of these species at a larger spatial scale (and in the case of the BMWS, genetic diversity), including within the adjoining World Heritage Area.

3. Reduced stream flow from the Newnes Plateau into the GBMWA

Groundwater modelling suggests a significant impact on groundwater levels in mapped swamps in and around the mine project area¹. Groundwater drawdown resulting from fracturing of aquitards following subsidence and other ground movements, associated with

² Centennial Coal. (2020). Temperate Highland Peat Swamps on Sandstone Monitoring and Management Plan LW 415 to 417 Annual Report. Springvale Mine - March 2020.

³ Keith, D.A., Elith, J. & Simpson, C.C. (2014). Predicting distribution changes of a mire ecosystem under future climates. *Diversity and Distributions*, 20, 440-454. doi:10.1111/ddi.12173

⁴ Baird, I.R.C. & Burgin, S. (2016). Conservation of a groundwater-dependent mire-dwelling dragonfly: implications of multiple threatening processes. *Journal of Insect Conservation*, 20, 165-178. doi:10.1007/s10841-016-9852-3

⁵ Gorissen, S. (2016). Conservation biology of the endangered Blue Mountains Water Skink (*Eulamprus leuraensis*). PhD thesis. University of Sydney.

⁶ Benson, D. & Baird, I.R.C. (2012). Vegetation, fauna and groundwater interrelations in low nutrient temperate montane peat swamps in the upper Blue Mountains, New South Wales. *Cunninghamia*, 12, 267-307.

⁷ Baird, I.R.C. (2014). Larval burrow morphology and groundwater dependence in a mire-dwelling dragonfly, *Petalura gigantea* (Odonata: Petaluridae). *International Journal of Odonatology*, 17, 101-121. doi:10.1080/13887890.2014.932312

⁸ Gorissen, S., Baird, I.R.C., Greenlees, M., Sherieff, A.N. & Shine, R. (2018). Predicting the occurrence of an endangered reptile based on habitat attributes. *Pacific Conservation Biology*, 24, 12-24. doi:https://doi.org/10.1071/PC17027

⁹ Dubey, S. & Shine, R. (2010). Plio-Pleistocene diversification and genetic structure of an endangered lizard (the Blue Mountains water skink, *Eulamprus leuraensis*) in south-eastern Australia. *Journal of Biogeography*, 37, 902-914. doi:10.1111/j.1365-2699.2009.02266.x

¹⁰ Dubey, S. & Shine, R. (2010). Restricted dispersal and genetic diversity in populations of an endangered montane lizard (*Eulamprus leuraensis*, Scincidae). *Molecular Ecology*, 19, 886-897. doi:10.1111/j.1365-294X.2010.04539.x

the longwall mining operation, can be expected to result in potentially significantly reduced inputs to streams which are fed by water from the mining area, including from groundwater dependent peat swamps in and adjoining the mine project area. These swamps function as important slow release water storages which maintain base flows to receiving watercourses (Carne Creek and Wolgan River) and their associated aquatic and riparian communities in the World Heritage Area. Additional loss of base flows as a result of loss of surface waters, groundwater drawdown and loss of groundwater into the mine voids can be expected.

Residual groundwater modelling at 38 years post mining suggests significant drawdown in the Lithgow Coal Seam extending well into the GBMA, including in Gardens of Stone and Wollemi National Parks¹. In addition to the ecosystems themselves, the maintenance of base flows is likely to be important to various aquatic and riparian species associated with these stream environments in the GBMA, particularly in the context of uncertainty around predicted climate change impacts.

4. Damage to geological features in and adjoining the WHA.

The potential for damage to the dramatic cliff-faces and pagodas in the adjoining WHA, including along the Carne Creek gorge, as a result of mining related subsidence, is of serious concern and the longwall panel design and mine layout must ensure that risk of subsidence related impacts is avoided. Past longwall mining in the region has resulted in significant and well documented damage to cliff-faces and pagodas. The proposed longwall panel width of 360 m is excessive and must be reduced significantly so as to avoid the risk of damaging subsidence.

To mitigate the above risks, we recommend the following amendments to the proposed mine layout:

- Significantly reducing longwall widths to avoid surface to seam fracturing;
- Avoiding direct undermining of Twin Gully Swamp;
- Avoiding undermining the Type 2 lineament under Tri Star Swamp that is connected to the Type 1 Wolgan River lineament zone;
- Shortening LW1014 so that it does not undermine the Burralow aquifer that feeds Trail 6 swamp; and
- Reducing the proximity of longwalls to Crocodile and the Birds Rock swamps so as to maintain the Burralow formation aquifers that supply these two swamps.

The Advisory Committee considers that the Angus Place Mine Extension Project proposal constitutes a threat to the Outstanding Universal Value of the adjoining World Heritage Area and must be amended to avoid risk of permanent damage.

Please contact our Executive Officer, Jacqueline Reid via email to gbm.worldheritage@environment.nsw.gov.au or by telephone to 0419 307 099 for any further information.

Yours sincerely,



Bruce Leaver, AM

Chair

Greater Blue Mountains World Heritage Area Advisory Committee

27 April 2020