

ENVIRONMENTAL PLANNING AND ASSESSMENT ACT 1979

**DETERMINATION OF A DEVELOPMENT APPLICATION UNDER SECTION 80(1) OF THE
ENVIRONMENTAL PLANNING AND ASSESSMENT ACT 1979**

I, the Minister for Urban Affairs and Planning, under Section 80(1) of the Environmental Planning and Assessment Act, 1979 (the Act), determine the Development Application referred to in Schedule 1 by granting consent to the Application, subject to the conditions set out in Schedule 2.

The reason for the imposition of conditions is to minimise any adverse environmental effects of the development, consistent with the objectives of the Act.

Andrew Refshauge MP
Minister for Urban Affairs and Planning

Sydney	2000	File No. S98/00772
--------	------	--------------------

SCHEDULE 1

Application made by:	Dr L. S. Martin ("the Applicant").
To:	The Minister for Urban Affairs and Planning ("the Minister").
In respect of:	Lots 1 and 2 DP 228308, Lot 2 DP 312327, Roberts Road, Maroota, in the Baulkham Hills Local Government Area.
For the following:	Extraction and on-site processing of sand, clay and pebble; construction of a bund wall.
Development Application:	DA No. 267-11-99 lodged with the Department of Urban Affairs and Planning on 22 November 1999, accompanied by a Environmental Impact Statement prepared by Nexus Environmental Planning Pty Ltd. and dated November 1999.
Determination:	1) To ascertain the date upon which the consent becomes effective, refer to Section 83 of the Act. 2) To ascertain the date upon which the consent is liable to lapse, refer to Section 95 of the Act. 3) Section 97 of the Act confers on an applicant who is dissatisfied with the determination of a consent authority a right of appeal to the Land and Environment Court exercisable within 12 months after receipt of notice.

This instrument includes changes made by DA 267-11-99 Mod 1 in 29 November 2000 (marked red).

This instrument includes changes made by DA 267-11-99 Mod 3 in 18 August 2015 (marked blue).

This instrument includes changes made by DA 267-11-99 Mod 2 in XX March 2016 (marked green).

Schedule 2**Conditions of Development Consent****DEFINITIONS**

The Act	<i>Environmental Planning and Assessment Act 1979</i> , as amended
Approval from EPA	means approved in writing by the EPA or as specified as a condition of a licence
BCA	Building Code of Australia
Conditions of this consent	The conditions set out in this Schedule
Construction	Construction of the bund wall
Council	The Hills Shire Council
DA	Development Application
DCP 500	Baulkham Hills Shire Council Development Control Plan No. 500 – Extractive Industry
Department	Department of Planning and Environment
DPI-Water	Department of Primary Industries - Water
EIS	Development application DA 267-11-99 and supporting documentation including the Environmental Impact Statement prepared by Nexus Environmental Planning Pty Ltd, dated November 1999, including the attached landscaping plan; the fax from Holmes Air Sciences dated 21 December 1999; the letter from Nexus Environmental Planning Pty Ltd dated 21 December 1999 and attachments; the letter from Woodward-Clyde dated 21 December 1999; the letter from Woodward-Clyde dated 16 December 1999; the letter from Dick Benbow and Associates Pty Ltd dated 5 January 2000 and attachments; the letter from Dick Benbow and Associates Pty Ltd dated 27 January 2000; and the two faxes from Dick Benbow and Associates Pty Ltd dated 17 February 2000 and attachments, except as modified by the report of Dick Benbow and Associates (Report No 10065 Issue 1) dated 26 June 2000
EMP	Environmental Management Plan
EPA	Environment Protection Authority
GTA	General Term of Approval
L _{A10} (15 minute)	is the sound pressure level that is exceeded for 10% of the time when measured over a 15 minute period
m AHD	metres Australian Height Datum
Modification 1	Modification application 07-00M1 to DA 267-11-99 and supporting SEE titled Amendment to Method of Extraction and Related Acoustic Bund Wall, dated 17 July 2000 and prepared by Nexus Environmental Planning Pty Ltd
Modification 2	Modification application DA 267-11-99 Mod 2 and supporting documentation titled: <i>Environmental Assessment Section 75W Modification (2): DA 267-11-99, Hodgson Quarries and Plant Pty Ltd: Roberts Road: Maroota</i> (Volumes 1 and 2), dated 23 September 2015 and prepared by Nexus Environmental Planning Pty Ltd; Response to Submissions 75W Modification (2): DA 267-11-99, Hodgson Quarries and Plant Pty Ltd: Roberts Road: Maroota, dated 3 December 2015 and prepared by Nexus Environmental Planning Pty Ltd; and email correspondence from Nexus Environmental Planning Pty Ltd to the Department, dated 12 February 2016, 16 February 2016 and 24 February
Modification 3	Modification application DA 267-11-99 Mod 3 and supporting documentation titled Environmental Assessment Section 75W Modification (3): DA 267-11-99, Hodgson Quarry Products Pty Ltd: Roberts Road: Maroota, dated 17 May 2015 and prepared by Nexus Environmental

NPWS	Planning Pty Ltd
PCA	National Parks and Wildlife Service
Process Water Dam	Principal Certifying Authority
Secretary	The process water dam located in the north-eastern corner of the site
Subject Site	Secretary of the Department, or nominee
	Lots 1 and 2 DP 228308, Lot 2 DP 312327, Roberts Road, Maroota, in the Baulkham Hills Local Government Area
Wet weather high groundwater level	The rolling average of all recorded groundwater level measurements at any monitoring location on the site, as first recorded following any rainfall event of at least 50 mm over any 24-hour period, and as contour mapped using this data

INTEGRATED DEVELOPMENT

Integrated development is development (not being complying development) that, in order for it to be carried out, requires development consent and one or more of the approvals set out in the Act. The subject proposal is integrated development, as it requires development consent and the approval of the Environment Protection Authority under the *Protection of the Environment Operations Act 1997* and, the approval of the Department of Land and Water Conservation under Parts 2 and 5 of the *Water Act 1912*. The general terms of approval of both the EPA and the [DPI-Water](#) therefore form part of this Consent.

GENERAL

Obligation to Prevent and Minimise Harm to the Environment

1. There is an obligation on the Applicant to prevent and minimise harm to the environment throughout the life of the project. This requires that all practicable measures are to be taken to prevent and minimise harm that may result from the construction, operation and, where relevant, the decommissioning of the development.

Adherence to Terms of DA and EIS

2. The Applicant shall:
 - (a) carry out the development generally in accordance with the EIS, Modification 1, Modification 3 and Modification 2; and
 - (b) comply with the conditions of this consent.

If there is any inconsistency between the documents in Condition 2(a), the most recent documents shall prevail to the extent of the inconsistency. The conditions of this consent shall prevail over documents in Condition 2(a) to the extent of any inconsistency.

Compliance

3. The Applicant shall comply with all reasonable requirements of the [Secretary](#) in respect of the implementation of the Conditions of this Consent, within such time as the [Secretary](#) agrees. The [Secretary](#) may order the Applicant to cease work until non-compliance has been addressed to the [Secretary's](#) satisfaction.
4. The Applicant shall ensure that all contractors and sub-contractors are aware of, and comply with, the Conditions of this Consent.
5. The Applicant shall comply with all relevant conditions prescribed in Part 7 of the *Environmental Planning and Assessment Regulation 1994*, as required by Section 80A (11) of the Act.
6. The Applicant will submit a Conditions Compliance Report to the [Secretary](#) prior to the commencement of extraction in areas that are not currently subject to extraction. Subsequent reports will be submitted annually for the first three years of extraction in areas not currently subject to extraction. Further reports shall be submitted as required by the [Secretary](#).

To enable ready comparison with the EIS's predictions, diagrams and tables, the Conditions Compliance Reports shall include, but not be limited to, the following matters:

- (a) a compliance audit of the performance of the project against conditions of Consent and statutory approvals;
- (b) a review of the effectiveness of the environmental management of the development;
- (c) the results of environmental monitoring required under this Consent or other approvals, including interpretations and discussion by a suitably qualified person;
- (d) a listing of any variations obtained to approvals applicable to the DA since the last report;

- (e) a record of all complaints and the actions taken to mitigate all such complaints;
- (f) a report detailing the rehabilitation measures undertaken since the last report; and
- (g) environmental management targets and strategies for stages of the development yet to be completed.

7. The [Secretary](#) may, after considering a Conditions Compliance Report, notify the Applicant of any reasonable requirements for compliance with this Consent. The Applicant shall comply with those requirements within such time as the [Secretary](#) may direct.

Note: The Applicant is obliged to ensure that all statutory requirements, including all relevant legislation, Regulations, Australian Standards, Codes, Guidelines and Notices, Conditions and Directions of the Councils and relevant government agencies are met and approvals obtained.

Commencement and duration

8. No extraction shall commence in areas that are not currently subject to extraction, until the Applicant has:
- (a) **constructed the bund walls at the corner of Roberts Road and Old Northern Road;**
 - (b) submitted the Conditions Compliance Report required under Condition 6; and
 - (c) obtained all licences necessary for the commencement of extraction.
9. The duration of extraction under this Consent is **until 31 May 2025**. The Applicant shall ensure that rehabilitation of all disturbed areas is completed within six months of completion of extraction.

Complaints Procedures

10. Prior to commencement of construction, the Applicant shall:
- (a) publicise a telephone number on which complaints about the subject development can be registered during the hours of operation in Condition 16; and
 - (b) publicise a postal address where written complaints may be lodged.
- The telephone number and postal address shall be displayed on the property where it can be read from a public road, for the duration of the development.
11. The Applicant shall record details of all complaints received and actions taken in response to complaints in an up-to-date log book. The log book shall be made available for inspection upon request by the [Secretary](#), the EPA or the Council; and a summary of complaints received shall be included in the Conditions Compliance Reports under Condition 6.
12. The Applicant shall ensure that an initial response to complaints is provided to the complainant within 24 hours of receipt. The Applicant shall then:
- (a) investigate the concerns raised by the complainant and undertake all reasonable attempts to determine the cause of concern; and
 - (b) if adverse impacts are identified, undertake all practicable measures to modify the activity which may be causing the impacts.
13. If the Applicant's response does not address the complaint to the satisfaction of the complainant within six weeks, the Applicant shall inform the [Secretary](#) and take any action as directed by the [Secretary](#). This may include a requirement to carry out independent investigations of noise and/or dust at the cost of the Applicant, in accordance with Condition 14.
14. If the [Secretary](#) is satisfied that an independent investigation is required, the Applicant shall:
- (a) appoint a qualified independent person or team to plan and implement an investigation to qualify the impact and determine the sources of the impact; and

- (b) bear the cost of the independent investigation and make available plans, programs and other information necessary for the independent person to form an appreciation of the past, present and future works and their effects on dust and/or noise emissions.

This investigation is to be carried out in accordance with a documented Plan. The Plan shall be designed and implemented to measure and/or compute (with appropriate calibration by measurement) the relevant noise and/or dust levels at the complainant's property, that are emitted by the development; and specify a monitoring period and reporting schedule.

The independent person or team, the Plan and the timing of its implementation, shall be approved by the [Secretary](#). The independent person or team shall report to the [Secretary](#) and the Applicant.

Further independent investigations shall cease if the [Secretary](#) is satisfied that the relevant levels are not being exceeded and are unlikely to be exceeded in the future.

Dispute Resolution

15. In the event that the Applicant, Council, the PCA, or a government authority other than the Department, cannot agree on the specification or requirements applicable under this Consent, the matter shall be referred by either party to the [Secretary](#) or, if not resolved, to the Minister, whose determination of the disagreement shall be final and binding on the parties.

HOURS OF OPERATION

16. Unless prior written approval of the EPA is obtained, the hours of operation are:
- construction: 7.00am to 6.00pm Monday to Friday
 - extraction and processing of material: 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm on Saturdays
 - vehicle loading: 6.00am to 6.00pm, Monday to Friday and 6.00am to 1.00pm on Saturdays.
- No works shall be undertaken on Sundays or Public Holidays.

These restrictions do not apply to routine maintenance work, such as the repair of machinery, provided the work does not result in exceedance of the noise limits in Condition 47.

DEPTH OF EXTRACTION

17. The Applicant shall ensure that extraction does not take place below a level 2 metres above the wet weather high groundwater level of the regional aquifer, as measured and mapped on the site (see Conditions 40(d) and 44).

ENVIRONMENTAL MANAGEMENT PLAN

18. The Applicant shall prepare a Construction Environmental Management Plan (EMP) to the satisfaction of the [Secretary](#) prior to commencement of construction. The Construction EMP shall contain appropriate measures which demonstrate how the environmental objectives for the project will be achieved, including objectives stated in this Consent; and contain a monitoring, reporting and response program.

The Applicant shall implement the approved management plan as approved from time to time by the [Secretary](#).

19. The Applicant shall prepare an Operational Environmental Management Plan (EMP) in consultation with the relevant authorities and to the satisfaction of the [Secretary](#), prior to the commencement of extraction under this Consent. The EMP shall incorporate and integrate environmental management for the existing extraction areas, as well as the areas approved under this Consent.

20. The Operational EMP shall include, but not be limited to:
 - (a) environmental objectives for the site;
 - (b) the Air Quality Management Plan (Condition 29);
 - (c) the [Water Management Plan \(Condition 42\)](#);
 - (d) the Noise Management Plan (Condition 46);
 - (e) the Road Noise Management Plan (Condition 48);
 - (f) the Flora and Fauna Management Plan (Condition 55); and
 - (g) the Rehabilitation Plan (Condition 58).
21. The Applicant shall make copies of both EMPs available to Council, EPA and [DPI-Water](#) within 14 days of approval by the [Secretary](#). The Applicant shall also make a current copy of the EMPs available for inspection by the public or these agencies, for the duration of the Consent.
22. The Applicant shall, in consultation with the [Secretary](#), the EPA and the [DPI-Water](#), update the Operational EMP from time to time in order to ensure continuing compliance with the Conditions of this Consent and all relevant approvals and licenses. The EMR shall be responsible for determining if any significant changes to the Operational EMP should be referred to the [Secretary](#) for approval.

[The Applicant shall implement the approved management plan as approved from time to time by the Secretary.](#)

23. [Deleted.](#)
24. [Deleted.](#)
25. [Deleted.](#)
26. [Deleted.](#)

WASTE

27. The Applicant must not cause, permit or allow any waste generated outside the premises to be received at the premises for storage, treatment, processing, reprocessing or disposal, or any waste generated at the premises to be disposed of at the premises, except as expressly permitted by a licence under the *Protection of the Environment Operations Act 1997*. This condition only applies to the storage, treatment, processing, reprocessing or disposal of waste at the premises if it requires an environment protection licence under the *Protection of the Environment Operations Act 1997*.¹

AIR QUALITY

Air Quality Criteria

28. The Applicant shall take all practical steps to manage the development so that the ambient air quality goals for total suspended particles (TSP) of [90 µg/m³ \(annual average\)](#), [particulate matter \(PM10\) of 50 µg/m³ \(24 hours average\)](#) and [30 µg/m³ \(annual average\)](#) and the dust deposition goal of 4gm/m2 (annual average) are not exceeded as a result of the development, when measured at any monitoring location specified in the Air Quality Management Plan. g/m³

Air Quality Management

29. The Applicant shall prepare an Air Quality Management Plan as part of the EMP. The Air Quality Management Plan shall:

¹ Environment Protection Authority General Term of Approval

- (a) identify existing and potential sources of dust deposition, TSP and fine particulates (PM10 and PM2.5) and specify appropriate monitoring intervals and locations. The purpose of the monitoring is to evaluate, assess and report on these emissions and the ambient impacts with the objective of understanding the development's contribution to levels of dust deposition, TSP and fine particulates in ambient air around the site;
- (b) provide a monitoring plan having regard to local meteorology and the relevant Australian Standards, identifying the methodologies to be used, including justification for monitoring intervals, weather conditions, seasonal variations, selecting locations, periods and times of measurements;
- (c) provide details of dust suppression measures for all sources of dust from the development, including a planting and watering regime to ensure that no more than 3 hectares of the site are exposed and active at any one time. The use of a polymer in the water to minimise dust impacts shall be investigated as part of this Plan;
- (d) provide details of actions to ameliorate impacts if they exceed the relevant criteria; and
- (e) provide the design of the reactive management system intended to reduce the day-to-day impacts of dust and fine particulates due to the development.

The Applicant shall implement the approved management plan as approved from time to time by the Secretary.

- 30. Activities occurring at the premises must be carried out in a manner that will minimise emissions of dust from the premises.²
- 31. The Applicant shall cease offending work at such times when the operations are resulting in visible dust emissions blowing in a direction so as to cross onto public roads or lands not owned by the Applicant.
- 32. The Applicant shall install, operate and maintain a sprinkler system to adequately water all cleared areas and stockpiles so as to minimise dust emissions to acceptable levels.
- 33. The Applicant shall ensure that all vehicular movements on unsealed areas are restricted to specific routes and that all vehicles within the subject site keep to a speed limit of 30 km/h.
- 34. The Applicant shall ensure that trucks are covered when entering and leaving the premises carrying loads of potentially dust generating material.

Air Quality Monitoring

- 35. All monitoring equipment is to be installed and operational prior to commencement of construction.
- 36. Operation of dust deposition gauges and monitoring must be carried out in accordance with;
 - (a) Australian Standard 3580.10. 01 (1991) Particulates – Deposited Matter – Gravimetric Method. Approved method AM-19 referred to in *Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales*, December 1999.
 - (b) Australian Standard 2724.3 (1984) Particulate Matter – Determination of Total Suspended Particulates (TSP) - High Volume Sampler Gravimetric Method. Approved method AM 15 referred to in *Approved Methods for the sampling and Analysis of Air Pollutants in New South Wales*, December 1999.
 - (c) Australian Standard 3580.9.6 (1990) for Suspended Particulate Matter – PM10 High Volume Sampler with Size Selective Inlet-Gravimetric Method. Approved method AM-18 referred to in *Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales*, December 1999.³

² Environment Protection Authority General Term of Approval

³ Environment Protection Authority General Term of Approval

37. A meteorological station measuring wind speed and direction must be installed and operated by the Applicant at a site determined in consultation with the EPA.⁴

SOIL AND WATER

Note: The Applicant is required to obtain the necessary water licences for the development under the Water Act 1912 and/or Water Management Act 2000.

Limits on Extraction

38. The Applicant shall not extract:
- (a) below a depth of 182 m AHD in the footprint of the Process Water Dam, if not already extracted as at the date of Modification 2; and
 - (b) below a depth of 186.1 m AHD in all other areas of the site;
- unless in accordance with Condition 17, and following written notification to the Secretary and DPI-Water.

Groundwater Study and Remediation Works

39. Within six weeks of the date of approval of Modification 2, the Applicant shall commission a comprehensive groundwater study of the site. This study must:
- (a) be prepared by suitably qualified and experienced person/s whose appointment has been endorsed by the Secretary and DPI-Water;
 - (b) consult with DPI-Water;
 - (c) examine all existing records of groundwater levels at the site;
 - (d) develop an interim contour map of the wet weather high groundwater level of the regional aquifer, based on all available records (see also Condition 44); and
 - (e) provide advice and recommendations on the Groundwater Monitoring Program as set out in Condition 43.
40. Unless otherwise agreed by the Secretary, the Applicant shall submit a report of the study to the Secretary and DPI-Water within six months of commissioning the study. The report must be accompanied by a Groundwater Management Improvement Program, based on the study's findings and recommendations which includes a program of proposed timeframes for implementation. Should the Applicant propose not to implement any of the report's recommendations, it must provide detailed justification to this effect.

The Groundwater Management Improvement Program must be prepared and implemented to the satisfaction of the Secretary. Progress against the Program shall be reported through Annual Reviews and considered as part of the Independent Environmental Audit.

41. Within six months of the submission of the Groundwater Study and accompanying documents (see Conditions 39 and 40), the Applicant must infill any area of the site identified as being below the wet weather high groundwater level to at least that level as mapped (see Condition 39(d)).

Within six months of any update of the groundwater level contour map, the Applicant must infill any area of the site identified as being below the wet weather high groundwater level to at least that level as mapped (see Condition 44).

Water Management Plan

42. The Applicant shall prepare a Water Management Plan for the development to the satisfaction of the Secretary. This plan must be prepared in consultation with DPI-Water by suitably qualified and

⁴ Environment Protection Authority General Term of Approval

experienced person/s whose appointment has been approved by the Secretary, and be submitted to the Secretary for approval by 31 December 2016. The plan must be updated on an annual basis in consultation with DPI-Water for three years from the date of approval of Modification 2 and thereafter as agreed with by the Secretary.

In addition to the standard requirements for management plans (see Condition 61), this plan must include a:

- (a) Site Water Balance that:
 - includes details of:
 - o sources and security of water supply, including contingency planning;
 - o water use on site;
 - o water management on site, including groundwater inflows to the quarry voids and site discharges; and
 - o audit and reporting procedures, including comparisons of the site water balance each calendar year; and
 - o describes the measures that would be implemented to minimise clean water use on site and maximise recycling opportunities;
- (b) Surface Water Management Plan, that includes:
 - a detailed description of the surface water management system on site, including the:
 - o clean water diversion systems;
 - o erosion and sediment controls;
 - o effluent irrigation system;
 - o water transfers from the extraction areas;
 - o water storages; and
 - o discharge points;
 - design objectives and performance criteria for proposed:
 - o erosion and sediment control structures;
 - o water storages, including quarry voids;
 - o site discharges; and
 - o control of water pollution from rehabilitated areas of the site;
 - performance criteria, including trigger levels for investigating any potentially adverse impacts for surface water quality;
 - a program to monitor:
 - o the effectiveness of the water management system;
 - o site discharge water quality; and
 - o surface water level and quality in the Process Water Dam, including the quantification of rainfall inflow, groundwater inflow and evaporation;
 - a plan to respond to any exceedances of the performance criteria, and mitigate and/or offset any adverse surface water impacts of the project;
 - long term water quality management objectives and the measures to achieve these objectives;
 - a plan that ensures surface stormwater runoff from the disturbed areas is directed to the sedimentation dam(s);
 - a plan that ensures tailgate drainage does not discharge into or onto any adjoining public or Crown road, any other persons land, any Crown land, any river, creek or watercourse, any groundwater aquifer, any native vegetation as described under the *Native Vegetation Conservation Act 1997* and any wetlands of environmental significance;
 - a detailed description of design and construction criteria for the Process Water Dam based on a feasibility study of:
 - o capacity to construct multiple cells within the overall dam footprint (ie a two stage or three stage dam);
 - o whether the dam floor and walls are able to be effectively lined with compacted clay (especially for multiple cells);
 - o whether effective hydraulic separation can be achieved between such cells;

- o rehabilitating such cells to create a single dam within the final landform; and
- o the appropriateness of diverting runoff received from off-site around the dam;
- a strategy for the decommissioning of water management structures, including storage, sedimentation and leachate dams once extraction is complete; and
- audit and reporting procedures, including comparisons of the monitoring results each calendar year and quarterly reporting of surface water monitoring results;
- (c) Groundwater Management Plan that takes into account the *Web-based Reporting Guideline* (DPE 2015) and *Groundwater Monitoring and Modelling Plans – Information for Prospective Mining and Petroleum Exploration Activities* (DPI 2014), and includes:
 - detailed baseline data on groundwater yield and quality in groundwater bores on privately-owned land, that could be affected by the project;
 - a program to undertake surveyed probe testing of all extracted areas where clay fines have been deposited to:
 - o accurately determine the depth of extraction and depth of clay fines;
 - o identify any ongoing intersection or other interaction between clay fines and the regional groundwater aquifer;
 - o identify any geotechnical characteristics of the emplaced clay fines which may pose risks to workplace safety or implementation of the process water dam design or the final landform; and
 - o identify measures which can be successfully used in rehabilitating these areas;
 - a program to monitor potential groundwater quality impacts to the regional aquifer from receiving off-site runoff water in the Process Water Dam;
 - groundwater assessment criteria, including trigger levels for investigating any potentially adverse groundwater impacts, in accordance with the *NSW Aquifer Interference Policy*;
 - a program to monitor:
 - o the impacts of the project on:
 - groundwater inflows to water storages;
 - any groundwater bores on privately-owned land that could be affected by the project; and
 - o seepage from water storages or backfilled voids on site;
 - a plan to respond to any exceedances of the groundwater assessment criteria;
 - emergency contingency plans for implementation in the event that the groundwater is encountered during excavation; and
 - audit and reporting procedures, including comparisons of the monitoring results each calendar year and quarterly reporting of groundwater monitoring results,

The Applicant shall implement the approved management plan as approved from time to time by the Secretary.

Groundwater Monitoring

43. The Applicant shall prepare a Groundwater Monitoring Program for the development to the satisfaction of the Secretary. This program must:
- (a) be prepared in consultation with DPI-Water and be submitted to the Secretary for approval within four months of the date of approval of Modification 2;
 - (b) include proposed construction of a network of at least five active monitoring bores around the south-eastern, southern, western and north-western boundaries of the extraction area (but outside of the overall extraction footprint) in proximity to extraction Phases 1 to 6 as identified in Modification 2, to collect continuous groundwater level monitoring data from the regional aquifer;
 - (c) include proposed construction to deepen (or replace) PT84MW1 in order that a bore in that general location monitors the regional aquifer; and
 - (d) include proposed construction of active monitoring bores within the largest components of at least the two forthcoming extraction Phases (on a rolling basis), each to collect at least 2 years of continuous baseline groundwater monitoring data prior to extraction commencing with that Phase.

44. The results of the Groundwater Monitoring Program shall be reported the Department and DPI-Water, using contour plans depicting the surface topography, updated contour maps of the wet weather high groundwater level of the regional aquifer and proposed depth of extraction for each extraction Phase. Reporting is to occur on a six monthly basis for the duration of extractive operations, and throughout rehabilitation of the site, unless otherwise agreed with the Secretary.

The Applicant shall implement the Groundwater Monitoring Program as approved from time to time by the Secretary.

Process Water Dam Design and Construction

45. The Applicant must ensure that the Process Water Dam is designed and constructed in a manner that satisfies the design and construction criteria for the Process Water Dam as developed under the Surface Water Management Plan (see condition 42(b) above).

NOISE

Noise Management Plan

46. The Applicant shall prepare a Noise Management Plan as part of the EMP.

The Noise Management Plan shall:

- (a) identify existing and potential noise sources and their relative contribution to noise impacts from the development;
- (b) specify appropriate intervals for noise monitoring to evaluate, assess and report noise emission levels due to construction and normal operations of the development under prevailing weather conditions;
- (c) outline the methodologies to be used, including justification for monitoring intervals, weather conditions, seasonal variations, selecting locations, periods and times of measurements, the design of any noise modelling or other studies, including the means for determining the noise levels emitted by the development;
- (d) specify measures to be taken to document any higher level of impacts or patterns of temperature inversions, and detail actions to quantify and ameliorate enhanced impacts if they occur;
- (e) provide details of noise amelioration measures, including measures to be used to reduce the impact of intermittent, low frequency and tonal noise (including truck reversing alarms) and reactive management responses for particular noise sources; and
- (f) contingency measures to be implemented should noise complaints be received.
- (g) provision for the notification of adjoining property owners of the commencement and duration of works adjoining the boundary;
- (h) construction of temporary noise shielding to residences affected by short-term noise impacts, including the bund recommended under Modification 2, and include an assessment of the effectiveness of this measure in reducing noise levels; and
- (i) include a noise reduction strategy for typical operations to ensure the noise levels from these operations do not exceed the noise criteria specified in Condition 47.

The Applicant shall implement the approved management plan as approved from time to time by the Secretary.

47. For typical operations, noise from the premises must not exceed:
- an $L_{Aeq,15 \text{ min}}$ noise emission criterion of 43 dB(A) (7am to 6pm) Monday to Saturday;
 - an $L_{Aeq,15 \text{ min}}$ noise emission criterion of 40 dB(A) (6am to 7am) Monday to Saturday; and
 - an $L_{A1,1 \text{ minute}}$ noise emission criterion of 50 dB(A) (6am to 7am) Monday to Saturday.

Noise generated by the development is to be measured in accordance with the relevant requirements of the *NSW Industrial Noise Policy* (as may be updated or replaced from time-to-time).

However, these criteria do not apply if the Applicant has an agreement with the owner/s of the relevant residence or land to generate higher noise levels, and the Applicant has advised the Department in writing of the terms of this agreement."

- 47(a) The excavator to be used is to be fitted with acoustic mufflers to achieve a noise level of approximately 76dB(A) when measured at 7 metres.
- 47(b) The on-site generator is to be fitted with an acoustic enclosure to ensure that noise levels less than 44dB(A) at 30m are achieved.
- 47(c) A noise compliance investigation is to undertaken within one month of the installation of the equipment to demonstrate compliance with the noise level limits stated in Conditions 47(a) and 47(b). The results of the compliance investigation are to be provided for the approval of the Secretary within 14 days of the completion of the investigations.
- 47(d) The Applicant must ensure works associated with atypical operations, as described in Modification 2, only occur:
 - (a) for a maximum of 24 days in a year, and only between 8 am to 5 pm on those days, Monday to Saturday;
 - (b) after an investigation of options for avoiding multiple atypical operations at any one time so as to limit noise levels at affected receptors, and the outcomes of this investigation are detailed in the Noise Management Plan; and
 - (c) at least 24 hours after notifying potentially affected receptors, with such notification to include information on the duration and extent of works, the likely noise to be experienced, and a contact telephone number.

TRAFFIC AND TRANSPORT

Road Noise Management Plan

- 48. The Applicant shall ensure that traffic noise from the development does not exceed (L Aeq(1 hr)) 55 dB(A) between 7 am and 10 pm and 50 dB(A) between 10 pm and 7 am at any affected residence under adverse weather conditions. Where ambient Leq levels already exceed these criteria, the Applicant shall ensure that traffic noise from the development does not result in an increase of more than 2 dB(A).

Note: Adverse weather conditions means in the presence of winds up to 3 metres per second and/or temperature inversions of up to 4 degrees Centigrade per 100 metres.

- 49. The Applicant shall prepare a Road Noise Management Plan as part of the EMP. The Plan shall document measures to be taken to meet the criteria, including a monitoring, reporting and response program; and methods for educating drivers in the reduction of road noise impacts.

The Applicant shall implement the approved management plan as approved from time to time by the Secretary.

Truck movements

- 50. The Applicant shall ensure that truck movements associated with the development do not exceed 100 movements per day (50 laden truck movements) or 20 (10 laden truck movements) movements per hour, during construction or operation.

Section 94A Contributions

51. The Applicant shall pay to Council a contribution under Section 94A of the Act at the rate of \$0.65 per tonne of all extracted/ processed material transported from the subject site.

The following conditions apply to the payment of this contribution:

- (A) The contribution will be calculated and paid monthly from the date of this Consent;
- (b) The contribution will be indexed and adjusted annually as from the date of Consent, in accordance with the Consumer Price Index. This adjustment will be applicable to each financial year for the duration of this Consent and shall take effect from and including July each year, commencing 1 July 2000;
- (c) On or before the fourteenth day of each month for the duration of the Consent, the Applicant shall deliver to Council weighbridge records showing the true quantities of extracted/processed material transported from the property during the immediately proceeding month and the Council will then, as soon as it can conveniently do so, issue an invoice to the Applicant, to be paid within fourteen days;
- (d) The Council has the right to inspect and have the original records relating to any extraction/processing material, including numbers and types of laden trucks, trailers and load quantities transported from the property audited, at any time when Council makes a written request to do so;
- (e) The Council will pay all the said contribution payments into a specially identified account for payment towards the rehabilitation, restoration, repair and/or maintenance of Old Northern and Wisemans Ferry Roads within the Baulkham Hills Shire boundary.

Note: This condition has been imposed in accordance with Council's Contributions Plan No. 6 – Extractive Industries. A copy of this plan may be inspected at the Customer Service Centre, Council's Administration Complex, corner of Carrington and Showground Roads, Castle Hill, between the hours of 8:30 am and 4:30 pm weekdays.

FLORA AND FAUNA

52. *Deleted.*

53. The Applicant shall not clear the strip of remnant vegetation along the southern fence line (Old Northern Road) and the vegetation to the north of the site entrance (Roberts Road) containing Blue Mountains Mahogany (*Eucalyptus notabilis*). This area shall be fenced off to prevent vehicles entering the area.

54. *In construction of the bund walls at the corner of Roberts Road and Old Northern Road, the Applicant shall minimise disturbance to existing native vegetation.*

Flora and Fauna Management Plan

55. The Applicant shall prepare a Flora and Fauna Management Plan as part of the EMP. The Plan shall be prepared in consultation with National Parks and Wildlife Service and Council, and shall:
- (a) describe the characteristics and location of species, populations and communities that the proposal may impact upon;
 - (b) consider the feasibility and practicality of salvaging trees removed for the development for relocation to conserved or rehabilitated areas, for the purposes of reconstructing habitat for ground fauna
 - (c) contain a program for the active management and maintenance of all conserved and rehabilitated vegetation (as detailed in the EIS and required under this Consent) including consideration of:
 - post-extraction land use objectives for the site;

- utilisation of local endemic species or species naturally occurring in the Maroota area;
 - planting around the *Acacia bynoeana* conservation area to further buffer this species and enhance its long term viability as a bushland ecosystem;
 - connection of existing areas and future areas of revegetation to form a network of wildlife corridors throughout site and to adjoining lands to facilitate species recruitment through natural immigration;
 - provision of rocks of varying sizes to provide refuge and basking sites for herpetofauna;
 - fencing of revegetated areas to prohibit grazing by stock; and
 - provision of artificial nest boxes for a range of arboreal fauna.
- (d) mitigation measures to be implemented should operations compromise the significant flora and fauna communities identified in the EIS;
- (e) an ongoing monitoring program of the existing and proposed revegetated areas to assess their floristical structure and diversity, resilience and robustness to disturbance, and fauna species diversity. The information obtained from the monitoring shall be used to guide future revegetation and management efforts; and
- (f) include detailed performance and completion criteria for evaluating the performance of the flora and fauna management measures and rehabilitation of the site, including triggers for any necessary remedial action.
56. The Applicant shall maintain the revegetated areas for the duration of the Consent. Maintenance may include:
- replanting failed or unsatisfactory areas
 - repairing erosion problems
 - fire management – fire suppression or fire encouragement
 - pest and weed control
 - control of feral animal populations
 - maintain and repair fencing
 - fertiliser application
 - watering plants in drier areas, especially in the establishment phase
 - application of lime or gypsum to control pH and improve soil structure.

HERITAGE

57. If, during the development, the Applicant becomes aware of any heritage or archaeological material, all work likely to affect the material shall cease immediately and the relevant authorities consulted about an appropriate course of action prior to recommencement of work. The relevant authorities may include NPWS, the Heritage Office, and the Local Aboriginal Land Councils. Any necessary permits or consents shall be obtained and complied with prior to recommencement of work.

LANDSCAPE AND REHABILITATION

Rehabilitation Objectives

58. The Applicant shall rehabilitate the site to the satisfaction of the Secretary. This rehabilitation must comply with the objectives in Table 1:

Table 1: Rehabilitation Objectives

Feature	Objective
Site (as a whole)	• Safe, stable and non-polluting • Final landform integrated with surrounding natural landforms as far as is reasonable and feasible, and minimising visual impacts when viewed from surrounding land
Surface Infrastructure	• Decommissioned and removed, unless DRE agrees otherwise

Quarry Benches	• Landscaped and vegetated using native tree and understorey species
Quarry Pit Floor	• Landscaped and revegetated using improved pasture species, native trees and understorey species
Final Void	• Minimise the height and slope of batters • Minimise the drainage catchment
Community	• Ensure public safety • Minimise the adverse socio-economic effects of quarry closure

Progressive Rehabilitation

59. The Applicant shall rehabilitate the site progressively, that is, as soon as reasonably practicable following disturbance. All reasonable and feasible measures must be taken to minimise the total area exposed for dust generation at any time. Interim stabilisation measures must be implemented where reasonable and feasible to control dust emissions in disturbed areas that are not active and which are not ready for final rehabilitation.

Note: It is accepted that parts of the site that are progressively rehabilitated may be subject to further disturbance in future.

Landscape and Rehabilitation Management Plan

60. The Applicant shall prepare a Landscape and Rehabilitation Management Plan for the development to the satisfaction of the Secretary. This plan must:
- be submitted to the Secretary for approval by 30 June 2017, unless otherwise agreed by the Secretary;
 - provide details of the conceptual final landform and associated land uses for the site;
 - describe the short, medium and long-term measures that would be implemented to ensure compliance with the rehabilitation objectives and progressive rehabilitation obligations in this consent;
 - include a detailed description of the measures that would be implemented over the next 3 years (to be updated for each 3 year period following the 3 years covered by the initial approval of the plan) including the procedures to be implemented for:
 - maximising the salvage of environmental resources within the approved disturbance area for beneficial reuse;
 - protecting vegetation and fauna habitat outside the approved disturbance area on-site;
 - minimising the impacts on native fauna;
 - landscaping the site to minimise visual and lighting impacts;
 - reviewing improved pasture species and application rates;
 - controlling weeds and feral pests;
 - controlling erosion;
 - controlling access; and
 - bushfire management;
 - include a program to monitor and report on the effectiveness of these measures, and progress against the performance and completion criteria;
 - include a mass balance calculation to ensure that appropriate volumes of material are available to implement the final landform as described in this plan;
 - provide for the construction and maintenance of the process water dam in accordance with the approved design and construction criteria (see Condition 42(b));
 - identify the potential risks to the successful rehabilitation of the site, and include a description of the contingency measures that would be implemented to mitigate these risks; and
 - include details of who would be responsible for monitoring, reviewing, and implementing the plan.

The Applicant shall implement the management plan as approved from time to time by the Secretary

Conservation and Rehabilitation Bond

61. By 31 December 2017, the Applicant shall lodge a Conservation and Rehabilitation Bond with the Department to ensure that the management of biodiversity and the rehabilitation of the site are implemented in accordance with the performance and completion criteria set out in the Flora and Fauna Management Plan and Landscape and Rehabilitation Plan. The sum of the bond shall be determined by:
- (a) calculating the cost of rehabilitating the site taking into account the likely surface disturbance over the following 3 years of quarrying operations; and
 - (b) employing a suitably qualified quantity surveyor or other expert to verify the calculated costs, to the satisfaction of the Secretary.
- Note: If the rehabilitation of the site is completed to the satisfaction of the Secretary, then the Secretary will release the bond. If the rehabilitation of the site is not completed to the satisfaction of the Secretary, then the Secretary will call in all or part of the bond, and arrange for the completion of the relevant works.*
62. Within 3 months of each Independent Environmental Audit (see Condition 66), the Applicant shall review, and if necessary revise, the sum of the Conservation and Rehabilitation Bond to the satisfaction of the Secretary. This review must consider the:
- (a) effects of inflation;
 - (b) likely cost of rehabilitating the site (taking into account the likely surface disturbance over the next 3 years of the development); and
 - (c) performance of the implementation of the rehabilitation of the site to date.

ENVIRONMENTAL MANAGEMENT

Environmental Management Strategy

63. The Applicant shall prepare an Environmental Management Strategy for the development to the satisfaction of the Secretary. This strategy must:
- (a) be submitted to the Secretary for approval by 30 June 2016;
 - (b) provide the strategic framework for environmental management of the development;
 - (c) identify the statutory approvals that apply to the development;
 - (d) describe the role, responsibility, authority and accountability of all key personnel involved in the environmental management of the development;
 - (e) describe the procedures that would be implemented to:
 - keep the local community and relevant agencies informed about the operation and environmental performance of the development;
 - receive, handle, respond to, and record complaints;
 - resolve any disputes that may arise during the course of the development;
 - respond to any non-compliance;
 - respond to emergencies; and
 - (f) include:
 - copies of any strategies, plans and programs approved under the conditions of this consent; and
 - a clear plan depicting all the monitoring required to be carried out in relation to the development.

The Environmental Management Strategy is to include a copy of the sequence of extraction as updated under Modification 2, with all dam areas on the site clearly labelled and described.

The Applicant shall implement the approved strategy as approved from time to time by the Secretary.

Adaptive Management

64. The Applicant shall assess and manage development-related risks to ensure that there are no exceedances of the criteria and/or performance measures in this Consent. Any exceedance of these criteria and/or performance measures constitutes a breach of this Consent and may be subject to penalty or offence provisions under the EP&A Act or EP&A Regulation.

Where any exceedance of these criteria and/or performance measures has occurred, the Applicant must, at the earliest opportunity:

- (a) take all reasonable and feasible steps to ensure that the exceedance ceases and does not recur;
- (b) consider all reasonable and feasible options for remediation (where relevant) and submit a report to the Department describing those options and any preferred remediation measures or other course of action; and
- (c) implement remediation measures as directed by the Secretary, to the satisfaction of the Secretary.

Management Plan Requirements

65. The Applicant shall ensure that the management plans required under this Consent are prepared in accordance with any relevant guidelines, and include:
- (a) detailed baseline data;
 - (b) a description of:
 - the relevant statutory requirements (including any relevant approval, licence or lease conditions);
 - any relevant limits or performance measures/criteria;
 - the specific performance indicators that are proposed to be used to judge the performance of, or guide the implementation of, the development or any management measures;
 - (c) a description of the measures that would be implemented to comply with the relevant statutory requirements, limits, or performance measures/criteria;
 - (d) a program to monitor and report on the:
 - impacts and environmental performance of the development;
 - effectiveness of any management measures (see c above);
 - (e) a contingency plan to manage any unpredicted impacts and their consequences;
 - (f) a program to investigate and implement ways to improve the environmental performance of the development over time;
 - (g) a protocol for managing and reporting any:
 - incidents;
 - complaints;
 - non-compliances with statutory requirements; and
 - exceedances of the impact assessment criteria and/or performance criteria; and
 - (h) a protocol for periodic review of the plan.

Note: The Secretary may waive some of these requirements if they are unnecessary or unwarranted for particular management plans.

Annual Review

66. By the end of March each year (or as otherwise agreed by the Secretary), the Applicant shall review the environmental performance of the development for the previous calendar year to the satisfaction of the Secretary. This review must:
- (a) describe the development (including any rehabilitation) that was carried out in the past calendar year, and the development that is proposed to be carried out over the current calendar year;
 - (b) include a comprehensive review of the monitoring results and complaints records of the development over the past year, which includes a comparison of these results against the:

- relevant statutory requirements, limits or performance measures/criteria;
 - monitoring results of previous years; and
 - relevant predictions in the EIS, Modification 1 and Modification 2;
- (c) identify any non-compliance over the last year, and describe what actions were (or are being) taken to ensure compliance;
- (d) identify any trends in the monitoring data over the life of the development;
- (e) identify any discrepancies between the predicted and actual impacts of the development, and analyse the potential cause of any significant discrepancies; and
- (f) describe what measures will be implemented over the next year to improve the environmental performance of the development.

Revision of Strategies, Plans and Programs

67. Within 3 months of the submission of:
- (a) an annual review under Condition 62 above;
 - (b) an incident report under Condition 64 below;
 - (c) an audit report under Condition 66 below; or
 - (d) any modification to the conditions of this Consent (unless the conditions require otherwise), the Applicant shall review, and if necessary revise, the strategies, plans, and programs required under this Consent to the satisfaction of the Secretary.

Where this review leads to revisions in any such document, then within 4 weeks of the review, unless the Secretary agrees otherwise, the revised document must be submitted to the Secretary for approval.

Note: This is to ensure the strategies, plans and programs are updated on a regular basis, and incorporate any recommended measures to improve the environmental performance of the development.

REPORTING

Incident Reporting

68. The Applicant shall immediately notify the Secretary and any other relevant agencies of any incident. Within 7 days of the date of the incident, the Applicant shall provide the Secretary and any relevant agencies with a detailed report on the incident, and such further reports as may be requested.

Regular Reporting

69. The Applicant shall provide regular reporting on the environmental performance of the development on its website, in accordance with the reporting arrangements in any plans or programs approved under the conditions of this Consent.

INDEPENDENT ENVIRONMENTAL AUDIT

70. Every 3 years from the date of this consent and at the completion of works under this consent, unless the Secretary directs otherwise, the Applicant shall commission and pay the full cost of an Independent Environmental Audit of the development. This audit must:
- (a) be conducted by a suitably qualified, experienced and independent team of experts whose appointment has been endorsed by the Secretary;
 - (b) include consultation with the relevant agencies;
 - (c) assess the environmental performance of the development and assess whether it is complying with the requirements in this Consent and any relevant EPL (including any assessment, plan or program required under these approvals);

- (d) review the adequacy of strategies, plans or programs required under the abovementioned approvals; and
- (e) recommend appropriate measures or actions to improve the environmental performance of the development, and/or any assessment, plan or program required under the abovementioned approvals.

Note: This audit team must be led by a suitably qualified auditor and include experts in any field specified by the Secretary.

- 71. Within 6 weeks of the completion of this audit, unless the Secretary agrees otherwise, the Applicant shall submit a copy of the audit report to the Secretary, together with its response to any recommendations contained in the audit report.

ACCESS TO INFORMATION

- 72. By 30 June 2016 the Applicant shall:
 - (a) make copies of the following publicly available on its website:
 - the documents identified in Condition 2(a) above;
 - current statutory approvals for the development;
 - approved strategies, plans and programs required under the conditions of this Consent;
 - a comprehensive summary of the monitoring results of the development, reported in accordance with the specifications in any conditions of this Consent, or any approved plans and programs;
 - a complaints register, which is to be updated monthly;
 - the annual reviews of the development (for the last 5 years, if applicable);
 - any independent environmental audit of the development, and the Applicant's response to the recommendations in any audit;
 - any other matter required by the Secretary; and
 - (b) keep this information up-to-date, to the satisfaction of the Secretary.'