

ENVIRONMENTAL PLANNING & ASSESSMENT ACT 1979

DETERMINATION OF PROJECT APPLICATION

CONSTRUCTION OF A MIXED COMMERCIAL AND RETAIL DEVELOPMENT

BUILDING A, 7 PARKVIEW DRIVE, SYDNEY OLYMPIC PARK


(MP No. 07_0157)

The Planning Assessment Commission of New South Wales (the Commission), having considered all relevant matters prescribed under Section 75J(2) of the *Environmental Planning and Assessment Act 1979*, including those relevant matters prescribed by Section 75I(2) as contained in the Director General's Environmental Assessment report determine Major Project (MP07_0157) by **granting approval** to the Major Project described in the attached Schedule 1 subject to the conditions of approval in the attached Schedule 2, pursuant to Section 75J(1) of the *Environmental Planning and Assessment Act 1979*.


This approval applies to the plans, drawings and documents cited by the Proponent in their Environmental Assessment, Preferred Project Report and the Proponent's revised Statement of Commitments (Schedule 3), subject to the conditions of approval in the attached Schedule 2.

The reason for the imposition of these conditions are:

- (1) To ensure the site is appropriately managed for the proposed use;
- (2) To adequately mitigate the environmental and construction impacts of the development;
- (3) To reasonably protect the amenity of the local area; and
- (4) To protect the public interest.



Member of the Commission



Member of the Commission



Member of the Commission

Thursday 14 October, 2010

Sydney

SCHEDULE 1

PART A — TABLE

Application made by:	GPT RE Limited
Application made to:	Minister for Planning
Major Project Number:	MP 07_0157
On land comprising:	Lot 88, DP 870992 7 Parkview Drive, Sydney Olympic Park
Local Government Area	Auburn
For the carrying out of:	<ul style="list-style-type: none"> • Staged demolition of the existing warehouse building; • Construction of a 5 storey commercial/retail building with basement car parking; and • Landscaping and a temporary link road connecting Parkview Drive to the extension of Murray Rose Avenue.
Capital Investment Value	\$41.5 million
Type of development:	Project approval under Part 3A of the EP&A Act
Determination:	Project approval is granted subject to the conditions in the attached Schedule 2
Date of commencement of approval:	This approval commences on the date of this approval
Date approval is liable to lapse	5 years from the date of this approval unless the building works associated with the project have substantially commenced

PART B — NOTES RELATING TO THE DETERMINATION OF MAJOR PROJECT NO. 07_0157

Responsibility for other consents/agreements

The proponent is solely responsible for ensuring that all additional consents and agreements are obtained from other authorities, as relevant.

Legal Notices

Any advice or notice to the approval authority shall be served on the Director General.

Inconsistencies between documents

In the event of any inconsistency between the conditions to this major project approval and the approved plans and documentation described in Schedule 2 and the Statement of Commitments in Schedule 3, the conditions in this major project approval prevail.

PART C — DEFINITIONS

In this approval the following definitions apply:

Advisory Notes	Advisory information relating to the approved project but do not form a part of this approval.
BCA	Building Code of Australia
Certifying Authority	Has the same meaning as Part 4A of the EP& A Act.
Construction	Any works, including earth and building works
Council	Auburn Council

CPI	Consumer Price Index
Day	The period from 7am to 6pm on Monday to Saturday, and 8am to 6pm on Sundays and Public Holidays
DECCW	Department of Environment, Climate Change and Water or its successors
Department	Department of Planning or its successors
Director General	Director-General of the Department of Planning, or nominee
EA	Environmental Assessment Report titled <i>Building A, 7 Parkview Drive, Sydney Olympic Park, Environmental Assessment Report Vol 1 and 2</i> , dated December 2009
EP&A Act	<i>Environmental Planning and Assessment Act 1979</i>
EP&A Regulation	<i>Environmental Planning and Assessment Regulation 2000</i>
Evening	The period from 6pm to 10pm
Incident	A set of circumstances that causes or threatens to cause material harm to the environment, and/or breaches or exceeds the limits or performance measures/criteria in this approval
Minister	Minister for Planning, or nominee
Night	The period from 10pm to 7am on Monday to Saturday, and 10pm to 8am on Sundays and Public Holidays
PPR	<i>Building A, 7 Parkview Drive, Sydney Olympic Park, Project Application No. 07_0157, Response to Submissions and Preferred Project Report and Attachments</i> prepared by JBA Urban Planning Consultants on behalf of GPT RE Limited, dated June 2010
Project	The project described in Schedule 2, Part A, Condition A1 and the accompanying plans and documentation described in Schedule 2, Part A, Condition A2.
Proponent	GPT RE Limited, or anyone else entitled to act on this Approval
POEO Act	<i>Protection of the Environment Operations Act 1997</i>
Reasonable and Feasible	Reasonable relates to the application of judgement in arriving at a decision, taking into account: mitigation benefits, cost of mitigation versus benefits provided, community views and the nature and extent of potential improvements. Feasible relates to engineering considerations and what is practical to build.
RTA	Roads and Traffic Authority
SOPA	Sydney Olympic Park Authority
Statement of Commitments	The proponent's Statement of Commitment in Schedule 3
Subject Site	Lot 88, DP 870992

SCHEDULE 2

RECOMMENDED CONDITIONS OF APPROVAL

MAJOR PROJECT 07_0157

PART A—ADMINISTRATIVE CONDITIONS

A1. Development Description

Except as amended by the conditions of this approval, approval is granted only to carrying out the development as described in Schedule 1, and development must be carried out consistently with the Statement of Commitments (attached as Schedule 3).

These conditions of approval do not relieve the proponent of its obligations under the EP&A Act and any other Act.

A2. Development in Accordance with Plans and Documents

The development will be undertaken in accordance the following drawings and documents:

<i>Building A, 7 Parkview Drive, Sydney Olympic Park, Project Application No. 07_0157, Environmental Assessment Report Vol 1 and Appendices prepared by JBA Planning Consultants on behalf of GPT RE Limited, dated December 2009</i>			
<i>Building A, 7 Parkview Drive, Sydney Olympic Park, Project Application No. 07_0157, Response to Submissions and Preferred Project Report and Attachments prepared by JBA Urban Planning Consultants on behalf of GPT RE Limited, dated June 2010</i>			
Architectural (or Design) Drawings prepared by Turner + Associates Architects (job no. 09039):			
Drawing No.	Revision	Name of Plan	Date
EA003	F	Interim Site Plan	02.06.10
EA003a	B	Extent Of Developer's Works	02.06.10
EA004	D	Demolition Plan	02.06.10
EA100	F	Basement 02 Plan	02.06.10
EA101	E	Basement 01 Plan	02.06.10
EA102	G	Ground Level Plan	02.06.10
EA103	G	Upper Ground Level Plan	02.06.10
EA104	F	Level 1 Plan	02.06.10
EA105	G	Typical Level Plan	02.06.10
EA106	G	Plant Level Plan	02.06.10
EA107	G	Roof Plan	02.06.10
EA300	G	South Elevation	02.06.10
EA301	G	East Elevation	02.06.10
EA302	G	North Elevation	02.06.10
EA303	G	West Elevation	02.06.10
EA400	G	Section A	02.06.10
EA401	G	Section B	02.06.10
EA402	G	Section C	02.06.10

Landscape Plans prepared by Turf Design (project no. 0901):			
Drawing No.	Revision	Name of Plan	Date
LA5	C	Building A Landscape Plan	28.04.10
LA7	B	The Cutting	19.11.09
LA13	A	Bio-swale Plan	28.04.10
Civil Drawings prepared by Hughes Trueman:			
Drawing No.	Revision	Name of Plan	Date
07P750-SKC101	C	Road Alignment Plan – Sheet 1 of 3	20.11.09
07P750-SKC102	C	Road Alignment Plan – Sheet 2 of 3	20.11.09
07P750-SKC103	C	Road Alignment Plan – Sheet 3 of 3	20.11.09
All conditions of this approval			

except for:

- (1) any modifications which are 'Exempt and Complying Development' or as may be necessary for the purpose of compliance with the BCA and any Australian Standards incorporated in the BCA
- (2) otherwise provided by the conditions of this approval.

A3. Additional Approvals Required

Separate development applications under Part 4 of the EP&A Act (unless identified as project to which Part 3A applies) are required for all first use office fit-outs, signage and retail tenancies.

A4. Prescribed Conditions

The proponent shall comply with the prescribed conditions under Part 6, Division 8A of the EP&A Regulation.

A5. Development Contributions

The proponent shall comply with the relevant development contribution arrangements that apply to the project.

PART B—PRIOR TO ISSUE OF RELEVANT CONSTRUCTION CERTIFICATE

B1 Material Samples Board

The proponent must ensure all proposed final material finishes on the façade of the building are presented on a Material Samples Board for review and endorsement of the Executive Manager Urban Planning and Design of SOPA, prior to the issue of a Construction Certificate.

B2 Public Domain Strategy

The proponent must prepare a Public Domain Strategy in consultation with SOPA and to the satisfaction of the Executive Manager Urban Planning and Design of SOPA, prior to the issue of a Construction Certificate.

B3 Construction Certificate

The stamped drawings must be lodged with the Certifying Authority (Minister for Planning via the Department of Planning, Sydney Olympic Park Authority, or a Private Accredited Certifier) for a Construction Certificate for each stage of the project. The proponent must supply the Department of Planning and SOPA with a copy of any Construction Certificate within two days from the date of its issue.

B4 Structural Details

Prior to the issue of a Construction Certificate for the relevant works, the proponent shall submit to the satisfaction of the Certifying Authority, structural drawings prepared and signed by a suitably qualified practicing Structural Engineer that complies with:

- a) the relevant clauses of the BCA,
- b) the relevant approval,
- c) drawings and specifications comprising the Construction Certificate, and
- d) the relevant Australian Standards listed in the BCA (Specification A1.3).

Prior to work commencing, structural details and a Structural Certificate for Design in accordance with Clause A2.2(a)(iii) of the Building Code of Australia must be submitted to the satisfaction of the Certifying Authority.

B5 Mechanical Ventilation

All mechanical ventilation systems shall be designed in accordance with Part F4.5 of the Building Code of Australia and shall comply with Australian Standards AS1668.1&2 and AS3666 Part 1 *Air Handling and Water Systems of Buildings – Microbial control, design installation and commissioning*, to ensure adequate levels of health and amenity to the occupants of the building and to ensure environment protection. Details shall be submitted to the satisfaction of the Certifying Authority prior to the issue of a Construction Certificate for the relevant works.

B6 Long Service Levy

Prior to the issue of a Construction Certificate, evidence of the payment of the long service levy under section 34 of the *Building and Construction Industry Long Service Payments Act 1986* must be provided to the Certifying Authority (or, where such a levy is payable by instalments, the first instalment of the levy).

B7 Stormwater & Drainage

Prior to the issue of a Construction Certificate, details of the proposed stormwater disposal and drainage from the development, including connection to the Sydney Olympic Park Water Reclamation and Management Scheme (WRAMS) are required and details of the provision and maintenance of overland flow paths are to be designed to the satisfaction of SOPA's General Manager of Operations and Sustainability and submitted to the Certifying Authority. All approved details for the disposal of stormwater and drainage are to be implemented in the development.

B8 Erosion and Sedimentation Control

Soil erosion and sediment control measures shall be designed in accordance with the document *Managing Urban Stormwater–Soils & Construction Volume 1 (2004)* by Landcom. Details are to be submitted to the satisfaction of the Certifying Authority prior to the issue of the Construction Certificate.

B9 Reflectivity

The light reflectivity from building materials used on the facades of the buildings must not exceed 20% and shall be designed so as not to result in glare that causes any nuisance or interference to any person or place. A statement demonstrating compliance with these requirements is to be submitted to the satisfaction of the Certifying Authority prior to the issue of a Construction Certificate. In the event that the maximum 20% light reflectivity cannot be provided to satisfy Part J of the BCA, the BCA shall prevail.

B10 Sydney Water – Notice of Requirements

An application shall be made to Sydney Water for a Certificate under Part 6, Division 9, section 73 of the *Sydney Water Act 1994* (Compliance Certificate). Evidence that a Compliance Certificate has been applied for (i.e. Notice of Requirements) shall be produced to the satisfaction of the Certifying Authority prior to the issue of any Construction Certificate for the development.

Application must be made through an authorised Water Servicing Coordinator. Please refer to the "Your Business" section of the web site www.sydneywater.com.au then follow the "e-Developer" icon or telephone 13 20 92 for assistance.

Following application a "Notice of Requirements" will advise of water and sewer extensions to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer extensions can be time consuming and may impact on other services and building, driveway or landscape design.

B11 Traffic and Parking Details

Prior to the issue of a Construction Certificate for the new building, plans are to be submitted to the satisfaction of the General Manager, Operations and Sustainability of SOPA for approval and the Certifying Authority identifying the following traffic and parking details:

- (1) All vehicles should enter and leave the site in a forward direction. In the event that site constraints do not permit heavy rigid vehicles to enter and leave the site in a forward direction then all reversing

movements should be undertaken under the control of certified traffic controllers to ensure public safety when vehicles are reversing.

- (2) Car parking and loading areas associated with the proposal (including queuing areas, grades, turn paths, sight distance requirements, aisle widths, and parking bays) should be in accordance with AS 2890.1-2004 and AS 2890.2-2002 for commercial vehicle usage.
- (3) Appropriate pedestrian advisory signs are to be provided at the egress from the car park and loading area.
- (4) All works/regulatory signposting associated with the proposed developments shall be at no cost to the RTA.

B12 Disabled Access

Access and facilities for people with disabilities shall be provided in accordance with Part D3 of the BCA, SOPA's Access Guidelines and the recommendations contained within the *Accessibility Review* prepared by Morris-Good Accessibility Consulting, dated 5 August 2009. Prior to the issue of a Construction Certificate, a certification of compliance with this condition from an appropriately qualified person shall be provided to the Certifying Authority.

B13 Water saving devices and connection to WRAMS

Water saving devices shall be installed in all areas of the development to reduce water consumption and promote energy efficiency, and all new fixtures and fittings are to achieve the following WELS rating and performance:

- (a) hand wash basins rated to WELS 4 Star;
- (b) sink taps rated to WELS 4 Star;
- (c) showerheads rated to WELS 4 Star;
- (d) dual flush toilets rated to WELS 4 Star;
- (e) urinals should be waterless or sensor rated to WELS 5 Star;
- (f) dishwashers rated to WELS 4 Star; and
- (g) Connection to Sydney Olympic Park WRAMS system.

Details of the above are to be included in the specifications which are to form part of the Construction Certificate for the premises.

B14 Noise Management

Prior to the issue of a Construction Certificate, the proponent must provide a statement from an accredited acoustic consultant confirming that environmental noise emissions from mechanical and air conditioning plants will comply with the NSW Industrial Noise Policy and the design and construction of the building will comply with the recommendations of the Acoustic Assessment Report by Acoustic Logic Consultancy dated 6 November 2009.

B15 Landscape Plan

A final detailed Landscape Plan shall be submitted to the satisfaction of the Executive Manager Urban Planning and Design of SOPA prior to issue of a Construction Certificate.

PART C—PRIOR TO COMMENCEMENT OF WORKS

C1 Construction Management Plan

A Construction Management Plan shall be prepared in consultation with SOPA and submitted to the General Manager, Operations and Sustainability of SOPA for approval prior to the commencement of works. The Plan shall include, but not be limited to, the following matters which are to be addressed by suitably qualified person(s):

- (1) **Hours of work**, which must be in accordance with the conditions of this approval;
- (2) **Contact details** of the site manager and all principle contractors;
- (3) **Traffic management**, which is to be developed in consultation with SOPA, and is to include:
 - ingress and egress of vehicles to the site;
 - management of loading and unloading of materials;

- number and frequency of vehicles accessing the site;
 - the times vehicles are likely to be accessing the site;
 - changes to on-street parking restrictions on local roads;
 - management of construction traffic and car parking demand including preparation and distribution of a Travel Access Guide; and
 - management of existing vehicular and pedestrian movements / routes around the site throughout the various stages of construction;
- (4) **Erosion and sediment control**, identifying appropriate measures to be installed during construction which shall be designed in accordance with in accordance with the document *Managing Urban Stormwater – Soils & Construction Volume 1 (2004)* by Landcom;
 - (5) **Construction noise and vibration management**, identifying specific activities that will be carried out and associated noise sources, identify all potentially affected sensitive receivers, noise and vibration monitoring reporting and response procedures, description of specific mitigation treatments management measures and procedures to be implemented, and address any other relevant provisions of Australian Standard 2436-2010 *Guide to Noise and Vibration Control on Construction, Demolition and Maintenance Sites*;
 - (6) **Construction waste management**, identifying options for minimising waste in construction; reuse and recycling of materials; the storage, control and removal of construction waste;
 - (7) **Dust control** measures to be implemented to prevent the movement of airborne particles from the site throughout the construction process, and the tracking of material from the site by trucks and other vehicles. This is to include the appropriate use of physically barriers and the dampening of exposed excavated surfaces. The storage and stockpiling areas for material is also to be detailed and covered as required; and
 - (8) **Major event management** – construction management measures during major event mode.

C2 Pre-construction Dilapidation Report

Prior to commencement of the new building works the proponent must prepare a Pre-construction Dilapidation Report detailing the current structural condition of all existing and adjoining public domain, public infrastructure, SOPA assets and public roads. The report shall be submitted to the satisfaction of the Certifying Authority and advise SOPA in writing and/or photographs of any signs of existing damage to SOPA's road reserves, footways, or verges prior to the commencement of any building/demolition works.

C3 Commencement of site works

Written notice must be given to SOPA at least 48 hours prior to the commencement of construction works or associated site works associated with this approval in accordance with Section 81A (2) (b1) of the EP&A Act.

C4 Barricade Permit

Where construction/building works require the use of a public place including a road or footpath, approval for a Permit is to be obtained from SOPA prior to the commencement of work. Details of the barricade construction, area of enclosure and period of work are required to be submitted to the satisfaction of SOPA.

C5 Road/Asset Opening Permit

A Road / Asset Opening Permit must be obtained from SOPA prior to carrying out any works within or upon a road, footpath, nature strip or in any public place, in accordance with section 138 of the Roads Act 1993, and all of the conditions and requirements contained in the Road / Asset Opening Permit must be complied with.

C6 Vehicle Cleansing

Prior to the commencement of work, suitable measures are to be implemented to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site/associated with the construction of the development. It is an offence to allow, permit or cause materials to pollute or be placed in a position from which they may pollute waters.

C7 Utility Services

To ensure that utility authorities are advised of the development:

- (1) A survey is to be carried out of all utility services within and adjacent to the site including relevant information from utility authorities and excavation if necessary, to determine the position and level of services.
- (2) Prior to the commencement of work the proponent is to negotiate with the utility authorities (e.g. Energy Australia, Sydney Water and Telecommunications Carriers) in connection with the relocation and/or adjustment of the services affected by the construction of the underground structure. Any costs in the relocation, adjustment or support of services are to be the responsibility of the proponent.
- (3) Prior to commencement of works a full risk study must be completed by AGL.

C8 *Removal of Waste Materials*

All waste materials shall be analysed to provide a final waste classification prior to removal from the site and shall be disposed of at an approved waste disposal facility in accordance with the requirements of the relevant legislation, codes, standards and guidelines, prior to the commencement of any building works. Details demonstrating compliance with the relevant legislative requirements are to be submitted to the satisfaction of the Certifying Authority prior to the removal of any waste materials.

C9 *Contact Telephone Number*

Prior to the commencement of the works, the proponent shall forward to the Department, SOPA and Council a 24 hour telephone number to be operated and continually attended by a person with authority over the works for the duration of the construction works.

PART D—DURING CONSTRUCTION

D1 *Approved Plans to be On-Site*

A copy of the approved and certified plans, specifications and documents incorporating conditions of approval shall be kept on the site at all times and shall be readily available for perusal by any officer of the Department, SOPA or Council.

D2 *Hours of Work*

All building, demolition and associated site works (including site deliveries) must only be carried out between the hours of 7.00am to 6.00pm on Monday to Friday inclusive and between 8.00am to 1.00pm on Saturdays and all building activities are strictly prohibited on Sundays and Public Holidays except with the written approval of the General Manager, Operations and Sustainability of SOPA.

In addition, the use of any rock excavation machinery or any mechanical pile drivers or the like, is restricted to the hours of 8.00am to 5.00pm (maximum) on Monday to Friday only, to minimise the noise levels during construction and loss of amenity to nearby premises unless otherwise approved in the Construction Management Plan.

D3 *Noise Control*

- All work, including excavation and construction work must comply with the Australian Standard 2436-2010 *Guide to Noise and Vibration Control on Construction, Demolition and Maintenance Sites*.
- Noise and vibration emissions during the construction of the building and associated site works must not result in damage to nearby premises or result in an unreasonable loss of amenity to nearby residents, and the relevant provisions of the Protection of the Environment Operations Act 1997 must be satisfied at all times.
- The construction activities shall be undertaken in accordance with noise mitigation measures recommended in the Construction Management Plan.

D4 *Standards and Codes*

All building works shall be constructed in accordance with safe work practices and complying with the relevant adopted Australian Standards, Codes of Practice and the current Building Code of Australia.

D5 *WorkCover Requirements*

To protect the safety of work personnel and the public, the work site shall be adequately secured to prevent access by unauthorised personnel, and work shall be conducted at all times in accordance with relevant

WorkCover requirements and the *Occupation Health and Safety Act 2000* and *Occupational Health and Safety Regulation 2001*.

D6 Covering of Loads

All vehicles involved in the excavation process and departing with spoil or loose matter, must have their loads fully covered before entering the public roadway.

D7 Erosion and Sedimentation Control

Sediment controls are to be in place for the duration of the works to ensure that no sediment, fines, and like material can enter the waterway or drainage system. The proponent is to carry out works generally in accordance with the Construction Management Plan and controls are to be maintained at design level throughout the duration of the works and are to be inspected for this purpose at frequent intervals. Any deficiencies are to be immediately made good.

D8 Dust Control Measures

Adequate measures shall be taken to prevent dust from affecting the amenity of the neighbourhood during construction. In particular, the following measures must be adopted:

- (1) physical barriers shall be erected at right angles to the prevailing wind direction or shall be placed around or over dust sources to prevent wind or activity from generating dust emissions;
- (2) earthworks and scheduling activities shall be managed to coincide with the next stage of development to minimise the amount of time the site is left cut or exposed;
- (3) all materials shall be stored or stockpiled at the best locations;
- (4) the surface should be dampened slightly to prevent dust from becoming airborne but should not be wet to the extent that run-off occurs;
- (5) all vehicles carrying spoil or rubble to or from the site shall at all times be covered to prevent the escape of dust or other material;
- (6) all equipment wheels shall be washed before exiting the site using manual or automated sprayers and drive-through washing bays;
- (7) gates shall be closed between vehicle movements and shall be fitted with shade cloth; and
- (8) cleaning of footpaths and roadways shall be carried out regularly.

D9 Disposal of Seepage and Stormwater

Any seepage or rainwater collected on-site during construction shall not be pumped to the street stormwater system unless separate prior approval is given in writing by the General Manager, Operations and Sustainability of SOPA.

D10 Stormwater Pits

Any existing stormwater pits that do not comply with *AS 3500.3 – 2003 Plumbing and Drainage – Stormwater Drainage* are to be upgraded as part of the development.

D11 Setting Out of Structures

The new buildings shall be set out by a registered surveyor to verify the correct position of each structure in relation to property boundaries and the approved alignment levels. The registered surveyor is to also verify existing and proposed ground levels to ensure all accessible paths of travel will achieve compliance with *Australian Standard 1428.1 2009, Design for Access and Mobility – General Requirements for Access New Building Work*.

D12 Impact of Below Ground (Sub-surface) Works – Relics

If any archaeological relics are uncovered during the course of the work, then all works shall cease immediately in that area and the NSW Heritage Office contacted. Depending on the possible significance of the relics, an archaeological assessment and an excavation permit under the *NSW Heritage Act 1977* may be required before further works can continue in that area.

D13 Excavation – Aboriginal objects

Should any Aboriginal objects be discovered then all works are to cease immediately and DECCW shall be informed. Work may only be resumed following written consent being obtained from DECCW.

D14 No Obstruction of Public Way

The public way (public footpaths, road reserves and the like) must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances unless in accordance with a Works Permit. Non-compliance with this requirement will result in the issue of a notice by the Authority to stop all work on the site.

Note: further information on Work Permits can be obtained from www.sydneyolympicpark.com.au.

PART E—PRIOR TO OCCUPATION OR COMMENCEMENT OF USE

E1 Travel Management Plan

A Work Place Travel Management Plan is to be prepared by an appropriately qualified travel management consultant prior to the issue of an Occupation Certificate. The Work Place Travel Management Plan must be prepared in accordance with any travel management guidelines.

E2 Safety and Security

CCTV cameras must be installed in key areas including the car park entrance and the main lobby on the ground floor and adequate lighting is to be provided within the basement car park.

E3 Occupation Certificate to be submitted

An Occupation Certificate must be obtained from the Principle Certifying Authority (PCA) prior to commencement of occupation or use of the whole or part of the new building. A copy of the certificate shall be submitted to the Department and SOPA.

E4 Fire Safety Certificate

A Fire Safety Certificate shall be furnished to the Principle Certifying Authority (PCA) for all the Essential Fire or Other Safety Measures forming part of this approval prior to issue of the Occupation Certificate. A copy of the Fire Safety Certificate must be submitted to NSW Fire Brigades, SOPA and Council in accordance with the EP&A Regulations.

E5 Mechanical Ventilation

Following completion, installation and testing of any mechanical ventilation systems, the proponent shall provide evidence to the satisfaction of the Certifying Authority, prior to the issue of any Occupation Certificate, that the installation and performance of the mechanical systems complies with:

- (1) the Building Code of Australia;
- (2) Australian Standard AS1668 Part 1 & 2 and other relevant codes;
- (3) the development approval and any relevant modifications; and
- (4) any dispensation granted by the New South Wales Fire Brigade.

E6 Structural Inspection Certificate

A Structural Inspection Certificate or a Compliance Certificate for any structural work is to be submitted to the satisfaction of the Certifying Authority prior to issue of an Occupation Certificate.

E7 Accessibility

Prior to issue of an Occupation Certificate a certificate of compliance is to be prepared by an appropriately qualified person and submitted to the Certifying Authority confirming that the development complies with the recommendations in the *Accessibility Review* prepared by Morris-Good Accessibility Consulting, dated 11 November 2009, and complies with the requirements for access by people with disabilities under the Building Code of Australia, *Sydney Olympic Park Authority Access Guidelines 2008* and the *Disability Discrimination Act 1992*.

E8 Sydney Water

A Compliance Certificate issued under Part 6, Division 9, Section 73 of the *Sydney Water Act 1994* shall be submitted to the Certifying Authority prior to the issue of the Occupation Certificate for the development.

E9 Outdoor Lighting

All outdoor lighting shall comply with, where relevant, AS/NZ1158.3.1: 2005 Lighting for Roads and Public Spaces - Pedestrian Area (Category P) Lighting and AS4282: 1997 Control of the Obtrusive Effects of Outdoor Lighting. Details demonstrating compliance with these requirements are to be submitted to the satisfaction of the Certifying Authority prior to the issue of an Occupation Certificate and prior to operation of any outdoor lighting.

E10 Waste Management

Prior to an Occupation Certificate being issued, the Certifying Authority must ensure that waste handling works have been completed in accordance with the Waste Management Plan.

E11 Food Premises

The construction, fit out and finishes or any proposed commercial food premises shall comply with the *Food Act 2003* and *AS 4674-2004 Design, Construction and Fit out of Food Premises*. Certification is to be provided from a competent consultant to satisfaction of the Certifying Authority with compliance of these standards prior to issue of the Occupation Certificate.

E12 Post-construction Dilapidation Report

The proponent, or any party acting upon this approval, is to prepare a post-construction dilapidation report at the completion of all construction works. This report is to ascertain whether the construction works created any structural or visual damage to adjoining public domain, public infrastructure and roads. In ascertaining whether adverse structural or visual damage has occurred to adjoining public domain, SOPA assets and public roads, the Certifying Authority must:

- Compare the post construction dilapidation report with the pre-construction dilapidation report required by Condition C3;
- Obtain written confirmation from the relevant authority that there is no adverse structural damage to their infrastructure and roads;

The report is to be submitted to the Certifying Authority prior to the issue of an Occupation Certificate. A copy of this report is to be forwarded to SOPA and any other relevant agency.

E13 Infrastructure Damage

The cost of repairing any damage caused to SOPA or other Public Authority's assets in the vicinity of the subject site as a result of construction works associated with the approved development, is to be met in full by the proponent prior to the issue of the Occupation Certificate for the development.

E14 Drainage Plan

Prior to the issuing of an Occupation Certificate for the development, the applicant shall submit to SOPA, a works-as-executed drainage plan prepared by a registered surveyor and approved by a suitably qualified and experienced Hydraulic Engineer. The works-as-executed drainage plan shall be to the satisfaction of the Certifying Authority.

PART F—POST OCCUPATION & ON GOING OPERATIONAL CONDITIONS

F1 Ecologically Sustainable Development (ESD)

The proponent must ensure that the recommendations contained in the ESD Statement for 7 Parkview Drive prepared by Arup, dated 9 December 2009 are implemented during operation of the development.

F2 Noise Control – Operational

The use of the premises shall not cause a nuisance, or an offensive noise as defined in the *Protection of the Environment Operations Act 1997*, to adjoining properties or the public.

F3 Noise Control – Plant and Machinery

Noise associated with the operation of any plant, machinery or other equipment on the site, shall not give rise to any one or more of the following:

- (1) Transmission of "offensive noise" as defined in the *Protection of the Environment Operations Act 1997* to any place of different occupancy.
- (2) A sound pressure level at any affected residential property that exceeds the background (LA90, 15 minute) noise level by more than 5dB(A). The background noise level must be measured in the absence of noise emitted from the premises. The source noise level must be assessed as a LAeq, 15 minute.
- (3) Notwithstanding compliance with (1) and (2) above, the noise from mechanical plant associated with the premises must not exceed background noise levels (i.e. Background +0dB(A) requirement) in any habitable room in any residential property between the hours of 12.00 midnight and 7.00am.

F4 Public Domain and Parking Areas to be Unobstructed

- (1) The public domain, including all footpaths, laneways, driveways, road reserves and parking areas shall be unobstructed at all times by any materials, vehicles, refuse, skips or the like, under any circumstances except in accordance with a Works Permit or development consent issued by SOPA.
- (2) Driveways and car spaces shall not be used for the manufacture, storage or display of goods, materials or any other equipment and shall be used solely for vehicular access and for the parking of vehicles associated with the use of the premises.

F5 Annual Fire Safety Certification

An annual Fire Safety Statement must be given to Council and the NSW Fire Brigade commencing within 12 months after the date on which the initial Interim/Final Fire Safety Certificate is issued. This must ensure that the essential services installed in the building for the purpose of fire safety have been inspected and at the time of inspection are capable of operating to the required minimum standard.

F6 Loading and Unloading

All loading and unloading associated with the premises (including retail premises) must be undertaken in designated loading zones and/or loading bays. Loading and unloading may be restricted during major events in which case servicing of the premises may be required outside of major event periods.

F7 Waste Management

No waste is to be stored on the footpaths or public domain areas of Sydney Olympic Park. All waste (including retailing waste) is to be stored and disposed from within the base building's bin collection area.

ADVISORY NOTES

AN1 Use of Mobile Cranes

The proponent shall obtain all necessary permits required for the use of mobile cranes on or surrounding the site, prior to the commencement of works. In particular, the proponent shall ensure the following matters are complied with:

- (1) For special operations including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on street use of mobile cranes, permits must be obtained from SOPA:
 - (a) at least 48 hours prior to the works for partial road closures which, in the opinion of SOPA will create minimal traffic disruptions, and
 - (b) at least 4 weeks prior to the works for full road closures and partial road closures which, in the opinion of SOPA, will create significant traffic disruptions.
- (2) The use of mobile cranes must comply with the approved hours of construction and shall not be delivered to the site prior to 7.30am without the prior approval of SOPA.

AN2 Movement of Trucks Transporting Waste Material

The proponent shall notify the Roads and Traffic Authority's Traffic Management Centre (TMC) of the truck route(s) to be followed by trucks transporting waste material from the site, prior to the commencement of the removal of any waste material from the site.

AN3 *Disability Discrimination Act*

This application is to comply with the *Disability Discrimination Act 1992*. The proponent/owner is responsible to ensure compliance with this and other anti-discrimination legislation. The *Disability Discrimination Act 1992* covers disabilities not catered for in the minimum standards called up in the Building Code of Australia which references AS 1428.1 - Design for Access and Mobility. AS1428 Parts 2, 3 & 4 provides the most comprehensive technical guidance under the *Disability Discrimination Act 1992* currently available in Australia.

SCHEDULE 3

MP 07_0157

BUILDING A, 7 PARKVIEW DRIVE, SYDNEY OLYMPIC PARK

PROPONENT'S STATEMENT OF COMMITMENTS

In accordance with Part 3A of the Environmental Planning and Assessment Act 1979, the following are the commitments made by GPT to manage and minimise potential impacts arising from the commercial development.

Waste Management

GPT will prepare a Waste Management Plan for the development prior to the commencement of works. This plan will demonstrate how waste avoidance, reduction, re-use and recycling will be implemented in the proposed development.

Transport Management

GPT will require Workplace Travel Plans to be prepared by each tenant of the building prior to occupation. GPT undertakes to incorporate this requirement into the lease documentation.

Construction Management

A Construction Management Plan will be prepared by GPT prior to the commencement of works. This plan will include the following:

- Construction vehicle access to the site via Australia Avenue and Parkview Drive.
- Consultation with the RTA regarding proposed truck routes.
- Concurrent construction of the extension to Murray Rose Avenue and Building A.
- Protection measures for the significant fig tree located in the vicinity of the warehouse.
- Should any historical relics be unexpectedly discovered all excavations or disturbance to the area will stop immediately in accordance with Section 146 of the Heritage Act 1977.
- In the event that unexpected Aboriginal remains be discovered during excavation at the site, all works in that area will cease and DECCW will be notified in accordance with Section 91 of the National Parks and Wildlife Act 1974.

Contamination

To verify the findings of the preliminary site assessment, GPT undertakes to prepare a detailed contamination assessment once the existing warehouse on the site is demolished.

Fauna Management

GPT will undertake the following to mitigate any potential impacts to Green and Golden Bell Frogs:

- A site specific Green and Golden Bell Frog Plan will be prepared prior to the commencement of works in conjunction with SOPA and with regard to the Best Practice Guidelines – GGBF Habitat (DECC (NSW)) and the Frog Hygiene Protocols (DECCW).
- Connected garden beds containing plants suitable for sheltering frogs will not include pedestrian pathways to deter people from accessing these areas.