



**KINGS FOREST**

**STAGE 1 PROJECT APPLICATION**

**PRECINCT 1 & 5**

**VEGETATION MANAGEMENT PLAN**

**AMENDED**  
**SEPTEMBER 2011**

A REPORT PREPARED FOR PROJECT 28 PTY LTD

Brisbane Office  
Suite 28 Cathedral Village  
115 Wickham Street  
FORTITUDE VALLEY QLD 4006  
Ph: (07) 3257 2703  
Fax: (07) 3257 2708

Head Office  
105 Tamar Street  
PO Box 1465  
BALLINA NSW 2478  
Ph: (02) 6686 3858  
Fax: (02) 6681 1659

Sunshine Coast Office  
Ph: (07) 5437 0277  
Fax: (07) 5437 0922



## TABLE OF CONTENTS

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	Background	4
1.2	Proposed Development	4
1.2.1	Kings Forest Stage 1 Project Application	4
1.2.2	Precincts 1 & 5	5
1.3	Aims & Objectives	5
1.4	Plan Requirements	5
1.5	Relationship to other Management Plans	6
<b>2</b>	<b>Summary of Significant Values</b>	<b>7</b>
2.1	Background	7
2.2	Endangered Ecological Communities	7
2.3	Threatened Species	7
2.3.1	Flora	7
2.3.2	Fauna	7
2.4	SEPP 14 Wetlands	8
2.5	Cudgen Nature Reserve	8
<b>3</b>	<b>Management Strategies</b>	<b>9</b>
3.1	Introduction	9
3.2	Protection of ecologically significant site values during Construction phase	9
3.2.1	Vegetation Protection	9
3.2.2	Protection of Threatened Flora	9
3.2.3	Protection of EECs	9
3.2.4	Protection of SEPP 14 Wetlands	9
3.3	Protection of ecologically significant values during Operational phase	10
3.3.1	Vegetation Protection	10
3.3.2	Protection of Threatened Flora	10
3.3.3	Protection of EECs	10
3.3.4	Protection of SEPP 14 Wetlands	10
3.4	Restoration, enhancement and management of retained vegetation	11
<b>4</b>	<b>Action Plan</b>	<b>12</b>
4.1	Introduction	12
4.2	Re-use of topsoil to promote natural regeneration	12
4.3	Weed control	12
4.4	Regeneration and Revegetation Measures	13
4.4.1	Background	13
4.4.2	Work Areas	13
4.4.3	Works schedule	15
4.4.4	Methodology	18
4.4.5	Species Schedule	20
4.5	Adaptive Management	24
<b>5</b>	<b>Monitoring and Reporting</b>	<b>25</b>
5.1	Introduction	25
5.2	Rehabilitation Monitoring	25
5.2.1	Monitoring requirements	25



Kings Forest (Stage 1) - Precinct 1 & 5 Vegetation Management Plan

---

5.2.2	Timing of monitoring visits .....	26
5.3	Long term Monitoring / Monitoring of impacts on the Cudgen Nature Reserve.....	26
5.4	Performance Criteria .....	27
5.5	Reporting .....	27
<b>References .....</b>		<b>29</b>



## 1 INTRODUCTION

### 1.1 Background

The NSW Minister for Planning approved a Concept Plan for the proposed residential community at Kings Forest on the 19<sup>th</sup> August 2010. The approved documents included a Revised Vegetation Management Plan (LandPartners 2009), which proposed the principles upon which the management of retained vegetation on the Kings Forest site would be based.

Subsequently, the Director General issued modified Environmental Assessment Requirements (DGRs) on the 22<sup>nd</sup> December 2010. James Warren & Associates (JWA) were engaged by Project 28 Pty Ltd to complete a Kings Forest Stage 1 Project Application Vegetation Management Plan (VMP) for Precincts 1 & 5 in accordance with requirements of 9.4 of these DGRs and Clause C2 of the modified Concept Approval.

JWA have now amended the VMP to address issues raised in the NSW Department of Planning (DoP) Test of Adequacy process, and reflect some minor layout changes.

### 1.2 Proposed Development


#### 1.2.1 Kings Forest Stage 1 Project Application

The Kings Forest site consists of 872 hectares of land located at Cudgen between Bogangar to the south-east and Kingscliff to the north in Northern New South Wales (NSW). The concept plan for the Kings Forest site is shown in **FIGURE 1**.

The scope of the Stage 1 Project Application works is as follows:

- Construction of the entrance road to the site and associated intersection works on Tweed Coast Road.
- Alignment and construction details of two lanes of Kings Forest Parkway, from Tweed Coast Road via Precincts 2, 3, 4 and 5 through to the roundabout in the western part of the site from which access to the southern part of the site is to be gained.
- Alignment and construction details for the civil works of the two proposed roads through the east-west SEPP 14 area to access the southern part of the site.
- Rural retail development in Precinct 1 to the east of Tweed Coast Road.
- Subdivision and construction of residential Precinct 5.
- Bulk earthworks across the site in Precincts 2, 3, 4, 6, 7, 8, 9, 10, 11, 12, 13 & 14.

The scope of works is illustrated in **FIGURE 2**.



**LEGEND**

- Town Centre / Neighbourhood Centre
- Residential
- Community Facilities / Education
- Employment Land
- Structured Open Space (Active)  
(Passive open space to council standards, location subject to urban design)
- Environmental Protection Area  
to be Dedicated to Council or NPWS
- 50m Ecological Buffer  
(Includes APZs & Roads where approved)
- \* State School Site
- Proposed Zone Substation  
(Subject to Country Energy final approval)
- Private Open Space
- Golf Course Area  
(Encompassing ecological buffers where indicated)
- Private Open Space Including Lake
- Precincts 1 & 5
- Kings Forest Boundary



SOURCE: MPS Architects  
(Ref: 2011-06-23 DA Set.pdf)  
SCALE: 1 : 20 000 @ A3  
**JAMES WARREN & ASSOCIATES PTY LIMITED**  
Environmental Consultants

CLIENT: Project 28 Pty Ltd  
PROJECT: Kings Forest Stage 1 Project Application  
Precincts 1 & 5 - Vegetation Management Plan  
Melaleuca Drive, Duranbah, NSW  
Shire of Tweed

**FIGURE 1**  
PREPARED: BW  
DATE: 24 June 2011  
FILE: N97017\_VMP\_Concept.cdr

TITLE  
**CONCEPT PLAN**









PRECINCT 1  
RURAL RETAIL DEVELOPMENT WORKS

PRECINCT 5 SUBDIVISION WORKS



**LEGEND**

-  Tweed Coast Road Intersection Works
-  Kings Forest Parkway through to Western Precincts
-  Roads through to Southern Precincts
-  Bulk Earthworks
-  Precincts 1 & 5
-  Kings Forest Boundary



SOURCE: MPS Architects  
(Ref: 2011-06-23 DA Set.pdf)  
SCALE: 1 : 20 000 @ A3

**JAMES WARREN & ASSOCIATES PTY LIMITED**  
Environmental Consultants

CLIENT  
Project 28 Pty Ltd  
PROJECT  
Kings Forest Stage 1 Project Application  
Precincts 1 & 5 - Vegetation Management Plan  
Melaleuca Drive, Duranbah, NSW  
Shire of Tweed

**FIGURE 2**

PREPARED: BW  
DATE: 24 June 2011  
FILE: N97017\_VMP\_Scope.cdr

TITLE  
**STAGE 1  
SCOPE OF  
WORKS**



### 1.2.2 Precincts 1 & 5

This VMP has been prepared for the proposed precincts 1 & 5 of the Kings Forest Stage 1 Project Application. Precincts 1 & 5 occur in the most north-east portion of the Kings Forest site and will be comprised of the following:

- Precinct 1 - a rural retail development (FIGURE 3).
- Precinct 5 - residential subdivision (FIGURE 4).

## 1.3 Aims & Objectives

The aim of the Precinct 1 & 5 VMP is to protect and enhance the available habitat for fauna and flora (including threatened species) within the vicinity of Precincts 1 & 5. Specific objectives of this VMP are to:

- Protect the environmentally significant site values from bulk earthworks and construction activities;
- Provide permanent protection for the environmentally significant values within the vicinity of Precincts 1 & 5 (i.e. threatened flora and fauna species, SEPP 14 Wetlands and Endangered Ecological Communities); and
- Restore, enhance and manage the retained and protected vegetation including providing guidelines for:
  - The revegetation of ecological buffers to Environmental Protection Zones, SEPP 14 Wetlands and the Cudgen Nature Reserve; and
  - The management and rehabilitation of significant areas of Koala habitat (as recommended in the Kings Forest Stage 1 Koala Plan of Management [JWA 2011a]).

## 1.4 Plan Requirements

As discussed above, this VMP has been prepared in accordance with DGR 9.4 which states:

*“Updates are to be provided, where relevant, for the various management plans for koalas, vegetation, threatened species, feral animals weeds, the buffers, and the golf course providing where relevant details on timelines for implementation of recommended works including maintenance periods and measurable performance and completion criteria. Each plan is to consider all other plans for the site to ensure that management strategies do not conflict and that each plan can be implemented without negatively impacting on the objectives of another.”*

This VMP has also been prepared to comply with Clause C2 of the modified Concept Approval as follows:

### *Vegetation Management Plan*

*“Each Vegetation Management Plan update is to provide details on:*



**CLIENT**  
Project 28 Pty Ltd

**PROJECT**  
Kings Forest Stage 1 Project Application  
Precincts 1 & 5 - Vegetation Management Plan  
Melaleuca Drive, Duranbah, NSW  
Shire of Tweed

**SOURCE:** The Buchan Group  
(Ref: SK-001-M-colour\_39295\_69214.pdf)

**SCALE:** 1 : 600 @ A3

**JAMES WARREN & ASSOCIATES PTY LIMITED**  
Environmental Consultants

**PRECINCT 1 DEVELOPMENT LAYOUT**

**FIGURE 3**

**TITLE**

**PREPARED:** BW  
**DATE:** 24 June 2011  
**FILE:** N97017\_VMP\_Centre.cdr

0 20m 1 : 600

**AREA SCHEDULE:**

KINGS FOREST 2009			
NAME OF THE BUILDING	FLOOR AREA (M <sup>2</sup> )	CARS /1000M <sup>2</sup>	CAR REQUIRED
BUILDING A	1080	5.5	59.4
BUILDING B	1046	5.5	57.53
<b>SUB TOTAL</b>			<b>2126 CARS REQUIRED</b>
			<b>116.93</b>
			<b>CARS ACHIEVED</b>
			<b>118</b>
			<b>EXCL STAFF CAR PARK</b>
			<b>10</b>
			<b>EXCL BACK UP CAR PARK</b>
			<b>30</b>

**2 SITE PLAN**  
SCALE 1:2500 @ A3

**3 LOCATION PLAN**  
SCALE 1:10 000 @ A3

**1 GROUND FLOOR PLAN**  
SCALE 1:600 @ A3



**LEGEND**

- 24 MEWS Dwellings  
(Numbers such as 3/9 indicate max. number of dwellings per lot/max. number of bedrooms per lot)
- 37 PLEX Dwellings  
(Numbers such as 3/9 indicate max. number of dwellings per lot/max. number of bedrooms per lot)
- 141 Zero-lot Dwelling
- 181 Traditional Detached Dwelling
- 59 Terrace Dwelling

442 TOTAL

SOURCE: MPS Architects  
(Ref: 2011-06-23 DA Set.pdf)  
SCALE: 1 : 3000 @ A3  
**JAMES WARREN & ASSOCIATES PTY LIMITED**  
Environmental Consultants

CLIENT  
Project 28 Pty Ltd  
PROJECT  
Kings Forest Stage 1 Project Application  
Precincts 1 & 5 - Vegetation Management Plan  
Melaleuca Drive, Duranbah, NSW  
Shire of Tweed

**FIGURE 4**  
PREPARED: BW  
DATE: 24 June 2011  
FILE: N97017\_VMP\_Precinct 5.cdr

TITLE  
**PRECINCT 5  
DEVELOPMENT  
LAYOUT**



1. *the short, medium and long term measures to be implemented to rehabilitate degraded areas, and manage remnant vegetation and habitat within the buffers and Environmental Protection zoned land within the site.*
2. *revegetation and regeneration including establishment of appropriate canopy (including koala feed trees), sub-canopy, understorey and ground strata.*
3. *rehabilitation of creeks and drainage lines.*
4. *conserving and re-using, where appropriate, the soil seed bank where good quality native vegetation is being removed.*
5. *collection and propagation of endemic native seed for revegetation on the site.*
6. *monitoring of water quality and vegetation health within buffers and environmental protection zoned areas; and*
7. *the design, regeneration/revegetation and management of the east-west wildlife corridor/s.*
8. *measurable performance criteria are to be based on appropriate reference sites within the adjacent Cudgen Nature Reserve."*

## 1.5 Relationship to other Management Plans

Additional to this VMP, the following Management Plans relevant to Precincts 1 & 5 have been prepared for the Stage 1 Project Application, and should be read in conjunction with this VMP:

- Kings Forest Stage 1 Project Application: Precinct 1 & 5 Threatened Species Management Plan (Precinct 1 & 5 TSMP) (JWA 2011b);
- Kings Forest Stage 1 Project Application: Precinct 1 & 5 Buffer Management Plan (Precinct 1 & 5 BMP) (JWA 2011c); and
- Kings Forest Stage 1 Project Application: Precinct 1 & 5 Weed Management Plan (Precinct 1 & 5 WMP) (JWA 2011d).

Furthermore, a Kings Forest Stage 1 Project Application Koala Plan of Management (Stage 1 KPOM) (JWA 2011a) has been prepared for the entire Kings Forest site and is therefore relevant to Precincts 1 & 5.



## 2 SUMMARY OF SIGNIFICANT VALUES

### 2.1 Background

Kings Forest has been comprehensively studied. A summary of the significant values relevant to the development of Precincts 1 & 5 is provided in the following sections.

### 2.2 Endangered Ecological Communities

Three (3) Endangered Ecological Communities (EEC's)<sup>1</sup> occur within the vicinity of Precincts 1 & 5 (FIGURE 5):

- Swamp sclerophyll forest on coastal floodplain;
- Freshwater wetlands; and
- Subtropical coastal floodplain forest.

### 2.3 Threatened Species

#### 2.3.1 Flora

Four (4) Threatened flora species occur within the vicinity of Precincts 1 & 5 (FIGURE 6):

- Green-leaved rose walnut (*Endiandra muelleri* subsp. *bracteata*);
- Southern swamp orchid (*Phaius australis*);
- Stinking laurel (*Cryptocarya foetida*); and
- White laceflower (*Archidendron hendersonii*).


#### 2.3.2 Fauna

Thirteen (13) Threatened fauna species have been recorded (FIGURE 7), or are considered to be provided with potential habitat, within the vicinity of Precincts 1 & 5. These species are as follows:

- Black bittern (*Ixobrychus flavicollis*);
- Black-necked stork (*Ephippiorhynchus asiaticus*);
- Bush stone-curlew (*Burhinus grallarius*);
- Common planigale (*Planigale maculata*).
- Grass owl (*Tyto capensis*);
- Grey-headed flying fox (*Pteropus poliocephalus*);
- Koala (*Phascolarctos cinereus*).
- Little bent-wing bat (*Miniopterus australis*);



---

<sup>1</sup> As listed within schedules of the TSC Act (1995).



**LEGEND**

- Freshwater Wetlands
- Subtropical Floodplain Forest
- Swamp Sclerophyll Forest on Coastal Floodplain
- Precincts 1 & 5
- Kings Forest Boundary



SOURCE: Landpartners - EEC's;  
2007 Aerial Photograph

SCALE: 1 : 10 000 @ A3

**JAMES WARREN & ASSOCIATES PTY LIMITED**  
Environmental Consultants


CLIENT  
Project 28 Pty Ltd

PROJECT  
Kings Forest Stage 1 Project Application  
Precincts 1 & 5 - Vegetation Management Plan  
Melaleuca Drive, Duranbah, NSW  
Shire of Tweed

FIGURE 5


PREPARED: BW  
DATE: 18 April 2011  
FILE: N97017\_VMP\_Base.dwg

TITLE  
**ENDANGERED  
ECOLOGICAL  
COMMUNITIES  
(EEC'S)**



**LEGEND**


- Green leaved rose walnut
- Southern swamp orchid
- Stinking laurel
- White laceflower
- Precincts 1 & 5
- Kings Forest Boundary



SOURCE: JWA Site Investigations;  
Landpartners - AKF 2005 Vegetation Mapping

SCALE: 1 : 10 000 @ A3

**JAMES WARREN & ASSOCIATES PTY LIMITED**  
Environmental Consultants




CLIENT  
Project 28 Pty Ltd

PROJECT  
Kings Forest Stage 1 Project Application  
Precincts 1 & 5 - Vegetation Management Plan  
Melaleuca Drive, Duranbah, NSW  
Shire of Tweed

FIGURE 6



PREPARED: BW  
DATE: 18 April 2011  
FILE: N97017\_VMP\_Base.dwg

TITLE  
**THREATENED  
FLORA**



**LEGEND**

- Wallum sedge frog
- Wallum froglet
- ▲ Black bittern
- ▲ Glossy black cockatoo
- ▲ Grass owl
- ▲ Grey-headed flying-fox
- Koala
- Masked owl
- Osprey
- ▭ Precincts 1 & 5
- ▭ Kings Forest Boundary



SOURCE: Landpartners - Threatened Fauna  
- Amphibians + Birds & Mammals;  
2007 Aerial Photograph  
SCALE: 1 : 10 000 @ A3  
JAMES WARREN & ASSOCIATES PTY LIMITED  
Environmental Consultants

CLIENT  
Project 28 Pty Ltd  
PROJECT  
Kings Forest Stage 1 Project Application  
Precincts 1 & 5 - Vegetation Management Plan  
Melaleuca Drive, Duranbah, NSW  
Shire of Tweed

FIGURE 7  
PREPARED: BW  
DATE: 18 April 2011  
FILE: N97017\_VMP\_Base.dwg

TITLE  
THREATENED  
FAUNA




- Masked owl (*Tyto novaehollandiae*);
- Rose-crowned fruit-dove (*Ptilinopus regina*);
- Wallum froglet (*Crinia tinnula*);
- Wallum sedge frog (*Litoria olongburensis*); and
- Yellow-bellied sheath-tail bat (*Saccolaimus flaviventris*).

## 2.4 SEPP 14 Wetlands


SEPP 14 - Coastal Wetlands are mapped over large areas of the Kings Forest site, including areas adjacent to Precincts 1 & 5 (FIGURE 8). These wetlands are protected by State Environmental Planning Policy No. 14 - Coastal Wetlands (SEPP 14).

## 2.5 Cudgen Nature Reserve

Cudgen Nature Reserve occurs immediately adjacent to the eastern and southern boundaries of the Kings Forest site (FIGURE 9).



**LEGEND**  
 SEPP 14 Wetlands  
 Precincts 1 & 5  
 Kings Forest Boundary





SOURCE: Landpartners - SEPP14 Wetlands (Amendment 15)  
 SCALE: 1 : 20 000 @ A3  
 JAMES WARREN & ASSOCIATES PTY LIMITED  
 Environmental Consultants

CLIENT  
 Project 28 Pty Ltd  
 PROJECT  
 Kings Forest Stage 1 Project Application  
 Precincts 1 & 5 - Vegetation Management Plan  
 Melaleuca Drive, Duranbah, NSW  
 Shire of Tweed

FIGURE 8  
 PREPARED: BW  
 DATE: 18 April 2011  
 FILE: N97017\_VMP\_Base.dwg

TITLE  
 SEPP No. 14  
 COASTAL WETLANDS



- LEGEND**
-  Cudgen Nature Reserve
  -  Precincts 1 & 5
  -  Kings Forest Boundary




SOURCE: NPWS 05.06.06; Leda Developments  
 (Ref: 6400\_121.dwg Recd: 09.06.06)  
 SCALE: 1 : 40 000 @ A3  
**JAMES WARREN & ASSOCIATES PTY LIMITED**  
 Environmental Consultants

CLIENT  
 Project 28 Pty Ltd  
 PROJECT  
 Kings Forest Stage 1 Project Application  
 Precincts 1 & 5 - Vegetation Management Plan  
 Melaleuca Drive, Durambah, NSW  
 Shire of Tweed

**FIGURE 9**  
 PREPARED: BW  
 DATE: 18 April 2011  
 FILE: N97017\_VMP\_Reserves.cdr

TITLE  
**CUDGEN NATURE RESERVE**





## 3 MANAGEMENT STRATEGIES

### 3.1 Introduction

The following sections outline proposed management strategies to protect and enhance the available habitat for fauna and flora (including threatened species) within the vicinity of Precincts 1 & 5. The following strategies are addressed:

- Protection of ecologically significant site values during Construction phase;
- Protection of ecologically significant site values during Operational phase; and
- Restoration, enhancement and management of retained vegetation.

### 3.2 Protection of ecologically significant site values during Construction phase

#### 3.2.1 *Vegetation Protection*

During construction activities, temporary high visibility fencing will be erected to assist in the protection of the retained vegetation from all construction activities by restricting access from machinery and contractors. This fencing will be erected in accordance with the requirements of the Precinct 1 & 5 BMP (JWA 2011c).

Temporary signage will be provided along all temporary fencing during the construction phase stating "Environmental Protection Zone - No Unauthorised Entry".

#### 3.2.2 *Protection of Threatened Flora*

A detailed Precinct 1 & 5 TSMP (JWA 2011b) has been prepared outlining specific and detailed management procedures for the protection of Threatened flora species which occur within the vicinity of Precincts 1 & 5.

#### 3.2.3 *Protection of EECs*

Temporary high visibility fencing erected to protect retained vegetation (i.e. Section 3.2.1) will guard against damage to EEC's during the construction phase of the development.

Signage will be provided along all temporary fencing during the construction phase stating "Environmental Protection Zone - No Unauthorised Entry".

#### 3.2.4 *Protection of SEPP 14 Wetlands*

The SEPP 14 Wetlands adjacent to Precincts 1 & 5 are well within the vegetated areas that will be retained. Temporary high visibility fencing erected to protect retained vegetation (i.e. Section 3.2.1) will guard against damage to SEPP 14 Wetlands during the construction phase of the development.



Furthermore, erosion and sediment control devices shall be installed prior to commencement of earth works within Precincts 1 & 5 in accordance with the Erosion & Sediment Control Plan (Gilbert & Sutherland 2011a). This will prevent the movement of sediment into ecologically sensitive areas as well prevent the dispersal of weed seeds and vegetative material.

### **3.3 Protection of ecologically significant values during Operational phase**

#### ***3.3.1 Vegetation Protection***

A Koala proof fence will be constructed in accordance with the Stage 1 KPoM with the primary aim of preventing Koala access to residential areas (JWA 2011a). This fence will also provide permanent protection to the vegetation by preventing pedestrian and vehicular access during the operational phase. Locked gates will be located where necessary to allow for maintenance.

Permanent signage will be provided along the edges of Ecological buffers in accordance with the Precinct 1 & 5 BMP (JWA 2011c).

#### ***3.3.2 Protection of Threatened Flora***

The threatened flora species recorded within the vicinity of Precincts 1 & 5 will generally not require individual permanent fencing protection. Permanent Koala proof fencing to be erected (i.e. Section 3.3.1) will also provide permanent protection to the majority of Threatened flora species by preventing pedestrian and vehicular access during the operational phase.

A detailed Precinct 1 & 5 TSMP (JWA 2011b) has been prepared outlining specific and detailed management procedures for the protection of Threatened flora species which occur within the vicinity of Precincts 1 & 5

Permanent signage will be provided along the edges of Ecological buffers in accordance with the Precinct 1 & 5 BMP (JWA 2011c).

#### ***3.3.3 Protection of EECs***

The EEC's recorded within the vicinity of Precincts 1 & 5 will not require individual permanent fencing protection. Permanent Koala proof fencing to be erected (i.e. Section 3.3.1) will also provide permanent protection to EEC's by preventing pedestrian and vehicular access during the operational phase.

#### ***3.3.4 Protection of SEPP 14 Wetlands***

The SEPP 14 Wetlands recorded within the vicinity of Precincts 1 & 5 will not require individual permanent fencing protection. Permanent Koala proof fencing to be erected (i.e. Section 3.3.1) will also provide permanent protection to SEPP 14 wetlands by preventing pedestrian and vehicular access during the operational phase.



A detailed water quality monitoring regime is included in the Overall Water Management Plan (Gilbert & Sutherland 2011b) and will ensure that significant impacts on adjacent SEPP 14 Wetlands are avoided.

### **3.4 Restoration, enhancement and management of retained vegetation**

Strategies for the restoration, enhancement and maintenance of significant areas of vegetation, including SEPP 14 wetlands, Environmental Protection Zones and EEC's, are detailed in the Action Plan (i.e. Section 4). Restoration, enhancement and management techniques include:

- Weed control;
- Regeneration/Revegetation;
- Pest Management; and
- Adaptive Management.

This will increase both the quantity and quality of native habitat available to the indigenous flora and fauna.



## 4 ACTION PLAN

### 4.1 Introduction

The following sections detail the actions required to ensure the aims and objectives of the VMP are met. The action plan includes the following measures:

- Re-use of topsoil;
- Weed control;
- Regeneration/revegetation measures; and
- Adaptive management.

### 4.2 Re-use of topsoil to promote natural regeneration

Topsoil is an important source of seeds and propagules and has been effectively used in rehabilitation of native vegetation communities (e.g. Bellairs & Bell 1993; Koch & Ward 1994; Ward et al. 1996). Therefore, handled correctly, the topsoil seedbank can be used to successfully revegetate after disturbances like bulk earthworks.

At the commencement of the Stage 1 earthworks at Kings Forest, stockpiles of topsoil will be created. This soil will then be used in the regeneration of the heath communities within the buffer zones.

To optimise the recovery of native vegetation rehabilitation areas it is important to consider the manner in which the top soil is handled. The following should be considered:

- It is important to consider the timing of topsoil recovery. Stripping topsoil immediately after summer seed drop may improve the germinable seed load (Berg 1975);
- The seed bank is usually concentrated in the upper soil layer (i.e. 40-50 mm) so it is important to only remove this depth of soil. A greater depth will dilute the seed bank and reduce the effectiveness of the soil as a potential mechanism for natural regeneration (Putwain & Gillham 1990);
- Topsoil should be used as soon as possible after stripping to prevent loss of seed viability (Koch *et al.* 1996; Mahesh *et al.* 1996); and
- Top soil should be replaced at maximum depths of 100mm (Rokich *et al.* 2000).

### 4.3 Weed control

Due to the significant disturbance history, Kings Forest supports a variety of weed species. Slash Pine (*Pinus elliottii*) is the most common. Plantations have resulted in the species being naturalised on the site. Progeny range in size from small seedlings to trees 15-20 metres. In some areas of the site there is significant invasion into native vegetation communities, while in other areas there may be only one or two plants.



The aim of weed control within the vicinity of Precinct 1 & 5 is the permanent removal of weeds to enable the protection of Environmental Protection Zones and the Cudgen Nature Reserve.

Disturbance during the construction phase will create an opportunity for weeds to colonise and establish, therefore weeds should be diligently controlled during and after construction in accordance with the Precinct 1 & 5 WMP (JWA 2011d).

## 4.4 Regeneration and Revegetation Measures

### 4.4.1 Background

Rehabilitation/Regeneration works to be completed within Precinct 1 & 5 Environmental Protection Zones and ecological buffers will generally include a combination of:

- Assisted natural regeneration where appropriate;
- Planting of preferred Koala food trees in accordance with the KPoM (FIGURE 10);
- creation of core Acid frog habitat in accordance with the Precinct 1 & 5 TSMP (JWA 2011b); and
- Regeneration/revegetation of heath communities (FIGURE 10).

It should be noted that there is some overlap in the characteristics and objectives of proposed regeneration/revegetation areas at the Kings Forest site. For example, Koala food tree planting areas will also provide opportunities for revegetation with heath species (i.e. Koala food tree species will form the canopy with heath species forming the sub-canopy and understorey). Similarly, the creation of acid frog compensatory habitat provides an opportunity for further planting of scattered Koala food trees and wet heath species. The resulting revegetation areas will be structurally diverse and more closely mimic intact native vegetation communities.


A suitably qualified Bush Regeneration Company will be engaged to complete necessary rehabilitation works. The Bush Regeneration Company will employ qualified Bush Regenerators, including a Regeneration Site Manager who will be responsible for all project management and staff supervision.

Techniques to be employed to facilitate natural regeneration will be in accordance with those promoted by the Australian Association of Bush Regenerators (AABR).

### 4.4.2 Work Areas


The Revised Vegetation Management Plan (Landpartners 2009) identifies eighteen (18) work areas across the Kings Forest site. Work Areas 2, 13 and 15 are relevant to Precinct 1 & 5 Environmental Protection Zones (FIGURE 11).

Furthermore, portions of the Precinct 1 & 5 ecological buffers have been identified as requiring regeneration and/or revegetation works during recent site assessments and



**LEGEND**

- Existing Heathland & Shrubland to be Retained within Environmental Protection Zones
- Heathland to be Naturally Regenerated
- Heathland to be Revegetated
- Koala Rehabilitation Areas
- Precincts 1 & 5
- Kings Forest Boundary




SOURCE: JWA Site Investigations; Landpartners  
 Figure 1 Koala Tree Planting Plan  
 SCALE: 1 : 10 000 @ A3  
**JAMES WARREN & ASSOCIATES PTY LIMITED**  
 Environmental Consultants

CLIENT  
 Project 28 Pty Ltd  
 PROJECT  
 Kings Forest Stage 1 Project Application  
 Precincts 1 & 5 - Vegetation Management Plan  
 Melaleuca Drive, Duranbah, NSW  
 Shire of Tweed

**FIGURE 10**

TITLE  
**REGENERATION  
 & REVEGETATION  
 AREAS**

PREPARED: BW  
 DATE: 04 July 2011  
 FILE: N97017\_VMP\_R&R\_Areas.cdr



- LEGEND**
- Vegetation Work Unit
  - Precincts 1 & 5
  - Kings Forest Boundary



SOURCE: Landpartners Revised Vegetation Management Plan (2009) Figure 9  
 SCALE: 1 : 20 000 @ A3  
**JAMES WARREN & ASSOCIATES PTY LIMITED**  
 Environmental Consultants

CLIENT  
 Project 28 Pty Ltd  
 PROJECT  
 Kings Forest Stage 1 Project Application  
 Precincts 1 & 5 - Vegetation Management Plan  
 Melaleuca Drive, Duranbah, NSW  
 Shire of Tweed

**FIGURE 11**  
 PREPARED: BW  
 DATE: 21 April 2011  
 FILE: N97017\_VMP\_Veg Mgt.cdr

TITLE  
**VEGETATION  
 MANAGEMENT  
 AREAS**



---

Kings Forest (Stage 1) - Precinct 1 & 5 Vegetation Management Plan

---

occur outside of the LandPartners work areas. These are included in the following works schedule as 'Additional Work Areas'.



#### 4.4.3 Works schedule

The following works schedule summarises the regeneration/revegetation works relevant to Precinct 1 & 5.

Work Area & Location	Proposed Works	Comments
<p>2 Southern side of Depot Rd, North Eastern corner of site</p>	<ul style="list-style-type: none"> <li>➤ Cleared/disturbed areas within the EPZ's and inner 30m ecological buffer will be the focus for the creation of core Acid frog habitat in accordance with the Precinct 1 &amp; 5 TSMP (JWA 2011b) and are to be revegetated with heath species (FIGURE 10).</li> <li>➤ Ripping should also be considered where appropriate to promote natural heath regeneration.</li> <li>➤ Koala food trees also to be planted in accordance with FIGURE 10.</li> <li>➤ Management of native vines within canopy on eastern margins. Vines to be cut at head height and at the base, but not poisoned. Particular attention to be paid to management of vines smothering the Threatened White-lace flower (FIGURE 6).</li> </ul>	<ul style="list-style-type: none"> <li>➤ A number of specimens of the threatened species Southern swamp orchid (<i>Phaius australis</i>) occur within the paperbark community (FIGURE 6). Any weed species within the vicinity of these plants should be hand removed. Further protection measures are discussed in the Precinct 1 &amp; 5 TSMP (JWA 2011b).</li> <li>➤ Works to be completed in wetland areas (particularly SEPP 14 wetlands) should ideally be completed during the drier months from winter to spring.</li> <li>➤ Property boundaries must be clearly marked so that no works encroach into the adjacent Cudgen Nature Reserve.</li> </ul>



Kings Forest (Stage 1) - Precinct 1 & 5 Vegetation Management Plan

Work Area & Location	Proposed Works	Comments
<p>13 Mid-Eastern portion of site</p>	<ul style="list-style-type: none"> <li>➤ Cleared/disturbed areas within the EPZ's and inner 30m ecological buffer will be the focus for the creation of core Acid frog habitat in accordance with the Precinct 1 &amp; 5 TSMP (JWA 2011b) and are to be revegetated with heath species (FIGURE 10).</li> <li>➤ Areas currently comprised of regrowth heath communities to be rehabilitated through assisted regeneration techniques (FIGURE 10).</li> <li>➤ Ripping should be considered where appropriate to promote natural heath regeneration.</li> <li>➤ Koala food trees also to be planted in accordance with the KPoM (FIGURE 10).</li> </ul>	<ul style="list-style-type: none"> <li>➤ A number of specimens of the threatened species Southern swamp orchid (<i>Phaius australis</i>) occur within the paperbark community (FIGURE 6). Any weed species within the vicinity of these plants should be hand removed. Further protection measures are discussed in the Precinct 1 &amp; 5 TSMP (JWA 2011b).</li> <li>➤ A single specimen of the threatened species Stinking cryptocarya (<i>Cryptocarya foetida</i>) occurs adjacent to the access track (FIGURE 6). Weed species within the vicinity of this tree should be hand removed. Further protection measures are discussed in the Precinct 1 &amp; 5 TSMP (JWA 2011b).</li> <li>➤ Works to be completed in wetland areas (particularly SEPP 14 wetlands) should ideally be completed during the drier months from winter to spring.</li> <li>➤ Property boundaries must be clearly marked so that no works encroach into the adjacent Cudgen Nature Reserve.</li> </ul>
<p>15 Central SEPP14 Wetlands</p>	<ul style="list-style-type: none"> <li>➤ Inner 30m buffer is to be established to the EPZ. This buffer will be the focus for the creation of core Acid frog habitat in accordance with the Precinct 1 &amp; 5 TSMP (JWA 2011b) and are to be revegetated with heath species (FIGURE 10).</li> <li>➤ Ripping should be considered where appropriate to promote natural heath regeneration.</li> <li>➤ Koala food trees also to be planted in accordance with the KPoM (FIGURE 10).</li> </ul>	<ul style="list-style-type: none"> <li>➤ Works to be completed in wetland areas (particularly SEPP 14 wetlands) should ideally be completed during the drier months from winter to spring.</li> </ul>



Kings Forest (Stage 1) - Precinct 1 & 5 Vegetation Management Plan

Work Area & Location	Proposed Works	Comments
Additional work areas	<ul style="list-style-type: none"> <li>➤ Inner 30m buffer is to be established to Cudgen Nature Reserve between Work areas 2 &amp; 13, and also the EPZ between Work areas 13 &amp; 15 and along the northern boundary of work area 13. These buffer areas will be the focus for the creation of core Acid frog habitat in accordance with the Precinct 1 &amp; 5 TSMP (JWA 2011b) and are to be revegetated with heath species (FIGURE 10).</li> <li>➤ Ripping should be considered where appropriate to promote natural heath regeneration.</li> </ul>	



#### 4.4.4 Methodology

##### 4.4.4.1 Planting methods

A general methodology for the planting of any trees/shrubs or groundcovers is as follows:

- Stockpiled topsoil is to be spread within revegetation areas where required.
- Where exotic grasses occur within planting areas they are to be sprayed with Glyphosate at least 2 weeks prior to planting.
- Plant holes to be dug to at least twice the root ball height and width.
- Soil is to be loosened, wetted and then the plant hole to be back filled with excavated soil.
- Weed free mulch should be applied to a minimum 75mm depth around the base of the plants but not adjacent to the stem.
- Plantings are to be protected with bags (e.g. gro-bags) held in position with bamboo stakes.
- Appropriate wallaby protection measures must be implemented to optimise survival of plantings (refer 'Wallaby Protection' section below).
- Plantings are to be watered for the first 3 months. Heavy mulching will reduce the need for regular watering, provided it is replaced at between 6-12 month intervals.
- Ongoing monitoring of native species recruitment maintenance of enhancement planting works and control of environmental weeds are to be undertaken throughout the proposed five year plan and beyond.
- Native species from locally sourced seed stock only are to be planted. Consideration should be given to setting up an on-site nursery to assist in the collection and propagation of endemic native seed for revegetation on the site. Alternatively, plants should only be sourced from local nurseries that can provide proof of local provenance (i.e. within 20km of the site).
- Revegetation is to include canopy as well as sub-canopy and understorey species (Section 4.4.5). Canopy species will generally be comprised of Koala food tree species. Sub-canopy and understorey species will generally be comprised of heath species. A species list is also provided for revegetation in areas not suitable for Koala feed trees and/or heath species.
- Plant spacing is flexible, for instance in areas which act as Asset Protection Zones, spacing of canopy trees will be greater (e.g. 10 m). Generally, plants are spaced according to the following prescriptions:
  - 3m spacing for trees (upper canopy plants),
  - 1.5m spacing for shrubs and small trees (midstorey plants), and
  - 1m spacing for groundcover (ground storey plants up to 1.5m in height).

##### 4.4.4.2 Wallaby protection

The site is inhabited by a large population of Swamp wallabies which are likely to browse any newly planted trees, causing potential death of plants. A combination of



the following measures should be considered for the protection of plants on a site by site basis:

- protective bags;
- wallaby repellents (eg. Sen-Tree®); and
- Wallaby-proof fencing using star pickets and pig mesh.

Koala proof fencing (JWA 2011a) may also exclude wallabies from some planting areas.

#### 4.4.4.3 Koala Feed Trees

Planting of Koala feed and shelter trees is recommended within numerous work zones to establish linkages between areas of Koala habitat and to increase foraging resources for the species at the site in the long term (in accordance with the Stage 1 KPoM [JWA 2011a]) (**FIGURE 10**). Faecal cuticle analysis undertaken by James Warren & Associates (Warren 2000) showed that the main species consumed by Koalas at the time of the SIS were Swamp mahogany (*Eucalyptus robusta*) and Swamp box (*Lophostemon suaveolens*) with smaller amounts of Brushbox (*L. confertus*), Blackbutt (*E. pilularis*) and Broad-leaved paperbark (*Melaleuca quinquenervia*).

Therefore tree species nominated for planting include known feed tree species identified at the site (Swamp mahogany and Swamp box) in addition to other species such as Brushbox and Blackbutt (as per JWA), Red mahogany, Tallowwood and Forest red gum (Approved Koala Recovery Plan, DECC 2008). Koala feed trees should only be planted where conditions are appropriate for each particular species (i.e. soils, topography, vegetation) so that plantings are compatible with any existing natural vegetation. For example species such as Tallowwood should be planted in higher elevation parts of the site, while planting in Precincts 1 & 5, which occurs in proximity to large areas of naturally occurring vegetation should be more conservative in its species selection and utilise species which commonly occur in surrounding vegetation (e.g. Swamp mahogany, Swamp box, Forest red gum). Areas identified within the KPoM (JWA 2011a) for planting preferred Koala food trees are shown in **FIGURE 10**.

#### 4.4.4.4 Acid Frog Compensatory Habitat

It is proposed to create Core Acid frog habitat within Environmental Protection Zones (EPZs) and ecological buffers on the Kings Forest site in accordance with the Precinct 1 & 5 TSMP (JWA 2011b). Areas requiring rehabilitation works within EPZs and buffers will be targeted for the creation of Core Acid Frog habitat.

The compensatory habitat areas will be planted with a combination of Swamp sclerophyll (i.e. Swamp mahogany & Broad-leaved paperbark) and Wet heath species.

#### 4.4.4.5 Heath regeneration/revegetation

**FIGURE 10** identifies proposed rehabilitation areas on the subject site which are currently comprised of regenerating heath communities, or are suitable for revegetation with heath species. The basis for revegetation with wet vs. dry heath



vegetation will be determined by the topography of each revegetation area. Species lists are provided in **Section 4.4.5**.

#### 4.4.4.6 Enhancement Plantings

In areas where extensive weed infestations have been removed, or where Slash pine has been harvested (i.e. leaving large cleared areas), that are not suitable for revegetation with Koala food trees or heath regeneration/restoration, enhancement plantings with other locally endemic species will be completed. Additional species lists for each Work area are provided in **Section 4.3.5**.

### 4.4.5 *Species Schedule*

#### 4.4.5.1 Heath species

Where heath revegetation is necessary (**FIGURE 10**), the following sub-canopy and understorey species are to be utilised:

Common name	Botanical name
<b>Dry heath species*</b>	
Sweet wattle	<i>Acacia suaveolens</i>
Prickly moses	<i>Acacia ulicifolia</i>
Heath aotus	<i>Aotus ericoides</i>
Wooly aotus	<i>Aotus lanigera</i>
Starhair bush	<i>Astrotricha longifolia</i>
Midgenberry	<i>Austromyrtus dulcis</i>
Wallum banksia	<i>Banksia aemula</i>
Heath-leaved banksia	<i>Banksia ericifolia</i>
Hairpin banksia	<i>Banksia spinulosa var. collina</i>
Leafless bossiaea	<i>Bossiaea ensata</i>
Variable bossiaea	<i>Bossiaea heterophylla</i>
Showy bossiaea	<i>Bossiaea rhombifolia</i>
Milkmaids	<i>Burchardia umbellata</i>
Curly wigs	<i>Caustis recurvata</i>
Christmas bush	<i>Ceratopetalum gummiferum</i>
Pink matchheads	<i>Comesperma ericinum</i>
Blue dampiera	<i>Dampiera stricta</i>
Blue flax-lilly	<i>Dianella caerulea</i>
Rolled flax-lilly	<i>Dianella revoluta</i>
Eggs & bacon pea	<i>Dillwynia retorta</i>
Hopbush	<i>Dodonaea triquetra</i>
Wiry panic	<i>Entolasia stricta</i>
Wallum heath	<i>Epacris pulchella</i>
Pinnate wedge pea	<i>Gompholobium pinnatum</i>
Slender bloodroot	<i>Haemodorum tenuifolium</i>



Kings Forest (Stage 1) - Precinct 1 & 5 Vegetation Management Plan

Common name	Botanical name
Finger hakea	<i>Hakea dactyloides</i>
Narrow-leaved guinea flower	<i>Hibbertia linearis</i>
Hoary guinea flower	<i>Hibbertia obtusifolia</i>
Hairy guinea flower	<i>Hibbertia vestita</i>
Dogwood	<i>Jacksonia scoparia</i>
Wire lilly	<i>Laxmannia gracilis</i>
Sword sedge	<i>Lepidosperma laterale</i>
Knotted scale-rush	<i>Lepyrodia interrupta</i>
Erica heath	<i>Leucopogon ericoides</i>
Lance beard heath	<i>Leucopogon lanceolatus</i>
Wire beard-heath	<i>Leucopogon microphyllus</i>
Coast beard heath	<i>Leucopogon parviflorus</i>
Common beard-heath	<i>Leucopogon virgatus</i>
Screw fern	<i>Lindsaea linearis</i>
Long-leaved matrush	<i>Lomandra longifolia</i>
Many-flowered matrush	<i>Lomandra multiflora</i>
Crinkle bush	<i>Lomatia silaifolia</i>
Large nectar heath	<i>Melichrus adpressus</i>
Jam tarts	<i>Melichrus procumbens</i>
Broom heath	<i>Monotoca elliptica</i>
Prickly-leaved monotoca	<i>Monotoca scoparia</i>
White dogwood	<i>Ozothamnus diosmifolius</i>
Broad-leaved geebung	<i>Persoonia cornifolia</i>
Small-leaved geebung	<i>Persoonia virgata</i>
Candlesticks	<i>Petrophile canescens</i>
Conesticks	<i>Petrophile pulchella</i>
Heath phyllota	<i>Phyllota phyllicoides</i>
Slender riceflower	<i>Pimelea linifolia</i>
Heathy platysace	<i>Platysace ericoides</i>
Shrubby platysace	<i>Platysace lanceolata</i>
Pomax	<i>Pomax umbellata</i>
Bracken	<i>Pteridium esculentum</i>
Green styphelia	<i>Styphelia viridis</i>
Black-eyed susan	<i>Tetratheca thymifolia</i>
Kangaroo grass	<i>Themeda australis</i>
Yellow rush-lilly	<i>Tricoryne elatior</i>
Austral bluebell	<i>Wahlenbergia gracilis</i>
Woolisia	<i>Woolisia pungens</i>
Wooly xanthosia	<i>Xanthosia pilosa</i>
Twiggy zieria	<i>Zieria minutiflora</i>
Sandfly zieria	<i>Zieria smithii</i>



Kings Forest (Stage 1) - Precinct 1 & 5 Vegetation Management Plan

Common name	Botanical name
<i>Wet heath species*</i>	
Swamp wattle	<i>Acacia elongata</i>
Heath aotus	<i>Aotus ericoides</i>
Woolly aotus	<i>Aotus lanigera</i>
Heath myrtle	<i>Baeckea imbricata</i>
Feathertop	<i>Baloskion tetraphyllum</i>
Heath banksia	<i>Banksia ericifolia</i>
Swamp banksia	<i>Banksia robur</i>
Jointed twig-rush	<i>Baumea articulata</i>
Wallum boronia	<i>Boronia falcifolia</i>
Swamp boronia	<i>Boronia parvifolia</i>
Milkmaids	<i>Burchardia umbellata</i>
Wallum bottlebrush	<i>Callistemon pachyphyllus</i>
Curly wigs	<i>Caustis recurvata</i>
Swamp parrot pea	<i>Dillwynia floribunda</i>
Tall sundew	<i>Drosera auriculata</i>
Rosette sundew	<i>Drosera spathulata</i>
Spreading rope-rush	<i>Empodisma minus</i>
Coral heath	<i>Epacris microphylla</i>
Blunt-leaf heath	<i>Epacris obtusifolia</i>
Swamp mahogany	<i>Eucalyptus robusta</i>
Tall saw-sedge	<i>Gahnia clarkei</i>
Red-fruited saw-sedge	<i>Gahnia sieberana</i>
Coral fern	<i>Gleichenia dicarpa</i>
Rocket goodenia	<i>Goodenia bellidifolia</i>
Slender bloodroot	<i>Haemodorum tenuifolium</i>
Sword sedge	<i>Lepidosperma laterale</i>
Prickly tea-tree	<i>Leptospermum juniperinum</i>
Lemon-scented tea-tree	<i>Leptospermum liversidgei</i>
Slender clubmoss	<i>Lycopodium laterale</i>
Thyme honeymyrtle	<i>Melaleuca thymifolia</i>
Heath phyllota	<i>Phyllota phyllicoides</i>
Slender rice-flower	<i>Pimelea linifolia</i>
Feather plant	<i>Restio pallens</i>
Common bog rush	<i>Schoenus apogon</i>
	<i>Schoenus paludosus</i>
Swamp clubmoss	<i>Selaginella uliginosa</i>
Swamp heath	<i>Sprengelia sprengelioides</i>
Spoon-leaf goodenia	<i>Valleia spathulata</i>
Swamp grasstree	<i>Xanthorrhoea fulva</i>

\*The basis for revegetation with wet vs. dry heath species will be determined by the topography of the revegetation area.



#### 4.4.5.2 Koala food tree species

Where revegetation with preferred Koala food trees is necessary (FIGURE 10), the following canopy species are to be utilised:

<i>Koala food trees</i>	
Tallowwood	<i>Eucalyptus microcorys</i>
Blackbutt	<i>Eucalyptus pilularis</i>
Red mahogany	<i>Eucalyptus resinifera</i>
Swamp mahogany	<i>Eucalyptus robusta</i>
Forest red gum	<i>Eucalyptus tereticornis</i>
Brushbox	<i>Lophostemon confertus</i>
Swamp box	<i>Lophostemon suaveolens</i>
Broad-leaved paperbark	<i>Melaleuca quinquenervia</i>

#### 4.4.5.3 Additional plant species

Additional canopy, sub-canopy and understorey plant species lists (i.e. for areas not suitable for Koala feed trees and/or heath species) for each work area are as follows:

##### *Work Area 2*

All revegetation works in this work unit will utilise Koala food trees and/or heath species.

##### *Work Area 13*

Common name	Botanical name
Black wattle	<i>Acacia melanoxylon</i>
Willow bottlebrush	<i>Callistemon salignus</i>
Corkwood	<i>Duboisia myoporoides</i>
Blueberry ash	<i>Elaeocarpus reticulatus</i>
Scribbly gum	<i>Eucalyptus racemosa</i>
Broad-leaved paperbark	<i>Melaleuca quinquenervia</i>

##### *Work Area 15*

Common name	Botanical name
Black Wattle	<i>Acacia melanoxylon</i>
Willow bottlebrush	<i>Callistemon salignus</i>
Corkwood	<i>Duboisia myoporoides</i>
Blueberry ash	<i>Elaeocarpus reticulatus</i>
Broad-leaved paperbark	<i>Melaleuca quinquenervia</i>
Macrophytes*	
Baumea	<i>Baumea rubiginosa</i>
Giant sedge	<i>Cyperus exaltatus</i>
Common spikerush	<i>Eleocharis acuta</i>
Rusty sedge	<i>Fimbristylis ferruginea</i>



Common name	Botanical name
Giant sedge	<i>Lepironia articulata</i>
Common reed	<i>Phragmites australis</i>
Club rush	<i>Schoenoplectus validus</i>

\* Macrophytes to be planted in areas of shallow water and surrounds.

## 4.5 Adaptive Management

Adaptive management is an approach that involves learning from management actions, and using those lessons to improve upon the overall plan. The principles of adaptive management have been incorporated into the administration of restoration projects within a variety of governmental authorities and programs (Thom 1997). Comprehensive, long-term monitoring is a component of adaptive management as adaptive management strategies rely on the accumulation of evidence supporting decisions that demand changes in action.

An adaptive management approach involves an integrated process of firstly monitoring, then reviewing and responding to the health and conditions of the plantings, natural regeneration and the status of the weed infestation. Alteration to the design and maintenance of works required, to ensure the objectives of the BMP are achieved, are then made.

Adaptive management strategies will be determined by the information provided in monitoring reports. Adaptive management strategies that may be required within this VMP are as follows:

- Amendment of species list for revegetation works;
- Replacement of enhancement plantings that do not survive;
- Alteration of weed control methods or timing.

Before the implementation of any adaptive management strategy a brief report is provided to Project 28 Pty Ltd and other relevant agencies detailing the proposed management actions and the predicted outcomes. The implementation must be approved by the relevant authority prior to implementation.



## 5 MONITORING AND REPORTING

### 5.1 Introduction

Monitoring is an essential component of this VMP and its associated rehabilitation works. The condition of revegetation areas can be assessed by checking environmental conditions and matching these with management aims and objectives. The results obtained through monitoring can help managers to prioritise management actions and keep track of the health of rehabilitated areas.

A well-designed monitoring program will allow project managers to measure results months, years, or decades following implementation of a plan.

Long-term monitoring of the health and composition of vegetation communities is also proposed including specific monitoring for impacts on the adjacent Cudgen Nature Reserve.

### 5.2 Rehabilitation Monitoring

#### 5.2.1 *Monitoring requirements*

The vegetation monitoring will include regular visits by a qualified ecologist who is to complete the following:

- Transects
  - Ten (10) transects are to be placed within the retained vegetation areas;
  - Transect locations are to include a combination of retained vegetation, revegetation areas and ecological buffers, and are to be permanently marked;
  - Transects are to be 30 metres in length;
  - During monitoring visits tape measures are to be placed on the ground and the specific measurable features recorded along the transects;
  - Specific measurable features include:
    - Areas of vegetation cover (native species);
    - Areas of weed cover;
    - Areas of bare ground/mud;
    - Number, percentage and species of planted stems surviving;
  - Results are to be shown in a table which is to be presented in the monitoring reports.
- Quadrats
  - Three (3) Quadrats (1m<sup>2</sup>) are to be placed along each of the transects;
  - Quadrats must be placed a minimum of 5m apart along the length of the transect;
  - Quadrats are to be placed randomly within five (5) meters of the transect line;



- The boundary of the quadrat with respect to the tape measure (e.g. between 3.5 - 4.5 metres on tape measure) will be recorded;
- For each quadrat the following specific measurable features will be recorded:
  - Plant species occurring
  - Percentage cover
  - Height
  - Relative abundance of native species
  - Weed cover
  - Number, percentage and species of planted stems surviving
- Results are to be shown in a table which is to be presented in the monitoring reports.
- Fixed Photo points
  - A central transect marker on each established monitoring transect is to be used as permanent photo station for photographic monitoring;
  - Four (4) photos are to be taken from each central transect marker. Photos are to be taken to the north, south, east and west;
  - Photos should be labelled with the:
    - Transect code
    - Direction of view
    - The date & time
  - Photos must be supplied in the monitoring reports in a form of prints no smaller than 4" x 6" and must be colour.

### *5.2.2 Timing of monitoring visits*

The monitoring is to be completed by a suitably qualified ecologist. Site visits should occur:

- Six (6) weeks after primary weeding;
- Six (6) weeks after initial plant-out;
- Every six (6) months thereafter until groundcovers are sufficiently established (i.e. between two (2) - three (3) years)
- Annually after establishment until completion criteria are met (refer Section 5.4).

## **5.3 Long term Monitoring / Monitoring of impacts on the Cudgen Nature Reserve**

Along with the regular monitoring within the EPZs and ecological buffers, the overall vegetation composition is to be regularly assessed and recorded. This long term monitoring should particularly focus on the interface between the Kings Forest site and the Cudgen Nature Reserve to identify any potential impacts (i.e. weed infestations etc.). Long term monitoring will use both aerial photos and yearly assessments (ground truthing) of the composition and health of the vegetation communities using a hand held GPS.



The Long term monitoring of the composition and health of the vegetation communities within the EPZs, ecological buffers and along the interface of the Kings Forest site and the Cudgen Nature Reserve will include:

- A detailed vegetation map at a scale of 1:5,000 is to be completed within the EPZs and ecological buffers every twelve (12) months;
- A map of any significant weed infestations;
- Each year, after completion of vegetation mapping, a report is to be completed showing the changes in the composition of the vegetation communities. The results are to be shown in a table that shows the vegetation community and the area of the vegetation community as a percentage of the total area. Monitoring will continue until completion criteria are met (refer Section 5.4).

## 5.4 Performance Criteria

A number of criteria will indicate successful rehabilitation of the EPZs and ecological buffers, including:

- Survival of 95% of stems planted;
- Establishment of a 70% native ground cover after 2-3 years;
- Average percentage cover of 90% native ground cover at the 5th year;
- Noxious weeds are to be eradicated and environmental weeds less than 1% of the area;
- Infrastructure functional and well-maintained in a state suitable for hand over to Tweed Shire Council;
- Natural recruitment of native seedlings throughout planting areas; and
- Maintenance of 100% of planted diversity.

Performance criteria will be assessed as follows:

- The photos taken during monitoring visits, in combination with the annual monitoring and mapping of native vegetation composition and the results of the annual fauna survey, will be used to determine the extent of native plant species and the levels of biodiversity the area is supporting.
- When it is determined that all performance criteria have been met, completion will have occurred.

## 5.5 Reporting

Following each inspection by the qualified ecologist, a report will be prepared that will include tables and photographs from the monitoring visits. At the end of each year a detailed report will be prepared for the Department of Environment, Climate Change & Water (DECCW) and Tweed Shire Council. The report will discuss the following:

- Works undertaken;



## Kings Forest (Stage 1) - Precinct 1 & 5 Vegetation Management Plan

---

- Progress of regeneration/revegetation areas against completion criteria using photos and tables showing the results of the monitoring visits;
- Significant problems encountered (death of seedlings, broken fences, vandalism etc.) and the effect of these on the plantings and aims of the revegetation or regeneration strategy;
- Success or failures of measures implemented to rectify previously identified problems;
- Measures to be taken to rectify new problems; and
- Performance against performance criteria (Section 5.4).



## REFERENCES

Bellairs, S. M. & D. T. Bell. 1993. Seed stores for restoration of species-rich shrubland vegetation following mining in Western Australia. *Restoration Ecology* 1:231-240.

Berg, R. Y. 1975. Myrmecochorous plants in Australia and their dispersal by ants. *Australian Journal of Botany* 23:475-508.

Gilbert & Sutherland (2011a) Erosion & Sediment Control Plan. Kings Forest Stage 1 Project Application. Prepared for Project 28. February 2011.

Gilbert & Sutherland (2011b) Overall Water Management Plan. Kings Forest Stage 1 Project Application. Prepared for Project 28. February 2011.

JWA (2011a) Kings Forest Stage 1 Project Application: Koala Plan of Management. James Warren and Associates. A Report for Project 28 Pty Ltd. March 2011

JWA (2011b) Kings Forest Stage 1 Project Application: Precinct 1 & 5 Threatened Species Management Plan. James Warren and Associates. A Report for Project 28 Pty Ltd. March 2011

JWA (2011c) Kings Forest Stage 1 Project Application: Precinct 1 & 5 Buffer Management Plan. James Warren and Associates. A Report for Project 28 Pty Ltd. September 2011

JWA (2011d) Kings Forest Stage 1 Project Application: Precinct 1 & 5 Weed Management Plan. James Warren and Associates. A Report for Project 28 Pty Ltd. March 2011

Koch, J. M. & S. C. Ward. 1994. Establishment of understorey vegetation for rehabilitation of bauxite mined areas in the jarrah forest of Western Australia. *Journal of Environmental Management* 41:1-15.

Koch, J. M., S. C. Ward, C. D. Grant, G. L. Ainsworth. 1996. Effects of bauxite mine restoration operations on topsoil seed reserves in the jarrah forest of Western Australia. *Restoration Ecology* 4:368-376.

LandPartners (2009). Revised Vegetation Management Plan. Kings Forest.

Mahesh, M. Q., M. K. Upadhyaya, R. Turkington. 1996. Dynamics of seed-bank and survivorship of meadow salsify (*Tragopogon pratensis*) populations. *Weed Science* 44:100-108.

Rokich, D. P., Dixon, K. W., Sivasithamparam, K. and Meney, K. A. (2000), Topsoil Handling and Storage Effects on Woodland Restoration in Western Australia. *Restoration Ecology*, 8: 196-208. doi: 10.1046/j.1526-100x.2000.80027.x



## Kings Forest (Stage 1) - Precinct 1 & 5 Vegetation Management Plan

---

Thom, R.M. (1997). System-development matrix for adaptive management of coastal ecosystem restoration projects. *Ecol. Eng.* 8, pp. 219-232.

Ward, S. C., J. M. Koch, G. L. Ainsworth. 1996. The effect of timing of rehabilitation procedures on the establishment of a jarrah forest after bauxite mining. *Restoration Ecology* 4:19-24.

Warren, J. (2000) Species Impact Statement For the Proposed Kings Forest Development. A Report to Narui Gold Coast. James Warren and Associates