

# **Energy From Waste (EFW) Plant, Eastern Creek**

## **Aboriginal Archaeological Technical Report**

Report prepared for Urbis on behalf of The Next Generation (TNG)

September 2014



Sydney Office 78 George Street Redfern NSW Australia 2016 T +61 2 9319 4811

Canberra Office 2A Mugga Way Red Hill ACT Australia 2603 T +61 2 6273 7540

GML Heritage Pty Ltd ABN 60 001 179 362

### **Report Register**

The following report register documents the development and issue of the report entitled Energy From Waste (EFW) Plant, Eastern Creek—Aboriginal Archaeological Technical Report, undertaken by GML Heritage Pty Ltd in accordance with its quality management system.

Job No.	Issue No.	Notes/Description	Issue Date
13-0493	1	Final Report	22 September 2014

### **Quality Assurance**

GML Heritage Pty Ltd operates under a quality management system which has been certified as complying with the Australian/New Zealand Standard for quality management systems AS/NZS ISO 9001:2008.

The report has been reviewed and approved for issue in accordance with the GML quality assurance policy and procedures.

Project Manager:	Tyler Beebe	Project Director & Reviewer:	Tim Owen
Issue No.	1	Issue No.	1
Signature	Ter Bole	Signature	Elin awa
Position:	Consultant	Position:	Associate
Date:	22 September 2014	Date:	22 September 2014

#### Copyright

Historical sources and reference material used in the preparation of this report are acknowledged and referenced at the end of each section and/or in figure captions. Reasonable effort has been made to identify, contact, acknowledge and obtain permission to use material from the relevant copyright owners.

Unless otherwise specified or agreed, copyright in this report vests in GML Heritage Pty Ltd ('GML') and in the owners of any pre-existing historic source or reference material.

#### **Moral Rights**

GML asserts its Moral Rights in this work, unless otherwise acknowledged, in accordance with the (Commonwealth) Copyright (Moral Rights) Amendment Act 2000. GML's moral rights include the attribution of authorship, the right not to have the work falsely attributed and the right to integrity of authorship.

#### Right to Use

GML grants to the client for this project (and the client's successors in title) an irrevocable royalty-free right to reproduce or use the material from this report, except where such use infringes the copyright and/or Moral Rights of GML or third parties.

**Contents** Page

1.0 Introduction	1
1.1 Project Brief and Study Area	1
1.2 Objectives for the Assessment	
1.3 Statutory Context	
1.3.1 NPW Act 1974	
1.3.2 EPA Act 1979	
1.3.3 Approach to Aboriginal Heritage Management	3
1.3.4 Due Diligence Approach	
1.3.5 Reporting Approach	
1.4 Investigators and Contributors	
1.5 Endnotes	8
2.0 Archaeological Context	9
2.1 Previous Archaeological Work	9
2.1.1 Previous Archaeological Reports	9
2.1.2 Aboriginal Heritage Information Management System (AHIMS) search	12
2.1.3 Synopsis of Known Aboriginal Sites and Previous Work	14
2.2 Landscape Context	16
2.2.1 Geology	16
2.2.2 Geomorphology and Soils	17
2.2.3 Hydrology	17
2.2.4 Vegetation	18
2.2.5 Land Use History and Disturbance	19
2.3 Regional Character and Aboriginal Heritage Predictive Model	26
2.3.1 Aboriginal Chronology in the Sydney Area	
2.3.2 Cumberland Plain Predictive Model	28
2.3.3 Strategic Management Model	
2.3.4 Current Study Area Predictions	
2.4 Endnotes	30
3.0 Archaeological Field Survey	
3.1 Survey Methodology and Survey Sampling Strategy	
3.1.1 Field Methods	
3.1.2 Archaeological Potential	
3.2 Survey Results—Survey Units & Landforms	
3.3 Survey Results—Aboriginal Sites/Places and Landscapes	
3.3.1 Archbold Road 1	
3.3.2 Archbold Road 2	
3.3.3 EFW South	
3.4 Analysis and Discussion	
3.4.1 Observed Landform and Aspect	
3.4.2 Soil Conditions (Integrity and Condition)	
3.4.3 Environmental Focus	
3.4.4 Observed Aboriginal sites	
3.5 Endnotes	41

### **GML** Heritage

4.0 Scientific Values and Significance Assessment	42
4.1 Preamble	42
4.1.1 Assessment Criteria	42
4.2 Scientific Assessment	43
4.2.2 Statement of Scientific Heritage Significance	44
4.3 Endnotes	44
5.0 Impact Assessment	45
5.1 Ecologically Sustainable Development	45
5.1.1 Preamble	
5.1.2 Principles of Ecologically Sustainable Development	45
5.2 The Proposed Activity and Impacts to Aboriginal Sites	46
5.3 Proposed Conservation of Heritage Sites	47
5.4 Potential Effects arising from Proposed Impacts	47
5.5 Endnotes	48
6.0 Management, Mitigation & Recommendations	49
6.1 Recommended Aboriginal Heritage Management and Mitigation Strategy	49
6.2 Recommendation	50
7.0 Appendices	51
Appendix A	
AHIMS Search Results	
Appendix B	

New AHIMS Site Cards

### 1.0 Introduction

GML Heritage (GML) Pty Ltd was engaged by Urbis, on behalf of The Next Generation NSW Pty Ltd (TNG) to prepare an Aboriginal Cultural Heritage Assessment Report (ACHAR) and an Aboriginal Archaeological Technical Report (ATR) for the proposed Energy from Waste (EFW) facility at Eastern Creek project (Figure 1.1).

The purpose of this report is to identify whether the study area possesses or has the potential to possess Aboriginal heritage archaeological sites, places, objects, landscapes and/or values, in accordance with the NSW Office of Environment and Heritage (OEH) guidelines for Aboriginal heritage assessment (listed below). This report details the results of archaeological field survey carried at the study area, in accordance with OEH's Code of Practice for Archaeological Investigation of Aboriginal Objects in NSW (Code of Practice).

GML's involvement in the project ended following the field survey, prior to archaeological test excavation. As such, this report provides a preliminary significance assessment of the identified archaeological Aboriginal sites, places, landscapes and/or other values. As archaeological test excavation was required to characterise the nature and extent of the archaeological deposit, and allow an assessment of its archaeological value, the impact assessment and recommendations for future archaeological investigation and management strategies provided reflect the need for further work in relation to understanding the archaeological resource—rather than a formal assessment of the proposed EFW facility.

### 1.1 Project Brief and Study Area

The Energy from Waste (EFW), Eastern Creek project area (the study area), is located at Eastern Creek, Lots 2 and 3 in DP 1145808, within the Blacktown Local Government Area (LGA), south of the M4, east of Ropes Creek, west of the former Pioneer Quarry, and bounded to the west by Archbold Road (Figures 1.1 and 1.2).

TNG proposes to construct an EFW electricity generation plant at the southern end of the study area. The proposed development involves the construction of the EFW energy generation plant, as well as internal roadways, amenities and ablutions, parking facilities, and water detention basins. Any action that disturbs the ground surface has the potential to impact soils that may contain an Aboriginal archaeological deposit. Therefore this assessment has been undertaken in order to determine if there is the potential for Aboriginal objects within the study area, and if so, to what extent they may be impacted through the development proposal. This will allow development of relevant and appropriate Aboriginal cultural heritage management strategies as necessary and appropriate to the study area.

Figure 1.3 depicts the proposed location of the proposed plant. Details of the proposed development impact and location are presented in the Impact Assessment, Section 5.0 of this report. The EFW project will be assessed under the Environmental Planning and Assessment Act (EPA Act) as a State Significant Development (SSD) Project. This report will be used to support a DA for the EFW plant and associated works within the study area.

### 1.2 Objectives for the Assessment

The objectives of this assessment were:

- to understand the number, extent, type, condition, integrity and archaeological potential of Aboriginal heritage sites and places within the study area;
- to determine whether the identified Aboriginal sites and places are a component of a wider Aboriginal cultural landscape;
- to understand how the physical Aboriginal sites relates to Aboriginal tradition within the wider area:
- to prepare a scientific cultural values assessment for all identified aspects of Aboriginal cultural heritage, as identified within this report;
- to determine how the proposed project may impact the identified Aboriginal cultural heritage;
- to aim to minimise impacts to Aboriginal cultural heritage through sensible and pragmatic site and land management;
- to determine where impacts are unavoidable and develop a series of impact mitigation strategies that benefit Aboriginal cultural heritage and the proponent; and
- to provide clear recommendations for the conservation of archaeological values and mitigation of impacts to these values.

### 1.3 Statutory Context

In NSW Aboriginal heritage is principally protected under two Acts:

- the National Parks and Wildlife Act 1974 (NPW Act 1974); and
- the Environmental Planning and Assessment Act 1979 (EP&A Act 1979).

#### 1.3.1 NPW Act 1974

The NPW Act provides statutory protection for all Aboriginal 'objects' (consisting of any material evidence of the Indigenous occupation of New South Wales) under Section 90 of the NPW Act, and 'Aboriginal places' (areas of cultural significance to the Aboriginal community) under Section 84 of the NPW Act. Aboriginal objects and places are afforded automatic statutory protection in New South Wales whereby it is an offence (without the Minister's consent) to harm an Aboriginal object or declared Aboriginal Place.

The NPW Act defines an Aboriginal object as:

any deposit, object or material evidence (not being a handicraft made for sale) relating to the Aboriginal habitation of the area that comprises New South Wales, being habitation before or concurrent with (or both) the occupation of that area by persons of non-Aboriginal extraction, and includes Aboriginal remains.

The protection provided to Aboriginal objects and places applies irrespective of the level of their significance or issues of land tenure. Sites of traditional significance that do not necessarily contain material remains may be gazetted as 'Aboriginal Places' and thereby protected under the NPW Act.

However, areas are only gazetted if the Minister is satisfied that sufficient evidence exists to demonstrate that the location was and/or is of special significance to Aboriginal culture.

On 1 October 2010, the mechanisms for the protection and management of Aboriginal heritage places and objects changed with the adoption of the *NPW Amendment (Aboriginal Objects and Places)* Regulation 2010.

New offences relating to the harm to, or desecration of, an Aboriginal object or declared Aboriginal Place were introduced. The definition of 'harm' now includes to destroy, deface, damage or move an Aboriginal object or declared Aboriginal Place. The former Department of Environment, Climate Change and Water (DECCW—now the OEH) stated:

The most significant change is the introduction of tiered offences and penalties. Offences committed with knowledge, in aggravating circumstances or in relation to an Aboriginal Place will attract higher penalties than previously. There is a new strict liability offence of harming Aboriginal objects and of harming or desecrating Aboriginal Places. (DECCW 2010b)

The strict liability offence of harming Aboriginal objects has a number of defences. The two defences relevant to the proposed development include the statutory defence of due diligence through complying with an adopted industry code or compliance with the conditions of an AHIP.

The potential for Aboriginal objects, sites, places and/or values within the study area and whether the proposed development may impact on such objects has been assessed and the results presented in this report.

#### 1.3.2 EPA Act 1979

The Environmental Planning and Assessment Act 1979 (NSW) (EPA Act) provides a statutory framework for the determination of development proposals. It provides for the identification, protection and management of heritage items through inclusion in schedules to planning instruments such as Local Environmental Plans (LEPs) or Regional Environmental Plans (REPs). Heritage items in planning instruments are usually historic sites but can include Aboriginal objects and places. The EPA Act requires that appropriate measures be taken for the management of the potential archaeological resource by means consistent with practices and standards adopted in meeting the requirements of the NPW Act.

The EFW Plant Development will be assessed as a State Significant Development (SSD) in accordance with Part 3 of the EPA Act. Therefore the requirement for an Aboriginal Heritage Impact Permit (AHIP) in accordance with Section 90 the NPW Act may not apply to this development.

### 1.3.3 Approach to Aboriginal Heritage Management

In order to administer the NPW Act 1974 and EP&A Act 1979, the OEH has issued a series of best practice guidelines and policies. The applicability of these depends upon the approval mechanism for a project. The current project will be assessed and granted approval under Part 3 (State Significant Development) of the EP&A Act 1979. Therefore the approach to the preparation of this document was based on the following current best practice guidelines:

- DECC Operational Policy: Protecting Aboriginal Cultural Heritage (February 2009);
- DECCW Aboriginal cultural heritage consultation requirements for proponents 2010. Part 6
   National Parks and Wildlife Act 1974 (April 2010);

- DECCW Due Diligence Code of Practice for the Protection of Aboriginal Objects in NSW (13 September 2010);
- DECCW Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales (24 September 2010);
- OEH Guide to investigating, assessing and reporting on Aboriginal cultural heritage in NSW (April 2011); and
- The Australia ICOMOS Burra Charter 1999 (Burra Charter).

### 1.3.4 Due Diligence Approach

The OEH adheres to a code of practice guideline that defines a 'due diligence' approach to Aboriginal heritage: DECCW *Due Diligence Code of Practice for the Protection of Aboriginal Objects in NSW (13 September 2010).* This guideline is designed to assist individuals and organisations to exercise due diligence when carrying out activities that may harm Aboriginal objects, and/or Aboriginal Places, and to determine whether they should apply for consent in the form of an AHIP.

The *Due Diligence Code of Practice* sets out the reasonable and practicable steps which individuals and organisations need to take in order to:

- identify whether or not Aboriginal objects are, or are likely to be, present in an area;
- determine whether or not their activities are likely to harm Aboriginal objects (if present); and
- determine whether an AHIP application is required.

#### The OEH has defined due diligence thus:

Due diligence is a legal concept describing a standard of care. Exercising due diligence means turning your mind to the likely risks of your proposed course of action. It is not enough to perform activities carefully. Due diligence requires consideration of your obligations under, in this case, the NPW Act, and the consideration and adoption of a course of action that is directed towards preventing a breach of the Act.

In the context of protecting Aboriginal cultural heritage, due diligence involves taking reasonable and practicable measures to determine whether your actions will harm an Aboriginal object and if so avoiding that harm.

The steps that are required to follow the due diligence process are:

- searching the Aboriginal Heritage Information Management System (AHIMS);
- checking for landscape features which may indicate the presence of Aboriginal objects;
- strategies to avoid harming Aboriginal objects; and
- desktop assessment and visual inspection to confirm the presence of Aboriginal objects.<sup>2</sup>

In preparing this report, GML complied with the guidelines set out in OEH *Due Diligence Code of Practice for the Protection of Aboriginal Objects in New South Wales (13 September 2010).* The extent of land covered by the due diligence process is described as the study area, see below.

#### 1.3.5 Reporting Approach

This Aboriginal Archaeological Technical Report (ATR) is an appendix to the ACHAR. This ATR is a standalone technical report which provides evidence about the material traces of Aboriginal land use that is integrated with the other findings from the assessment of Aboriginal heritage to support the conclusions and management recommendations in the ACHAR.

This report has been prepared following the requirements for reporting as established in DECCW Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales (24 September 2010).

These two reports should be used by TNG to demonstrate compliance with the initial stages of the Aboriginal assessment, to the completion of the field survey. Future reporting, archaeological test excavation and further Aboriginal consultation would be required to complete the assessment. These tasks were beyond GML's commissioned scope.

### 1.4 Investigators and Contributors

This project has undertaken by the following personnel; each person's role, qualification and affiliations are detailed in the table below.

Table 1.1 Investigators and Contributors

Person (Qualification)	Affiliation	Role
Sam Cooling (M. Arch. Science, BA.)	GML	Project Manager, Author
Dr Tim Owen (PhD Aboriginal archaeology, BSc [Hons] International Archaeology)	GML	Project Director, Report Reviewer
Natalie Vinton	GML	Senior Advice
Jane McMahon (BA)	GML	Author
Tyler Beebe (BA)	GML	Project Manager, Author
Gordon Workman	DLO	
Paul Goddard	DLO	
Des Dyer	DALC	
John Reilly	DTAC	
Gordon Morton	DACHA	
Tylan Blunden	DCAC	
Philip Khan	KYWG	
Jen Norfolk	Tocomwall	



Figure 1.1 Regional Study area location. (Source: Nearmaps with GML Additions 2014).




Figure 1.2 Study area. (Source: Nearmaps with GML Additions)




Figure 1.3 Approximate location of proposed EFW plant. (Source: Nearmaps with GML additions)

### **GML** Heritage

### 1.5 Endnotes

- 1 DECCW. 24 April 2009. Due diligence guidelines for protection of Aboriginal objects in NSW. Accessed Online.
- <sup>2</sup> DECCW 2010. NPWS Act 1974. Fact sheet 2. September 2010.

### 2.0 Archaeological Context

In line with OEH reporting requirements<sup>1</sup>, this section provides a review of previous archaeological work, the landscape context, regional character and an Aboriginal heritage predictive model.

### 2.1 Previous Archaeological Work

The purpose of this section is to synthesise available information from previous archaeological and ethno–historical studies to provide a context and baseline for what is known about Aboriginal cultural heritage in the subject area.

#### 2.1.1 Previous Archaeological Reports

A literature review of the NSW OEH library (and additional reports held by GML) was undertaken to understand the broader region's archaeological patterning. This review was targeted to those reports relevant to the study area. Key word searches were used to find reports for the locality in AHIMS. A review of key reports is provided, in chronological order, below..

#### Kohen 1986<sup>2</sup>

An archaeological survey by Jim Kohen in 1986 covered the current study area, as well as some of the surrounding land. Through the course of this survey, a total of 13 sites were located and registered (BTSW/1 to BTSW/13). Visibility during this survey was described as poor and survey concentrated on exposures such as creek lines, dams and tracks<sup>3</sup>. No sites were identified within the current study area through the course of this survey however this could have been due to low visibility and exposure in the area. This is one of only two archaeological surveys (the other being JMcDCHM 2002, detailed below) that have previously covered the area of the proposed EFW Plant.

#### Brayshaw and Haglund 19964

Brayshaw and Haglund undertook archaeological survey in 1996 of the lands to the north of the current study area in relation to the proposed widening of the M4 motorway. Of the sites recorded during this survey, one ('Chatsworth Road') was recorded on the boundary of, or immediately to the north of, the northern boundary of the current study area (to the south of the M4). This site consisted of three silcrete flakes over a distance of 270m (across three locations). This site is referred to in subsequent reports as both 'Chatsworth Road', and 'M4U4'. The site was not registered with AHIMS at the time, and was assessed further in JMcDCHM 2002 and 2005 (see below).

#### JMcDCHM 20025

In 2002, JMcDCHM undertook archaeological assessment of lands which were gazetted under the State Environment Planning Policy (SEPP 59)—Central Western Area Economic and Employment Area. This included the entirety of the current study area, as well as surrounding lands. Through this study, the current study area was surveyed as a part of the investigation of the wider SEPP 59 lands. At the time of the 2002 report, the lands subject to SEPP 59 were owned by several different landowners, and therefore the current study area was referred to throughout this report as included within the 'Fitzpatrick' land. Archaeological survey across the 'Fitzpatrick' land in 2002 recorded two new artefacts (RF/ISF1 and RF/ISF2), both located on a graded track in the north of the study area. As these two Isolated Finds were in close proximity(ie within 100m of each other) to each other, as well as the site originally recorded by Brayshaw and Haglund in 1996 (ie Chatsworth Road/M4U4), and in consideration of the fact than none of the three sites had yet been registered, JMcDCHM decided

that these three sites should all be registered as one. This site was renamed 'Archbold Road', and an AHIMS site card prepared and attached to the 2002 report in Appendix 5. However, somehow still this site has not been registered with AHIMS.

In addition, two artefact sites were recorded in the land immediately adjacent to the current study area (referred to as 'Sargents' land). These two sites (Sargents 1 and Sargents 2), both also had site cards prepared for registration at the time of recording, and included in Appendix 5 of the report, however neither seem to be registered with AHIMS.

A Strategic Management Model (SMM) was developed for the SEPP 59 lands in order to manage development of lands on the basis of their conservation potential. Management zones were allocated across the whole of the SEPP59 lands based on a combination of their archaeological potential, landscape type and levels of disturbance. The majority of the (then) 'Fitzpatrick' land, outside of the area of the Quarry (ie the current study area) was assigned as Zone 2 (moderate archaeological potential), with treed areas in the north and south assigned as Zone 1 (high archaeological potential and a Core Conservation Zone candidate). This report proposed that no archaeological investigation, or development, should take place within designated Core Conservation Zone (CCZ) areas, while any land outside the CCZ would be deemed developable. This report provided recommendations for the direction of further management decisions to be made for the SEPP 59 lands regarding Aboriginal heritage.

#### **JMcDCHM 2005**<sup>6</sup>

In 2005, JMcDCHM undertook prepared a Heritage Conservation Strategy regarding Aboriginal cultural heritage management outcomes for part of the SEPP59 Eastern Creek Business Park (Stage 3) Precinct; the lands referred to as 'Sargents' land, and the 'Valad' land (previously known as 'Fitzpatrick' land, and including the current study area). Following on from the assessment of the entire SEPP59 lands in 2002, this report focused on identifying requirements for mitigation of Aboriginal cultural heritage impacts, as well as ongoing management requirements for lands proposed for conservation within the Stage 3 Precinct area.

This report followed the SMM set out in the JMcDCHM 2002 report (as above), and recommended the conservation of two areas (one in the north and one in the south), selection of a sample for archaeological sub-surface investigation within Zone 2 lands to mitigate the impact to Aboriginal heritage through development of the area, and the preparation of a Plan of Management as part of the conservation management strategy.

#### ERM 20057

In 2005, ERM undertook a heritage study (including both Aboriginal and historical heritage), including background research and a field survey, at Eastern Creek, Blacktown. The ERM study area was located immediately adjacent (to the west) of the study area for the current project. The eastern boundary of the ERM study area was governed by the location of the main power lines, which form the south west border of the current study area.

The survey for this project identified 14 Aboriginal sites and 2 PADs across the area. ERM recommended that a 'heritage preservation zone' be established in order to protect the main concentration of Aboriginal heritage sites. Aboriginal objects were generally found during survey wherever good exposures for the detection of archaeological materials were present. ERM concluded that Aboriginal objects were likely to be found across low-lying areas of the site in varying concentrations, with higher densities likely to be found closer to creek banks.

#### **JMcDCHM 20068**

In 2006 JMcDCHM undertook archaeological salvage excavation in accordance with a Section 90 permit within an area known as the Wonderland Surplus (approximately 1.3km to the east of the study area). Throughout this project, two areas of PAD (EC3/1 and EC3/2) were investigated and subject to salvage excavation due to having previously been assessed as having good potential for an intact archaeological deposit. The excavation of EC3/1 sampled a hill slope and drainage gully, while EC3/2 sampled the adjacent low ridgetop. Lithic density was similar in each landscape, with average densities of 0.8 artefacts/m² and 0.9 artefacts/m² respectively.

A total of 1550 lithics were recovered from the salvage excavation of the two PADs. Although the relatively low lithic densities recovered made the determination of site use difficult, the excavation demonstrated clear use of the area by Aboriginal people.

#### Navin Officer 20079

In 2007 Navin Officer was engaged by FDC Building Services Pty Ltd to undertake a subsurface test excavation program at the previously surveyed Erskine Park Employment Area. The aim of the test excavation was to identify the nature and extent of the three previously identified Aboriginal sites (EP1, EP 2 and EP PAD 1). This test excavation area was located approximately 1.7km south west of the current study area (Figure 2.1).

The excavation was undertaken by backhoe and mechanical excavation equipment while monitored by archaeologists and Aboriginal stakeholder representatives. The study area was divided into four areas and a total of 112 test units were excavated with a total of 310 stone artefacts identified within 70 of the 112 test units.

It was concluded that average densities were 5.7 artefacts per square metre. The dominating raw material types identified during the excavation were silcrete (70%) and tuff (21.3%). Area 2, a spurline crest along Ropes Creek had the highest densities. Area 3, a valley floor, had the second highest densities while Area 4 and Area 1, adjacent to a first order drainage line, were identified as low potential landforms.

### JMcDCHM 2009<sup>10</sup>

An Aboriginal Heritage Management Plan (AHMP) was prepared by JMcDCHM in 2009 for the development of 'The Light Horse Business Centre' within the lands known as 'Dial A Dump' Industries (DADI) lands, including the 'Valad' lands as assessed in JMcDCHM 2005, as well as the current study area. This AHMP built on the archaeological assessment reports prepared by JMcDCHM in 2002 and 2005 for wider land holdings in the area. The AHMP identified two designated conservation areas within the subject land, and was prepared in order to ensure the protection of Aboriginal sites and landscapes within these conservation areas.

The 2009 reports notes that at some time between the preparation of the JMcDCHM 2005 assessment of the land, and the 2009 assessment, part of the area designated as archaeologically sensitive (Zone 1- High Archaeological Potential), had been subject to earthworks. A trench cut and subsequent infill seriously impacted a portion (c. 1ha in size) of the Zone 1 area located in the south of the study area (within, and to the south of the second order stream in the south of the current study area). Therefore the 2009 report reassigned the zoning of archaeological sensitivity of the area accordingly in order to mitigate against this impact (Figure 2.1). This disturbance is further detailed in Section 2.2.5 below.

The conservation of the south and north Zone 1 areas was deemed to represent an appropriate conservation outcome, and thus a meaningful management outcome was anticipated for the subject land in conjunction with the appropriate management of the two conservation areas.

While the majority of the 2009 development was located within archaeological sensitivity Zone 3, small amounts of ground disturbance were required within Zone 2 lands (ie three detention basins and an area of fill). The report determined that the proposed development impacts from the DADI Light Horse Business Centre were not considered major enough to warrant further archaeological investigation in those areas, the report states that:

Should more extensive development proposals in the future be located in these Zone 2 areas then these would require further assessment at the time to determine whether subsurface investigation was warranted. (JMcDCHM 2009: 10).

The final recommendations of the AHMP included: access to conservation areas be limited (ie fenced) and managed appropriately; no construction activities or any future works that impact on soil should take place in the conservation areas; and that any management decisions made in relation to Aboriginal heritage must involve consultation with representatives of the Aboriginal community. The Aboriginal community provided written response regarding the AHMP, stating their support for the implementation and adherence to the recommendations and management strategies of the AHMP.

#### GML 20131112

Throughout the course of 2013, GML undertook an Aboriginal archaeological assessment, including test and salvage excavation, of the development area known as Oakdale Central Precinct, on behalf of Goodman Property Services. The Oakdale Central Precinct is located approximately 2km south west of the current study area (Figure 2.1).

This assessment included field survey, Aboriginal community consultation, test excavation, and salvage excavation. Final post-excavation reporting is currently being undertaken, and therefore the results as presented here are preliminary.

The archaeological excavation of the Oakdale Central Precinct demonstrated that there are discrete artefact deposits of moderate densities within 150m of Ropes Creek, generally located on alluvial as opposed to residual soils (ie in association with the flood plain of Ropes Creek, a third order stream). Archaeological salvage excavation within the Oakdale Central Precinct also recovered the presence of Aboriginal cultural features other than stone objects, such as Aboriginal earth ovens within the site. Therefore, the post-excavation reporting of this site is also investigating the location and presence of domestic activities undertaken by Aboriginal people within this landscape. This has important implications for Aboriginal use of landscape, as well as the investigation of archaeological evidence other than stone objects (ie hearths and ovens), which have not previously been often sought, or focused on through archaeological investigations on the Cumberland Plain.

### 2.1.2 Aboriginal Heritage Information Management System (AHIMS) search

A search of the OEH AHIMS database of an area approximately 1km surrounding the study area was undertaken on 11 March 2014. The results of the search are shown in Figure 2.3. The search identified 63 recorded Aboriginal sites, which comprised: artefact concentrations (open camp sites), Potential Archaeological Deposits (PADs), and Artefact Sites with PADs. This search indicated that artefact concentrations constitute the predominant remnants recorded in this area. An overview of the AHIMS results are shown in Table 2.1. The complete results of the AHIMS search are provided in Appendix A.

Table 2.1 Results of the AHIMS search

Site Feature	Frequency	Percentage (%)
Artefact Concentrations (Open Camp Sites)	59	94
Artefact Site + PAD	2	3
PAD	2	3
Total	63	100

General patterning indicates that artefact sites dominate the archaeological record. These can be found in any location, on any landform; however recorded sites appear to become denser towards the margins of smaller creek lines and near the confluences of the water courses. However, this is also likely to be influenced by the locations of previous intensive archaeological surveys, with sites tending to decrease in number within areas that have been subject to less intensive archaeological survey (ie within the proposed EFW Plant location; the current study area).

#### **Unregistered Aboriginal Sites**

The assessment of prior reports indicated that there were also three recorded, but unregistered Aboriginal sites located within, or in close proximity to, the study area. Details of sites reported on, but not previously AHIMS registered, are provided below. All three of these sites have now been registered with the AHIMS registrar through the course of this project. However, only one of these unregistered sites is located within the current study area.

Table 2.2 Summary of Aboriginal sites (AHIMS Search area)

Sites	Number
AHIMS Registered Sites	63
Unregistered Sites	3
Total	69

#### **Archbold Road 1**

This site is comprised of three recorded sites; M4U4, RF/ISF1 and RF/ISF2. M4U4 was first recorded by Brayshaw and Haglund<sup>13</sup> (see Brayshaw and Hagulund 1996 in Section 2.1.1 above), and consisted of three artefacts located over a distance of 270m on a fire trail just on the border of/slightly outside the current study area boundary. These artefacts were recorded on areas of exposure adjacent to intact vegetation, which was designated as an area of associated PAD.

During the JMcDCHM survey in 2002 (see JMcDCHM 2002 in Section 2.1.1 above), two new surface sites were recorded: RF/ISF1 and RF/ISF2. These two sites both consisted of an isolated artefact on a track within 100m of each other.

Due to the proximity of these three sites to each other, and that none of them had been registered with AHIMS, in 2002 JMcDCHM prepared a site card to register all three sites as a single site. However, this site had not previously been registered with AHIMS.

#### Sargents 1 and 2

Through the survey undertaken by JMcDCHM 2002 of the study area, two artefact sites were recorded in the land immediately adjacent to the current study area (referred to in the 2002 report as 'Sargents' land). Sargents 1 consisted of two artefacts in an area of various dirt vehicle tracks, in association with an area of extensive dumping of building and household rubbish, where severe sheet wash erosion had cut through the soil. Sargents 2 was located to the west of Sargents 1, and consisted of two artefacts on dirt vehicle/bike tracks. Site cards were prepared for both sites at the the time of recording in 2002, and included in Appendix 5 of the JMcDCHM 2002 report, however neither was registered with AHIMS at the time.

While neither Sargents 1 or 2 are located within the current study area, they have been registered through the course of this project as they contribute to the wider Aboriginal site location patterning in the regional context of the study area.

#### 2.1.3 Synopsis of Known Aboriginal Sites and Previous Work

A number of archaeological surveys have been undertaken surrounding and including portions of the study area. The intensity of archaeological survey has resulted in the recording of numerous Aboriginal sites and the patterning observed in the AHIMS data. In addition, a number archaeological excavations have been undertaken, all of which have recovered sub-surface material from associated deposits.

Artefact sites dominant the record for the study area and surrounding land, particularly in association with areas of exposure and erosion. Sub surface excavations have demonstrated the ability for areas of moderate to low disturbance to possess intact archaeological deposits with low, moderate and high artefact counts, and in some cases, stratigraphic integrity of alluvial soils (ie Oakdale Central), and evidence for Aboriginal occupation of the region other than stone objects (ie hearths and earth ovens at Oakdale Central).

A total of 69 sites (63 on AHIMS, 3 previously unregistered) are located within, and in close proximity to the study area. Of these sites however, only one is registered within the study area itself. However, previous research, as well as the number of Aboriginal sites registered in the study area surroundings demonstrates that this single site is not an accurate reflection of the presence of Aboriginal archaeological deposits within the study area. Previous research demonstrates that the study area is likely to possess Aboriginal stone objects and archaeological deposits in all areas that have not previously been subject to high levels of historical ground disturbance.



Figure 2.1 JMcDCHM 2009: Archaeological Sensitivity Zoning.




Figure 2.2 AHIMS results. (Source: OEH AHIMS, Near Maps with GML additions 2014).

### 2.2 Landscape Context

The purpose of this section is to provide contextual information for use in developing a predictive model relating to the remains for evidence of Aboriginal occupation and use of the study area. Interactions between people and their surroundings are of integral importance in both the initial formation and the subsequent preservation of the archaeological record. The nature and availability of resources including water, flora and fauna and suitable raw materials for the manufacture of stone tools and other items had (and continues to have) a significant influence over the way in which people utilise the landscape.

Alterations to the natural environment also impact upon the preservation and integrity of any cultural materials that may have been deposited whilst current vegetation and erosional regimes affect the visibility and detectability of Aboriginal sites and objects. For these reasons, it is essential to consider the environmental context as a component of any heritage assessment.

#### 2.2.1 Geology

The study area is located within a primary geology of a Triassic Wianamatta Group and is a part of the Liverpool sub-group with a structure of Bringelly shale overlaying both Minchinbury Sandstone and the Ashfield shale sequences. The Bringelly shale formation comprises well-bedded shales, carbonaceous and non-carbonaceous claystone, laminates, quartz and occasional beds of fine to medium lithic sandstones.<sup>14</sup>

The natural landscape of the study area is characterised by its location within the Cumberland Plain and its proximity to, and association with Ropes Creek, a third order permanent water source.

The natural topography of the broader landscape is characterised by the gently undulating rises of the Wianamatta Group shales.

### 2.2.2 Geomorphology and Soils

Landforms across the study area are comprised of relatively flat undulating grass surface terrain containing hillslopes and ridgelines with gently inclining slopes of 5 to 10 degrees. Surrounding local relief is 10 to 30 metres and a modal terrain slope of approximately 3% exists within the study area. This has resulted in an erosional landform pattern comprising of gently undulating rises sloping down toward the drainage lines and second order creek that is present within the study area. <sup>15</sup> In general, the Cumberland Plain is an aggrading landscape that results in artefact scatters and Aboriginal sites being buried over time.

The geology of the study area is overlain by the Blacktown soil landscape <sup>16</sup>. The soils of the Blacktown soil landscape range in depth from shallow to moderately deep (less than 100cm) and consist of red and yellow podzolic soils on crests, grading to yellow podzolic soils on lower slopes and on drainage lines. Minor sheet and gully erosion can often occur within this soil landscape where surface vegetation is not maintained. The South Creek soil landscape can often occur within the Blacktown soil landscape along drainage depressions.

#### 2.2.3 Hydrology

The availability of water has significant implications for the range of resources available and the suitability of an area for human occupation, both past and present. The study area is located approximately 500–700m to the east of Ropes Creek (a third order stream in this location), and therefore has a number of locations where water would have been available. The study area contains one second order tributary of Ropes Creek (including a first order stream node) in the south of the study area (within the area proposed as the location for the Energy Plant). A first order stream drains out of the study area from the eastern boundary approximately in the centre of the site, with the headwaters of another first order stream entering the study area just to the north of the first (Figure 2.3).

The presence of fresh water within the study area, as well as its close proximity to a permanent water source (ie Ropes Creek) means that a source of fresh water should have been accessible all year round from the landforms present within the study area. Eastern Creek is located approximately 3km to the east of the current study area.




Figure 2.3 Hydrology of the study area with zones of archaeological potential. (Source: Near Maps with GML additions)

### 2.2.4 Vegetation

The Cumberland Plain originally contained a complex of woodland and forest adapted to mostly clayey soils. The vegetation community surrounding the study area includes trees such as the Grey Box (*E. moluccana*), and the Forest red gum (*E. tereticornis*). Ironbarks (mainly Red Ironbark or Mugga—*E. sideroxylon*) also survive in stands or in isolation. Blackthorn (*Bursaria spinosa*) and paperbark (*Melaleuca spp*) are also representative of the woodland in the area. Species such as swamp oak (*Casuarina glauca*) continue to dominate the closed woodlands along creek lines.

The variability of soils across the site and the wider region would have provided a resource rich interface with species adapted to the sandstone and shale soils. The study area would have originally comprised of open eucalypt woodland (eg Forest red gum) in which trees were widely spaced and the ground cover was dominated by grassed understoreys. Closed woodland of paperbark and swamp oak, for example, would have been present along the creek margins.<sup>18</sup>

Most of the original vegetation across the study area has now been cleared and is now dominated by introduced pasture grasses. Eucalypts intermingled with pockets of River oaks, along with patchy occurrences of regrowth, shrubs, bushes and weeds occur along the margins of the second and first order tributaries of Ropes Creek present in the south of the study area. A wooded area is present in the north of the study area, bounded by the M4 to the north, and the south/south east by the Hanson Wallgrove Quarry.

### 2.2.5 Land Use History and Disturbance

A Heritage Impact Statement (HIS) was prepared at the same time as this report, which included historical research into the land use history of the study area. The findings of this historical research is summarised below with regards to associated ground disturbance across the study area. For full details regarding historic land use including land titles and background, see full GML HIS report<sup>19</sup>.

Between 1818 and 1920, the area between Prospect and South Creek along the Western Highway was granted to free settlers and ex-convicts. The study area is located across a number of these grants, however the majority falls within John Thomas Campbell's 1100 acre grant, bounded by Ropes Creek to the west, while the northern section of the study area falls within sections of the 800 acres of land granted to William Cox Junior<sup>20</sup> (Figure 2.4).

From documentary sources, it is known that the Chatsworth estate, located to the west of the current study area, was developed with a farm and some outbuildings, close to Ropes Creek. Many of the structures associated with the farm remain standing or are evident in the landscape in this area. During the early period of European settlement, no recorded development took place within the portions of the grants which now encompass the study area. Some agricultural uses may have taken place, particularly in the southern portions of the lot which were later owned by the Shepherd brothers as they were likely to have been part of their nursery. The road running through the study area and connecting the Chatsworth homestead with Archbold Road was likely created during the mid-1800s to provide access to the farm.

During the mid-twentieth century, a portion of land across the Campbell and Cox estate was affected by the easement of a transmission line to the Sydney West substation in the south. This caused the division of the estates into the irregular lots they currently form. Archbold Road (then Chatsworth Road) was in place by this time. However, the road to the Chatsworth homestead remained unsealed (Figure 2.5). The construction of the M4 Motorway in the 1970s also alienated portions of the Cox estate.

Since the 1950s, a number of these lots which had been subdivided from the larger grants were purchased by Ray Fitzpatrick Pty Ltd<sup>21</sup>, later known as Ray Fitzpatrick Quarries. Major development by this company commenced before 1956 in the form of excavation of a large open cut mine to the immediate east of the study area. The progressive expansion of the quarrying activity led to the excavation of a portion in the centre of the study area (within Lot 2 DP 1145808) and land use associated with this facility across the site.

Analysis of aerial photography from 1947 (Figure 2.6), 1956 (Figure 2.7), 1978 (Figure 2.8) and 1986 (Figure 2.9) provides some indication of land use during the latter half of the twentieth century. Changes to the landscape during this period include:

- A small dam in the northwest corner, visible in 1947, expanded progressively with increased vegetation in that area since 1986.
- The unnamed road off Archbold Road became more defined and regular after 1956.
- A new dam in the far west corner was created by 1978.
- Quarrying activity was expanded into the study area in 1978, and again in 1986.


At some stage before the end of 2007, a diversion trench was cut across the south of Lot 2, DP262213 (in the south of the study area), in order to provide temporary diversion of dam overflow from the

#### **GML** Heritage


adjoining property to a minor creek line to allow remediation works to occur in the intervening creek area<sup>22</sup>. The disturbance created by this diversion is presented in Figure 2.10 and discussed in JMcDCHM 2009 (Section 2.1.1 above).

Therefore, previous land use history and ground disturbance within the current study area can be summarised as follows:

- Limited historic ground disturbance was undertaken across the study area from 1818 to 1956;
- High levels of ground disturbance were undertaken in the centre of the study area in association with the excavation and quarrying activities and development of associated facilities from 1956;
- Excavation for a diversion trench in the south of the study area that took place sometime between 2005 and 2007 resulted in high levels of soil disturbance in the south of the study area, in association with a creek line; and
- Other than vehicle tracks across the grassed section of the study area (ie south of the quarry and associated facilities, and north of the creekline in the south), this part of the study area appears to have been subject to limited historical ground disturbance.



**Figure 2.4** 1898 Melville Parish Map showing the location of the study area in relation to the first land grants in the area. (Source: Department of Land and Property Information)



**Figure 2.5** 1938 Melville Parish Map showing the location of the study area in relation to later easements and developments. (Source: Department of Land and Property Information)



Figure 2.6 Aerial photograph of the study area in 1947. (Source: Department of Land and Property Information)




Figure 2.7 Aerial photograph of the study area in 1956. (Source: Department of Land and Property Information)



Figure 2.8 Aerial photograph of the study area in 1978. (Source: Department of Land and Property Information)



Figure 2.9 Aerial photograph of the study area in 1986. (Source: Department of Land and Property Information)



Figure 2.10 Aerial photograph of the study area in 2007. (Note the disturbance in the south of the study area around the creek). Source: GoogleEarth with GML Additions)

### 2.3 Regional Character and Aboriginal Heritage Predictive Model

This section considers the evidence for Aboriginal landscape (regional) use of the broader study area, as presented in Sections 2.1 and 2.2. The aim is to highlight the main issues and regional character of Aboriginal land use and the material traces it has produced along the Cumberland Plain.

### 2.3.1 Aboriginal Chronology in the Sydney Area

Thousands of occupation sites have been documented for the Sydney region and the available radiocarbon ages are thus only indicative of the rates of occupation for each millennium. Most of the determinations date to the second millennium (1ka–2ka BP) with around 50% of the dates falling within the last 2000 years. Recent archaeological excavations have revealed a number of older open site deposits in the region with Pre-Bondaian assemblages, but not all of these have been dated. It is likely, therefore, that the available determinations underestimate the number of assemblages more than 5000 years old.

The Eastern Regional Sequence (ERS) is a framework for chronologically understanding changes in lithic technologies in southeastern Australia, particularly in the Sydney region. Our understanding of temporal change and characteristics of lithic technologies within the Bondaian phases of ERS for the Sydney region is presented in Table 2.3.

Table 2.3 Eastern Regional Sequence.

Period	Age	Description
Pre-Bondaian	c30,000-8000BP	Preferential use of silicified tuff in assemblages. Cores and tools vary widely in size. No backed artefacts, elouera or ground stone. Predominant technique is unifacial flaking. Bipolar flakes are rare.
Early Bondaian	c8000-3000BP	Decline in use of silicified tuff. Shift in rare material usage. Appearance of backed artefacts. Wide use of bipolar flaking.
Middle Bondaian	c3000-1000BP	Main phase of backed artefacts. Introduction of asymmetric alternating flaking. Smaller tools and cores. Increase in bipolar flaking.
Late Bondaian	c1000BP-European Contact	Backed artefacts become rare or absent from most sites.

### Pleistocene Deposits—Parramatta Sand Body

Multiple phases of prehistoric Aboriginal occupation, from late Pleistocene (c25–30ka) to mid-Bondaian (c3–5ka) were dated from among the lithic assemblages retrieved from this sandy river terrace deposit (JMcDCHM 2005c).

The radiocarbon determinations from RTA-G1 in Parramatta demonstrate multiple occupation events over a considerable time period. The date of  $30,735 \pm 407$  BP is the earliest date for human occupation along the eastern coast of Australia. The RTA-G1 determinations indicated that a transition from preferential use of silicified tuff to substantial use of silcrete was made between c6000 and 8000 years ago. A significant amount of occupation evidence from RTA-G1 predates this transition.

Prior to this suite of determinations, we lacked a firm indication of age for silicified tuff assemblages across the Cumberland Plain (and the broader Sydney region) which underlay silcrete dominant assemblages.

### Pleistocene Deposits—Discovery Point, Tempe

A date of  $9376 \pm 61$  BP (Wk-16167), calibrated to 10,700 BP (95.4% probability) was recovered for a small weathered silicified tuff assemblage at the former Tempe House, the earliest date for an occupation site in the eastern coastal strip of the Sydney Basin (JMcDCHM 2005b). This date provided contextualization of an earlier phase of stone tool production that has now been identified in a number of open stratified sand bodies around the region (at Richmond, Rouse Hill, and Parramatta) (JMcDCHM 1997c, 2001 and 2005d). This date likely referred to an earlier silicified tuff assemblage (characterised by relatively sparse deposition rates, non-blade technology and stone rationing behaviour).

The use of silicified tuff as a Pre-Bondaian signature was also encountered through the increased use of silicified tuff at the base of the Darling Mills State Forest—two rock shelters with dates of  $6740 \pm 120$  BP (Wk-2963) and  $10,150 \pm 130$  BP (Wk-2511) (Corkill 1999). These radiocarbon determinations also indicate that use of glossy silcrete (ie heat-treated silcrete)—which dominates most silcrete assemblages on the Cumberland Plain—may have been adopted as early as c6700 and 5050 Cal BP. This is significantly earlier than had been suggested by previous studies of heat treatment in the region (McDonald and Rich 1993).

#### 2.3.2 Cumberland Plain Predictive Model

The Cumberland Plain is one of Australia's most archaeologically excavated landscapes, where the past 20 years has seen hundreds of excavations across many locations and landforms. A number of key Aboriginal heritage archaeological excavations have been undertaken that have informed the archaeological record and provided the basis for predictive modelling on the Cumberland Plain (JMcDCHM 1999, 2002b, 2005b and 2005c; McDonald and Rich 1993; White and McDonald 2010).

On this research basis, a predictive model has been developed that suggests how the likely nature of Aboriginal sites across the Cumberland Plain can vary in terms of landforms and landscape. Stream order is the basis for the Cumberland Plain predictive model of Aboriginal site location (McDonald and Mitchell 1994<sup>23</sup>; White and McDonald 2010<sup>24</sup>), and assumes that Aboriginal people would preferentially select places where the water supply is more permanent and predictable for their usual camping locations. The smallest tributary streams are first order streams and the classification continues stepwise downstream. Two first order streams join at a first order node to form a second order stream; two second order streams join at a second order node to form a third order stream, and so on.

It is predicted that the size (density and complexity) and nature of archaeological features will vary according to the permanence of water (ie ascending stream order), landscape unit and proximity to lithic resources in the following ways:

- in any landscape location across the Cumberland Plain, there is a chance that a 'background scatter' of Aboriginal objects exists—that is, objects deposited as a consequence of one-off manufacture and/or use, where no correlation would be associated with a landform or a more permanent activity area. Such areas are unlikely to contain a subsurface archaeological deposit;
- assessment of archaeological subsurface potential solely through surface manifestation of artefacts during surface survey is inadequate to accurately identify and assess the presence of subsurface deposits as soils are largely aggrading across the Cumberland Plain, and therefore most artefacts are buried;
- in the headwaters of upper tributaries (ie first order creeks), archaeological evidence will be sparse and represent little more than a background scatter; and where distant from stone sources, it would demonstrate the use of stone rationing strategies;
- in the middle reaches of minor tributaries (second order creeks) there will be archaeological evidence for sparse but focused activity (eg one-off camp locations, single episode knapping floors);
- in the lower reaches of tributary creeks (third order creeks) there will be archaeological evidence for more frequent occupation. This will include repeated occupation by small groups, knapping floors (perhaps used and reused), and evidence of more concentrated activities;
- on major creek lines (fourth order) there will be archaeological evidence for more permanent or repeated occupation. Sites will be complex and may even be stratified. Artefacts will show less use of rationing strategies as people may have been less mobile during their use of tools, and remained in the same location for several days, or even weeks;
- creek junctions may provide foci for site activity; the size of the confluence (in terms of stream ranking nodes) could be expected to influence the size of the site;

- ridge top locations between drainage lines will usually contain limited archaeological evidence although isolated knapping floors or other forms of one-off occupation may be in evidence in such a location;
- elevated terraces and flats, overlooking higher order watercourses may contain archaeological evidence for more permanent or repeated occupation; and
- naturally outcropping silcrete will have been exploited and evidence for extraction activities (decortication, testing and limited knapping) would be found in such locations.

It has also been hypothesized that stone artefact based sites in close proximity to an identified stone source would cover a range of size and cortex characteristics. With distance away from the resource, the general size of artefacts in the assemblage should decrease, as should the percentage of cortex and rate of artefact discard (distance–decay model). The increasing number of new silcrete sources has made the testing of the distance decay model (Dallas & Witter 1983) more difficult, and suggests that this model is a risky mechanism for explaining raw material preferences around the Cumberland Plain.

#### 2.3.3 Strategic Management Model

As briefly summarised in Section 2.1.1 above (JMcDCHM 2002), a Strategic Management Model (SMM) was developed for the lands previously covered by SEPP 59, within which the current study area is located. This SMM was modelled on a similar approach to wider landscape based archaeological modelling, as utilised at the St Marys Development Site (SMDS) (former ADI St Marys).<sup>25</sup> The SMM was based on a combination of both scientific and cultural (social) values, and identified the range of representative landscapes with the best conservation potential in combination with identified areas of Aboriginal significance. The main aim of this strategy is to preserve a representative sample of intact landscapes where possible, in order to 'ensure that a range of human responses, as represented by the archaeology, can be protected'.<sup>26</sup> The SMM identified three zones across the former SEPP 59 lands. All archaeological assessment that has been undertaken since the JMcDCHM 2002 report, including the study area, has been predicated on the use of this model to mitigate against impact to Aboriginal cultural heritage values.

Table 2.4 Archaeological management zones across SEPP 59 lands, after the SMM. (Source: JMcDCHM 2002)

Management Zone	Archaeological Potential	Management Outcome
Zone 1	High potential for intact archaeological evidence.	Conservation Zone to be selected from this zone. Remainder to be developed.
Zone 2	Moderate potential for intact archaeological evidence.	Developable land. Some landscapes may require further work before clearance given.
Zone 3	Low to no potential for intact archaeological evidence.	Developable land with no constraints—no further archaeological work required

#### 2.3.4 Current Study Area Predictions

The current study area is located to the east of Ropes Creek, and contains one second order stream (in the south), as well as one first order stream, and the headwaters of another first order stream in the north. Archaeological material associated with the second order tributary is anticipated to be sparse and likely to represent background densities associated with people moving across the landscape.

Deeper alluvial soils, such with the possibility to yield stratigraphic evidence, are unlikely to be present within the study area. The following predictive statements can be made about the study area, however would likely require validation through archaeological test excavation.

Based upon an understanding of the landforms and disturbances associated with the study area, it can be stated that:

- Aboriginal sites are most likely to be evidenced by the presence of stone artefacts. Other types
  of Aboriginal sites are unlikely to occur within the study area;
- most landforms within the study area that contain residual soil horizons; even those with sparse
  or no surface manifestations of Aboriginal objects may contain subsurface archaeological
  deposits, albeit in low densities >1/m<sup>2</sup>;
- most sites will be of middle to late Holocene age (4000 years before present to c1850). Suitable
  geomorphic conditions for the preservation of Pleistocene aged assemblages do not occur
  within the study area;
- the density and diversity of implements and debitage are likely to be conditioned by permanence
  of water (stream order) and landscape unit;
- distance to known silcrete sources seems to have little influence on artefact discard generally, although many silcrete sources are perhaps still to be identified. Proximity to known sources does influence the proportion of flaked to blocky silcrete material on sites; and
- landforms that overlook creek systems may have also been used for Aboriginal activities. Such landforms include the hilltops, hill slopes and low flat elevations with a creek facing aspect. .

### 2.4 Endnotes

- DECCW Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales (24 September 2010). Pages 20-21.
- Kohen 1986, An archaeological survey of the Aboriginal sites in the City of Blacktown, in JMcDCHM 2002 Archaeological assessment of Aboriginal sites: Eastern Creek Strategic Land Use Study, SEPP59.
- <sup>3</sup> ibid, p. 20
- Brayshaw and Haglund 1996, M4 Upgrade Archaeological Survey for Aboriginal Sites for proposal to upgrade the M4 Motorway from Church St, Parramatta, to Coleman St, St Marys, and Prospect to Emu Plains.
- <sup>5</sup> JMcDCHM 2002 Archaeological assessment of Aboriginal sites: Eastern Creek Strategic Land Use Study, SEPP59
- JMcDCHM 2005 Heritage Conservation Strategy for Aboriginal sites in lands owned by Valad and Sargents, Eastern Creek Business Park (Stage 3) Precinct Plan.
- <sup>7</sup> ERM 2005, Historical and Aboriginal Heritage Assessment of Lot 4 DP 262213, Eastern Creek
- <sup>8</sup> JMcDCHM 2006 Archaeological Subsurface investigations at SEPP59 EC3/1 (#45-5-3201) and EC3/2 (#45-5-3202), Wonderland Surplus, Old Wallgrove Road, Eastern Creek. Report to Australand Holdings Pty Ltd.
- 9 Navin Officer 2007 Erskine Park Employment Area, Ropes Creek NSW, Archaeological Subsurface Testing Program.
- JMcDCHM 2009 'Dial A Dump' Industries Holdings Eastern Creek, The Light Horse Business Centre, Aboriginal Heritage Management Plan, prepared for 'Dial a Dump' Industries.
- <sup>11</sup> GML 2013 Oakdale Central Archaeological Technical Report
- <sup>12</sup> GML 2014, in preparation, Oakdale Central Aboriginal Salvage Excavation Report.
- 13 Brayshaw and Haglund 1996
- Bannerman, SM & PA Hazelton. 'Soil Landscapes of the Penrith 1:100,000 Sheet'. Soil Conservation of NSW. Sydney.
- 15 Speight, JG 1990 Landforms. In Australian Soil and Land Survey Field Handbook. McDonald, RC et al. Inkata Press.
- <sup>16</sup> ibid.

- Benson, D & Howell, J 1990 Taken for Granted: The bushland of Sydney and its suburbs. Kangaroo Press (in association) with the Royal Botanic Gardens, Sydney.
- See for example Denson, D & J Howell 1990, 'Taken for Granted: the bushland of Sydney and its suburbs', Kangaroo Press Pty Ltd, NSW.
- GML Heritage 2014, Energy From Waste (EFW) Plant, Eastern Creek, Heritage Impact Statement, prepared for Urbis on behalf of The Next Generation (TNG).
- <sup>20</sup> ibid, p4.
- <sup>21</sup> Certificate of Title Vol.13544 Fol.125, Vol.13548 Fol.70, Vol.13507 Fol.223.
- 22 Ian Grey Groundwater Consulting Pty Ltd 2007, Results of Water Quality and Soil Sampling and Analysis, Lot 2, DP262213, Old Wallgrove Road, Eastern Creek, Letter report to Minter Ellison Lawyers.
- McDonald, J and Mitchell, P 1994. An assessment of the archaeological context, landuse history and management requirements for Aboriginal Archaeology in the Australian Defence Industries Site, St. Marys, NSW. JMcDCHM Pty Ltd Report to ADI Ltd, NSW Property Group.
- White, E and McDonald, J 2010. Lithic Artefact Distribution in the Rouse Hill Development Area, Cumberland Plain, New South Wales. *Australian Archaeology*. p 70.
- <sup>25</sup> GML + JMcDCHM 2013 SMDS Central Precinct
- <sup>26</sup> JMcDCHM 2002 p. 43

### 3.0 Archaeological Field Survey

The first aim of an archaeological survey is to identify all visible evidence of past Aboriginal occupation within the study area. The second aim is to determine zones that have the potential for buried subsurface archaeological deposits. Combining these two together will allow the creation of an Archaeological Zoning Plan (AZP) that defines where Aboriginal evidence is (and will be) across the study area. In addition consideration should be given to locations within the study area that do not contain physical evidence from Aboriginal occupation, but would have been significant to Aboriginal use of the landscape, eg walking tracks, ceremonial areas, Dreaming trails etc. These should also be recorded, mapped and considered within the framework of assessment and management for Aboriginal heritage.

It must be noted that practically all archaeological survey is limited by a number of factors such as ground surface visibility, access restrictions and tempered by environmental factors during the period of survey. These influences will affect the outcome of any survey, and possibly introduce biases into the results.

### 3.1 Survey Methodology and Survey Sampling Strategy

An archaeological survey was undertaken by GML Archaeologists (Sam Cooling and Jane McMahon) and representatives from seven RAPs on Friday 13 June 2014. A linear pedestrian survey aimed to assess the whole study area, inspecting all soil exposures and zones with low vegetation that contained tracks and paths. Sampling included all landforms that will potentially be impacted by the proposed project. As archaeological survey had previously been undertaken across the study area (JMcDCHM 2002, 2005, 2009), the current survey aimed to ground truth the current state of the study area (as compared with previous surveys), as well as to attempt to relocate previously identified artefact locations and identify Potential Archaeological Deposits (PADs).

The archaeological survey was undertaken in accordance with the OEH Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales 2010 and the results recorded in this section of the report.

The study area was systematically surveyed with parallel transects, where possible, and opportunistic inspection of areas and features which were identified as having potential to be associated with Aboriginal cultural heritage, or identified as requiring archaeological test excavation. Survey units were accurately defined and the beginning, length and end point of transects or survey unit boundaries were recorded using a GPS.

Newly identified sites had their location recorded using a GPS, their surface visible content described, their visible extent mapped on the aerial and were digitally photographed. Notes were also made of soil conditions and evidence of disturbance. AHIMS cards will be completed for each site, which will be submitted to the OEH. An attempt was made to relocate previously recorded sites to confirm their condition.

The landscape of the study area was characterised and areas suitable for test excavation were designated in collaboration with the RAPs.

#### 3.1.1 Field Methods

#### **OEH Definitions**

In accordance with the OEH guidelines<sup>1</sup>, the description of survey coverage includes landform units, the total area surveyed within that landform unit and a quantification of the level of exposure and visibility. OEH have defined exposure and visibility thus:

Visibility is the amount of bare ground (or visibility) on the exposures which might reveal artefacts or other archaeological materials. It is important to note that visibility, on its own, is not a reliable indicator of the detectability of buried archaeological material. Things like vegetation, plant or leaf litter, loose sand, stony ground or introduced materials will affect the visibility. Put another way, visibility refers to 'what conceals'.

Exposure is different to visibility because it estimates the area with a likelihood of revealing buried artefacts or deposits rather than just being an observation of the amount of bare ground. It is the percentage of land for which erosion and exposure was sufficient to reveal archaeological evidence on the surface of the ground. Put another way, exposure refers to 'what reveals'.<sup>2</sup>

The calculation of effective coverage provides a means with which to describe the proportion of the study area in which it is possible to assess the presence or absence of archaeological material. This measure is expressed as a percentage and can be calculated using a number of different techniques. For this study, effective coverage was calculated by multiplying the area surveyed by the percentage of exposure and visibility within the survey unit. The area of effective coverage was then expressed as a percentage of the whole survey unit.

#### 3.1.2 Archaeological Potential

Archaeological site formation is a complex combination of scientific factors, such as bioturbation; and environmental factors, such as erosion or burial through soil movement. Once discarded on the ground surface, artefacts are often readily incorporated into the topsoil horizons through the process of bioturbation. Most commonly, dense artefact deposits exist hidden beneath the upper surface, unobservable by the casual observer (cf Wandsnider and Camilli 1992³; Fanning and Holdaway 2001⁴). Archaeological assessments that do not employ appropriate methods of subsurface detection or prediction cannot reliably define an area's archaeological content. Most frequently, the eroded component of a larger subsurface deposit is detected and recorded at a site. Where soils are sandy, artefacts can occur at greater depths and erosion may frequently expose artefacts. Therefore, it is crucial that soils, sands and the geomorphology of an area are defined in an archaeological assessment and the archaeological implications defined. An understanding of these factors, linked further to the notions of site integrity and condition, yield an understanding of an area or site's archaeological potential.

It is important to note that the level of archaeological potential relates to the likelihood of discovering an Aboriginal object within a location. Further description should then be made as to the potential condition and integrity of the soil matrix and potential site itself. Only once all these factors have been considered can scientific value start to be assessed for an area with potential. Therefore, while scientific value and potential are linked, it must be noted that these values and potentials are not the same and can differ substantially for any single site or area with potential.

Areas with archaeological potential were identified according to the definitions in Table 3.1.

 Table 3.1 Definitions of Archaeological Potential.

Rank	Definition	Example
No potential	Artefacts and other evidence cannot occur in situ.	Eroded landforms, reconstructed landscapes, hazardous landscape, developed areas.
Low potential	Artefacts (or other evidence) are not normally found in comparable contexts but could occur in low densities making detection unlikely.	Landforms with no specific focus for use, that is, with water sources or undifferentiated slopes.
Moderate potential	Artefacts (or other evidence) are known to occur in comparable landforms in detectable densities (~1 artefact/m²) and there is an unknown possibility for detection.	Landforms with an environmental focus which may have seen seasonal visitation.
High potential	Artefacts (or other evidence) are consistently found in comparable landforms or similar environmental contexts and thus will certainly be found in any ground breaking works.	Landforms with known environmental focus encouraging repeat visitation to specific locale, that is, margins of swamp or near high order creeks.

## 3.2 Survey Results—Survey Units & Landforms

In accordance with OEH recording requirements the study area was surveyed according to survey units, landforms and landscapes. All survey units are described in Table 3.2 and shown in Figure 3.1. Details with respect to landform coverage are provided in Table 3.3.

Whilst the whole study area was walked and inspected for Aboriginal objects, only transects associated with the zones of potential are described in the following table and figures.

Table 3.2 Survey Coverage

Survey Unit (SU)	Landform	Survey unit area (SUA) (sq m)	Visibility (V) %	Exposure (E) %	Effective coverage area (ECA) (sq m) (=SUA* V%*E%)	Effective coverage % (=ECA/SUA *100)
1	slope	120	10%	20%	2.4	2%
2	hilltop	90	0	0	0	0
3	slope	560	5%	20%	5.6	1%
4	slope	310	5%	5%	0.78	0.25%
5	slope	500	5%	5%	1.25	0.25%
6	slope	370	100%	100%	370	100%
7	slope	170	0%	0%	0	0%
8	slope	454	5%	20%	4.5	1%
9	Slope	240	100%	100%	240	100%
10	Slope	360	10%	5%	1.8	0.5%
11	Ridge	400	5%	5%	1	0.25%
12	Slope	290	1%	0	0	0

13	slope	420	100%	100%	420	100%
14	slope	250	50%	20%	25	10%
15	slope	300	50%	50%	75	25%
16	slope	260	80%	80%	166	64%
17	slope	250	90%	90%	203	81%
18	Slope	360	10%	5%	1.8	0.5%

Table 3.3 Landform summary—sampled areas

Landform	Landform area (LA) (sq m)	ECA	% landform effectively surveyed (=ECA/LA *100)	Number of Aboriginal sites	Number of artefacts or features
Slope	5214	1517.13	29%	7	14
Ridge	400	1	<1%	1	1
Hill top	90	0	0	0	0

### 3.3 Survey Results—Aboriginal Sites/Places and Landscapes

The archaeological survey identified a previously recorded site (Archbold Road 1) and two additional previously unrecorded Aboriginal sites. An overview of these sites and areas of PAD are provided in Table 3.4. The locations of all recorded sites and PADs are shown in Figure 3.5.

#### 3.3.1 Archbold Road 1

The area of Archbold 1 was previously assessed by JMcDCHM in 2002 as being an area of high archaeological potential. GML is in agreement with this assessment. Eight pedestrian survey transects (1–8) were used to cover the area (Figure 3.4). There is a hill top in the south east area of the site that slopes down to the western and northern study area boundaries. Ground visibility was hampered by dense vegetation and scrub brush. Soil exposure was limited to transect 6 which followed a vehicle track. Exposed soils were a red clay B horizon. It was along this track where two stone objects were observed, a small silcrete piece (<2cm) and quartz (<2cm). Archbold 1 is comprised of three previously recorded sites (M4U4, RF/ISF1 and RF/ISF2), in addition to the stone objects observed during this survey.



Figure 3.1 Archbold Road 1. (Source: GML 2014)

#### 3.3.2 Archbold Road 2

JMcDCHM (2002) previously assessed this area as having moderate archaeological potential. GML is in agreement with this assessment. Five pedestrian survey transects (14–18) were used to cover the area (Figure 3.4). The site is on a gentle slope covered in dense grass. An east west running unnamed ephemeral creek crosses the area. There is a dam that first appears on the 1947 aerial, at the creek location. Soil exposure and visibility was limited to a dirt vehicle track that crosses the area. Exposed soil profiles consisted of brown silty loam topsoil over brownish red clay. It was along this track where three isolated stone objects were observed, a low density scatter (3 objects) was located further along.



Figure 3.2 Archbold Road 2. (Source: GML 2014)

#### 3.3.3 EFW South

The EFW South site is in the southern portion of the study area that was assessed as being of high archaeological potential. Five pedestrian survey transects (9-13) were placed in the area of the site

(Figure 3.4). An unnamed tributary of Ropes Creek runs across the southern portion of the site, with an unnamed ephemeral creek branching off of it and crossing the site north-south. There is a slightly raised flat area among the trees where these two creeks meet that was determined to be an area of potential archaeological deposit. One stone object (silcrete) was observed on a dirt track adjacent to this area. A second stone object was located along a slight ridge line to the immediate north east of the PAD.



Figure 3.3 EFW South, showing area of PAD in background amongst the trees. (source: GML)

All specific details relating to each individual archaeological site are recorded on the AHIMS site cards. These are attached as Appendix B of this report.

Table 3.4 Recorded Aboriginal heritage sites and places

Site Name	Features	SU	Landform
Archbold Road 1	Lithic scatter, isolated finds	6	Slope
Archbold Road 2	Lithic scatter, isolated finds	14, 15, 16, 17, 18	Slope
EFW South	Isolated finds	11, 9	Ridge, slope

#### 3.4 Analysis and Discussion

#### 3.4.1 Observed Landform and Aspect

Gently inclined slopes were the dominate landform in the study area. Seven of the identified stone object expressions were associated with this landform. There is a slight ridge running north south in the south eastern portion of the study area. It was along this ridge that a stone object was observed at the base of a large tree (EFW South).

In general the PAD's associated with the identified stone object sites were located near ephemeral and second order creek lines. One area of PAD was associated with the Archibold Road 1 site located towards the base of a slight hill in the northern section of the study area.

The Cumberland Plain predictive model and assessment of the environmental context within which the study area is located, suggested landforms across the study area have a moderate potential to contain Aboriginal objects. The model predicts that there will be sparse but focused Aboriginal activity associated with second order creeks and that creek junction may also provide foci for site activity.

#### 3.4.2 Soil Conditions (Integrity and Condition)

Pedestrian survey and examination of historic aerials reveal that much of the study area has been disturbed to varying degrees by both agriculture and industrial activities, although some portions of the study area, primarily in the north and south, have remained largely undisturbed. Along the undisturbed areas, the areas of agricultural disturbance still retain the potential for intact archaeological deposits.

The southern two thirds of the study area appear to have been used for agriculture and animal grazing, as evident by the construction and subsequent expansion of a dam in 1947. By 1978 a large commercial quarry had been constructed to the east of the study area. Large portions of the northern third of the study area appear to have been left largely untouched since 1947. Disturbances associated with the quarry in the northern third of the area can be seen in the 1978 aerial. Disturbance to the topsoil on the hill top overlooking the study area were observed during the survey. This disturbance was a result of terracing and other earthworks associated with the quarry. By 2007 documented disturbances also include topsoil stripping in the southern most portion, expansion of disturbances into the central portion associated with the quarry, and the construction and use of sealed and unsealed vehicle tracks over the extent of the study area. The construction in the 1970's of the M4 motorway along the northern margin of the study area may also have had some impact.

Erosion has generally been restricted to areas immediately associated with the creeks, dam, and vehicle tracks. In general the majority of the study area retains a good level of soil integrity. However areas that have been used for agriculture and grazing may have had an impact on the soils condition. Areas where soil has been removed have a definite impact on both the integrity and condition of said soils.

#### 3.4.3 Environmental Focus

Following the field survey, it would appear that the ephemeral and second order creek systems within the study area may have been the preferred locations for Aboriginal activity. Should sufficient archaeological material be present, then it may be possible to describe this area as an Aboriginal landscape.

#### 3.4.4 Observed Aboriginal sites

The location of the Aboriginal sites identified during the survey is shown in Figure 3.6. No scarred trees or other site features were observed. The most common stone material was red silcrete. This is not surprising considering the abundance of silcrete across the Cumberland Plain. Quartz and tuff were the other material observed during the survey. Stone material was only observed within the zones of archaeological potential associated with the three identified Aboriginal sites.





Figure 3.4 Survey transects and the hydrology of the study area. (Source: Near Maps with GML additions)



**Figure 3.5** Survey transects, the identified Aboriginal sites with their connected zones of archaeological potential and observed stone object densities. (Source: Near Maps with GML additions)




Figure 3.6 The location of Aboriginal sites and their connected zones of archaeological potential. (Source: Near Maps with GML additions)

#### 3.5 Endnotes

- DECCW Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales (24 September 2010) p 13.
- 2 2010: Appendix A
- Wandsnider, LA, and Camilli, EL 1992. The Character of Surface Archaeological Deposits and its Influence on Survey Accuracy. *Journal of Field Archaeological*. 19(2): pp 169–188.
- <sup>4</sup> Fanning, P, and Holdaway, S 2001. Stone Artefact Scatters in Western NSW, Australia: Geomorphic Controls on Artefact Size and Distribution. *Geoarchaeology: An International Journal.* 16(6): pp 667–686.

# 4.0 Scientific Values and Significance Assessment

#### 4.1 Preamble

Aboriginal heritage sites, objects and places hold value for communities in many different ways. The nature of those heritage values is an important consideration when deciding how to manage a heritage site, object or place and balance competing land-use options.

The approach to the Aboriginal heritage assessment is based upon identifying the key Aboriginal heritage values; values that are likely to be both tangible and intangible. This approach needs to consider the values assessment from the scientific and Aboriginal community perspectives, in accordance with Australian best practice documents.

This assessment concerns itself with scientific values only. Aspects of social value, historic values and aesthetic value are assessed in the Aboriginal Cultural Heritage Assessment Report, to which this report is an appendix<sup>1</sup>.

The primary guide to management of heritage places is the Australia ICOMOS Burra Charter 1999. The Burra Charter defines cultural significance as:

Cultural significance means aesthetic, historic, scientific, social or spiritual value for past, present or future generations.

Cultural significance is embodied in the place itself, its fabric, setting, use, associations, meanings, records, related places and related objects.

Places may have a range of values for different individuals or groups.

#### 4.1.1 Assessment Criteria

This assessment has sought to identify Aboriginal heritage objects and sites within the study area and obtain sufficient information to allow the values of those objects and sites to be determined. Following OEH guidelines for assessing scientific value<sup>2</sup> five key criteria have been considered during the examination of the scientific value/significance of the identified sites and places within the subject area. These criteria are:

- Research potential: does the evidence suggest any potential to contribute to an understanding of the area and/or region and/or state's natural and cultural history?
  - Integrity & condition. Integrity refers to the level of modification a site has been subject to (the cultural and natural formation process) and whether the site could yield intact archaeological deposits, which could be spatially meaningful. Condition takes into account the state of the material, which is especially relevant for organic materials;
  - Complexity. The demonstrated or potential ability of a site to yield a complex assemblage (stone, bone and/or shell) and/or features (hearths, fire pits, activity areas);
  - Archaeological potential. The potential to yield information (from sub-surface materials which retain integrity, stratigraphical or not) that will contribute to an understanding of contemporary archaeological interest, or which could be saved for future research potential.

- Connectedness. Whether the site can be connected to other sites at the local or regional level through aspects such as type, chronology, content (i.e. materials present, manufacturing processes), spatial patterning or ethno-historical information;
- Representativeness. How much variability (outside and/or inside the subject area) exists, what is already conserved, how much connectivity is there;
- Rarity. Is the subject area important in demonstrating a distinctive way of life, custom, process, land-use, function or design no longer practised? Is it in danger of being lost or of exceptional interest?
- Education potential. Does the subject area contain teaching sites or sites that might have teaching potential; and
- Archaeological landscapes. The study of the cultural sites relating to Aboriginal peoples within
  the context of their interactions in the wider social and natural environment they inhabited.
  Landscapes can be large or small depending upon specific contexts (i.e. local or regional
  conditions); they may also may be influenced by Aboriginal social and demographic factors
  (which may no longer be apparent);

A statement of Aboriginal scientific significance has been prepared that summarises the salient values as drawn from the above criteria.

#### 4.2 Scientific Assessment

The study area has been assessed against each of the criteria, defined above:

#### Research potential

The study area is located within a complex of stone based Aboriginal sites, primarily associated with the large network of creeks that cross the Cumberland Plain. There is the potential for the stone artefacts present to further our understanding of the Darug cultural landscape through analysis and assessment.

#### **Integrity and Condition**

Whilst large portions of the study area have been impacted by historical activities, those areas defined as holding archaeological potential (Figure 3.6) appear to have been impacted less than the surrounding landforms. These zones may hold good soil integrity and condition, and as such could possess spatially intact Aboriginal archaeological deposits.

#### Complexity

Due to varying levels of disturbance across the study area, coupled with the typical characteristics of a bio-turbated duplex soil, the study area is unlikely to contain complex archaeological assemblages and/or features. However, the stone based sites could contain evidence for multiple stone knapping events, which on assessment may yield complex information characteristic of such a site.

#### **Archaeological Potential**

Based on the expressions of stone objects observed within the three identified Aboriginal sites, there is a moderate to high potential in some areas of the study area to yield information that would further archaeological understanding of the region. These zones of archaeological potential have been identified in Figure 3.6.

#### Connectedness

The study area is connected to known sites in the immediate area as part of network of sites that make up the Darug cultural landscape. Further evidence for Aboriginal heritage, associated with the study area, is likely to be associated with other known sites in the immediate area.

#### Representativeness

The study area may contain a representative assemblage of stone artefacts, although it is likely that any artefacts present would likely be similar to those recovered from sites in the region. The study area is unlikely to yield a stone assemblage with great variability from others in the region.

#### Rarity

The study area is unlikely to yield an archaeological deposit that could be considered rare at the local or regional level. However, an assessment of accumulative impact to Aboriginal heritage, in the local area, may find that the extent of similar Aboriginal archaeological sites is now dwindling. As such locations with high archaeological potential are becoming rarer in the context of western Sydney. As such, it could be found that Archbold Road 1 is one of the last remaining landforms that holds high archaeological potential.

#### **Education potential**

The study area is unlikely to contain archaeological sites suitable for public educational purposes. However, the stone based resources would possibly hold education potential for Aboriginal people and archaeological students, without specialist knowledge of stone objects.

#### **Archaeological landscapes**

The study area is part of the wider Darug cultural landscape on the Cumberland Plain. There is a complex network of streams and creeks across the plain which served as important focal points of traditional Aboriginal activity.

## 4.2.2 Statement of Scientific Heritage Significance

The subject area is likely to hold a level of scientific significant connected with its potential to yield information relating to stone based archaeological resource. The level of scientific significance needs to be further investigated through an understanding of the nature, extent, condition and integrity of the archaeological resource, within its cultural landscape setting.

#### 4.3 Endnotes

<sup>&</sup>lt;sup>1</sup> This division is in line with OEH requirements for reporting and assessment, as defined under OEH. 2011. Guide to investigating, assessing and reporting on Aboriginal cultural heritage in NSW (April 2011). Section 2.4.2 and DECCW. 2010. Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales (24 September 2010). Requirement 11.

<sup>&</sup>lt;sup>2</sup> OEH. 2011. Guide to investigating, assessing and reporting on Aboriginal cultural heritage in NSW (April 2011). Page 10.

## 5.0 Impact Assessment

### 5.1 Ecologically Sustainable Development

#### 5.1.1 Preamble

An objective of the *NPW Act* 1974 is the "conservation of objects places and features ... of cultural value within the landscape, including ... places, objects and features of significance to Aboriginal people ..." (s.2A(1(b)(i)).

The publication—Operational Policy: Protecting Aboriginal Cultural Heritage (DECCW 2009)—provides guidance to proponents in term of Ecologically Sustainable Development (ESD). The following discussion provides an overview of ESD and its application to the current project.

Avoiding or Reducing Impact to Aboriginal Sites

DECC [OEH] needs to balance the sometimes competing tensions between development activities and environment protection when we make decisions. Although the NPW Act gives a high level of protection to known Aboriginal objects [and since the NPW Amendment Regulation 2010 all unknown Aboriginal sites], recent court decisions have reinforced that Part 6 gives the Director General (DG) express powers to consent to the damage, destruction or defacement of Aboriginal objects by development activities. The powers in Part 6 are not inconsistent with the objects of the Act or a requirement to give effect to ESD. (DECC 2009: Section 3.8)

The OEH has three policies that provide guidance with respect to avoiding or reducing impact to Aboriginal sites:

Policy 20

Impacts to significant Aboriginal objects and places should always be avoided wherever possible. We [the OEH] will promote the development (or amendment) of proposals to avoid impacts and therefore avoid the need for s.90 AHIPs.

Policy 21

Where impacts to Aboriginal objects and places cannot be avoided, we will require the proponent or AHIP applicant to develop (or amend) proposals so as to reduce the extent and severity of impacts to significant Aboriginal objects and places through the use of reasonable and feasible measures. Any measures proposed should be negotiated between the proponent or AHIP applicant and the Aboriginal community.

Policy 22

Once all avoidance, minimisation and mitigation options have been adequately explored, we may also consider the appropriateness of any proposed actions having potential Aboriginal cultural heritage benefit. Any actions proposed should be negotiated between the proponent or AHIP applicant and the Aboriginal community.

#### 5.1.2 Principles of Ecologically Sustainable Development

Ecologically Sustainable Development has been defined in section 6 of the *Protection of the Environment Administration* Act 1991 (NSW). This requires the integration of economic and environmental considerations (including cultural heritage) in the decision-making process. In regard to Aboriginal cultural heritage, ESD can be achieved by applying the principle of intergenerational equity and the precautionary principle (DECC 2009: 26).

#### Intergenerational Equity

Intergenerational equity is the principle whereby the present generation should ensure the health, diversity and productivity of the environment for the benefit of future generations.

In terms of Aboriginal heritage, intergenerational equity can be considered in terms of the cumulative impacts to Aboriginal objects and places in a region. If few Aboriginal objects and places remain in a region (for example, because of impacts under previous AHIPs), fewer opportunities remain for future generations of Aboriginal people to enjoy the cultural benefits of those Aboriginal objects and places.

Information about the integrity, rarity or representativeness of the Aboriginal objects and places proposed to be impacted, and how they illustrate the occupation and use of land by Aboriginal people across the region, will be relevant to the consideration of intergenerational equity and the understanding of the cumulative impacts of a proposal.

Where there is uncertainty, the precautionary principle should also be followed. (DECC 2009:26)

#### The Precautionary Principle

The precautionary principle states that if there are threats of serious or irreversible environmental damage, lack of full scientific certainty should not be used as a reason for postponing cost-effective measures to prevent environmental degradation.

In applying the precautionary principle, decisions should be guided by:

a careful evaluation to avoid, wherever practicable, serious or irreversible damage to the environment

an assessment of the risk-weighted consequences of various options.

The precautionary principle is relevant to DECC's consideration of potential impacts to Aboriginal cultural heritage where:

the proposal involves a risk of serious or irreversible damage to Aboriginal objects or places or to the value of those objects or places, and

there is uncertainty about the Aboriginal cultural heritage values or scientific or archaeological values, including in relation to the integrity, rarity or representativeness of the Aboriginal objects or places proposed to be impacted.

Where this is the case, a precautionary approach should be taken and all cost-effective measures implemented to prevent or reduce damage to the objects/place. (DECC 2009:26)

With respect to the above OEH policies (Policy 20–22) and ESD the following sections detail specifications for conservation, potential impact, and possible reductions to impact on the identified Aboriginal sites and values in the current study area.

## 5.2 The Proposed Activity and Impacts to Aboriginal Sites

TNG propose the construction of an Energy From Waste (EFW) electricity generation plant, and associated infrastructure, within the study area (the proposed activity is shown in Figure 5.1). The EFW will receive unsalvageable and economic residue waste from the adjoining Genesis Material Processing Centre (MPC) and Waste Transfer Station (WTS) for thermal conversion and the consequential generation of electrical power. The project aims to manage and convert to energy non-recyclable but combustible waste loads.

The proposal will also include the following ancillary infrastructure:

Internal roadways;

- Staff amenities;
- Staff parking facilities; and
- Water detention basins.

To undertake this development within the study area, the proposed activity will require cutting and filling the current topography to level the precinct, sinking (via excavation) of foundations, footings and services (such as sewer mains and stormwater drainage into the current soil horizons), construction of a large pad for the warehouse building, and a program of assisted natural regeneration and bushland reconstruction. These activities will result in a range of impacts to the Aboriginal heritage values of the study area. These generally include impacts to topsoil horizons and, thus, in some cases, subsurface archaeological deposits as detailed in Table 5.1.

Table 5.1 Development activities and the type and degree of impacts and harm they may cause to Aboriginal sites.

Activity	Type of Harm	Degree of Harm	Consequence of Harm
Filling of current topography.	Though this may cap a site, it is considered harm by the OEH.	Minimal—caps and preserves sites for future posterity but makes these sites fairly inaccessible.	Conservation with inaccessibility.
Topsoil stripping.	Removal of soil horizons which may contain archaeological deposits.	Destruction of Aboriginal sites.	Loss of information, loss of heritage value.
Removal of trees and/or exotic species, including grasses.	Removal of soil horizons which may contain archaeological deposits.	Partial or total destruction of Aboriginal sites.	Loss of information, loss of heritage value.
Cutting of current topography.	Removal of soil horizons which may contain archaeological deposits.	Destruction of Aboriginal sites.	Loss of information, loss of heritage value.
Sinking (via excavation) of foundations, footings and services.	Removal of soil horizons which may contain archaeological deposits.	Destruction of Aboriginal sites.	Loss of information, loss of heritage value.

## 5.3 Proposed Conservation of Heritage Sites

Avoidance of Aboriginal heritage sites represents the best heritage outcome as it means no impact to the identified heritage features and thus connected values. An avoidance strategy can be employed for Archbold Road 1 included the zone of high Aboriginal archaeological potential zone at the north of the study area, through creation of a northern conservation area. This action is in keeping with prior designation of conservation areas, detailed in JMCHM 2009.

## 5.4 Potential Effects arising from Proposed Impacts

Table 5.2 details the potential impacts to the three identified Aboriginal sites located within the study area.<sup>1</sup> The potential effects of the EFW proposal would result in both direct and indirect harm to these sites. The potential indirect harm to the sites would be partial loss of intangible heritage value (especially the cultural setting of the sites). One of the values of any site is its place in the cultural landscape, and its association with other known places. Through the artificial modification of that landscape, sites and places nearby are indirectly affected.

#### **GML** Heritage

 Table 5.2 Identified potential harm to Aboriginal heritage.

Site	Type of Harm	Degree of Harm	Consequence of Harm
Archbold Road 1	Indirect	Partial	Partial loss of heritage value
Archbold Road 2	Indirect	Partial	Partial loss of heritage value
EFW South	Direct—Topsoil stripping and infilling of topography.	Total harm to the Aboriginal archaeological contents and aesthetic setting of this site.	Total loss of information, total loss of heritage value

### 5.5 Endnotes

<sup>&</sup>lt;sup>1</sup> After DECCW Code of Practice for Archaeological Investigation of Aboriginal Objects in New South Wales (24 September 2010). Requirement 11.

# 6.0 Management, Mitigation & Recommendations

The following management and mitigation statements are made in light of the findings of the study area inspection, background research, predictive modelling, heritage significance assessment, relevant NSW legislation protecting Aboriginal heritage, the OEH Aboriginal Cultural Heritage Assessment Guidelines and consultation with local Aboriginal stakeholders. A total of 3 Aboriginal heritage sites (including PADs) could be impacted by the proposed project. Of these 3, impacts to 3 could be avoided if an appropriate mitigation strategy is employed.

The following management and mitigation statements are based on consideration of:

- legal requirements under the terms of the NPW Act, as amended—which states that it is illegal
  to harm or desecrate an Aboriginal object without first obtaining an AHIP from the DirectorGeneral, OEH, NSW;
- abiding by the new OEH Code of Practice, which was adopted by the NPW Regulation 2009 (NPW Regulation) made under the NPW Act, and which came into force on 1 October 2010;
- the assessment of the Aboriginal cultural heritage values in the subject area;
- the interests of the local Aboriginal community members who participated in this project; and
- the size of the study area, the size of the remaining areas with archaeological sensitivity and likely impacts posed by the project proposal.

# 6.1 Recommended Aboriginal Heritage Management and Mitigation Strategy

- Where impacts to heritage sites can be avoided, such as in open space land which are not proposed to have structures or other development on them, avoidance strategies should be employed.
- Previous assessment of the study area (JMcDCHM 2002) state that portions of the study area have moderate to high archaeological potential.
- An assessment by JMcDCHM (2002) recommended that northern and southern portions of the study area should be designated as Core Conservation Zones.
- Test excavation should be undertaken across any areas of PAD that cannot be avoided by
  direct impacts from the EFW—this is understood to mean the stone artefact site with PAD 'EFW
  South'. Test excavation should be used to confirm the condition and extent of the
  archaeological deposit and to allow for a complete scientific investigation of the site. Test
  excavation should follow the requirements of the OEH's Code of Practice.
- Once an assessment of the EFW South has been made, an assessment of cumulative impact should be undertaken for the local area. This is especially important in the context of Aboriginal site conservation, given the extent of development and urban growth.
- Prior land use planning had noted the conservation potential for both Archbold Road 1 and EFW
   South—project approval may need to consider the loss of Aboriginal heritage values connected

with EFW South. Efforts should be made to retain the other higher value Aboriginal sites in the local region.

- Should a significant Aboriginal archaeological deposit be identified within EFW South, then salvage excavation would be warranted prior to any development impacts occurring. The program of salvage excavation should be comparable in scale and objective to other similar excavations on the Cumberland Plain, with the objective of recovering a statistically assessable assemblage of Aboriginal objects. This management requirement was supported by the Aboriginal RAPs, who determine the need to recover cultural Aboriginal objects prior to development impacts.
- The proponent would need to undertake all future works in collaboration with the Aboriginal community.
- It is recommended that copies of this report be provided to relevant members of the Aboriginal community who registered an interest in this project for their comment and Aboriginal social assessment. All comments received from the community should be attached to this report.
- A digital copy of this report should be forwarded to the OEH for their records and to support future assessment in this region. GML have submitted all news AHIMS cards for previously unrecorded Aboriginal sites to the OEH for inclusion in the AHIMS database.

#### 6.2 Recommendation

Table 6.1 provides a summary of management recommendation for all of known Aboriginal sites, places, landscape and values and areas of archaeological potential (as assessed in Section 4, and detailed in Table 5.1).

Table 6.1 Summary of recommendations for Aboriginal heritage sites

Site	Is the site harmed	Is an impact approval required	The recommended mitigation strategy
Archbold Road 1	Indirectly	No	This site has been determined to hold high Aboriginal archaeological potential. The site may considered to be rare within the local region as cumulative impact has removed many similar sites.
			Under the principles of ESD and considering the needs of intergenerational equity, this site should be designated a permanent conservation zone and avoided by future development impacts.
Archbold Road 2	Indirectly	No	This site has lower Aboriginal archaeological potential than Archbald Road 1, however management may need to be similar.
EFW South	Directly	Yes, under SSD approval as a condition of consent	This site has high Aboriginal archaeological potential and if it cannot be avoided by the proposed EFW development it should be subject to archaeological test excavation to assess its nature, extent, condition and integrity. This would allow a complete scientific, aesthetic and social value assessment to be made. It is likely that this site would require open area salvage excavation before development impact commenced.

# 7.0 Appendices

# Appendix A

**AHIMS Search Results** 

# Appendix B

New AHIMS Site Cards

## **GML** Heritage

# Appendix A

**AHIMS Search Results** 



# AHIMS Web Services (AWS) Extensive search - Site list report

Your Ref Number: 13-0493

Client Service ID: 127926

<u>SiteID</u>	<u>SiteName</u>	<b>Datum</b>	Zone	<b>Easting</b>	Northing	<b>Context</b>	Site Status	<b>SiteFeatures</b>	<u>SiteTypes</u>	<b>Reports</b>
5-5-1063	Miner Glen 1;MG 1;	AGD	56	297000	6258400	Open site	Valid	Artefact : -	Open Camp Site	98435
	Contact	Recorders	<u>s</u> C Ba	arker				<b>Permits</b>		
5-5-1067	Ropes Creek	AGD	56	297350	6258660	Open site	Valid	Artefact : -	Open Camp Site	3694,98435
	Contact	Recorders	<u>s</u> Hele	en Brayshaw,	Ms.Laila Haglu	ınd		<u>Permits</u>		
5-5-1068	Roper Road	AGD	56	297130	6258670	Open site	Valid	Artefact : -	Open Camp Site	3694,98435
	<u>Contact</u>	Recorders	<u>s</u> Hele	en Brayshaw,	Ms.Laila Haglu	ınd		<u>Permits</u>		
5-5-0435	Eastern Creek W6	AGD	56	299890	6257880	Open site	Valid	Artefact : -	Open Camp Site	1018,98435
	<u>Contact</u>	Recorders	s Sus	an (Now McIr	trye-Tamwoy	) McIntyre		<u>Permits</u>		
5-5-0437	Eastern Creek W4	AGD	56	299260	6257680	Open site	Valid	Artefact : -	Open Camp Site	1018,98435
	<u>Contact</u>	Recorders	s Sus	an (Now McIr	trye-Tamwoy	) McIntyre		<u>Permits</u>		
5-5-0440	Eastern Creek W5	AGD	56	299760	6258120	Open site	Valid	Artefact : -	Open Camp Site	1018,98435
	<u>Contact</u>	Recorders	s Sus	an (Now McIr	trye-Tamwoy	) McIntyre		<u>Permits</u>		
5-5-0556	Blacktown Southwest 2 Eastern Creek	AGD		298750	6257180	Open site	Valid	Artefact : -	Open Camp Site	1007,1050,984 35
	<u>Contact</u>	Recorders	<u>s</u> Jim	Kohen				<u>Permits</u>		
5-5-0557	Blacktown Southwest 3 Eastern Creek	AGD	56	298230	6256880	Open site	Valid	Artefact : -	Open Camp Site	1007,1050,984 35
	Contact	Recorders	<u>s</u> Jim	Kohen				<u>Permits</u>		
5-5-0558	Blacktown Southwest 5 Eastern Creek	AGD	56	300120	6256880	Open site	Valid	Artefact : -	Open Camp Site	1007,1050,984 35
	Contact	Recorders	<u>s</u> Jim	Kohen				<u>Permits</u>	2610	
5-5-0559	Blacktown Southwest 7 Colyton	AGD		297710	6257100	Open site	Valid	Artefact : -	Open Camp Site	1007,1050,984 35
	Contact	Recorders	_ ′	Kohen				<u>Permits</u>		
5-5-0560	Blacktown Southwest 8 Colyton	AGD		297630	6256600	Open site	Valid	Artefact : -	Open Camp Site	1007,1050,984 35
	Contact	Recorders		Kohen				<u>Permits</u>		
5-5-0563	Blacktown Southwest 11 Colyton	AGD		297900	6256600	Open site	Valid	Artefact : -	Open Camp Site	1007,1050,984 35
	Contact	Recorders	_ /	Kohen	60 <b>=</b> 0.400		** 1.1	<u>Permits</u>	0 0 0	400=40=004
5-5-0564	Blacktown Southwest 12 Colyton	AGD		297350	6258400	Open site	Valid	Artefact : -	Open Camp Site	1007,1050,984 35
	Contact	Recorders		Kohen				<u>Permits</u>	2318	
5-5-0565	Blacktown Southwest 13 Colyton	AGD		297700	6258200	Open site	Valid	Artefact : -	Open Camp Site	1007,1050,984 35
	Contact	Recorders		Kohen		_		<u>Permits</u>		
5-5-0588	Blacktown Southwest 1 Eastern Creek	AGD	56	300330	6256700	Open site	Valid	Artefact : -	Open Camp Site	98435
	<u>Contact</u>	Recorders	s Jim	Kohen				<b>Permits</b>		

Report generated by AHIMS Web Service on 11/03/2014 for Sam Cooling for the following area at Lat, Long From : -33.8072, 150.8108 - Lat, Long To : -33.7924, 150.8344 with a Buffer of 1000 meters. Additional Info : Prep of arch assess. Number of Aboriginal sites and Aboriginal objects found is 63

This information is not guaranteed to be free from error omission. Office of Environment and Heritage (NSW) and its employees disclaim liability for any act done or omission made on the information and consequences of such acts or omission.



# **AHIMS Web Services (AWS)** Extensive search - Site list report

Your Ref Number: 13-0493

Client Service ID: 127926

<u>SiteID</u>	<u>SiteName</u>	<b>Datum</b>	<b>Zone</b>	<b>Easting</b>	<b>Northing</b>	Context	Site Status	SiteFeatur	es	<u>SiteTypes</u>	Reports
5-5-0479	Cloyton 4 Cloyton	AGD	56	297200	6259680	Open site	Valid	Artefact : -		Open Camp Site	1018
	Contact	Recorders	Mary	y Dallas Con	sulting Archaed	ologists			<b>Permits</b>		
5-5-0481	Colyton 3 Colyton	AGD		297180	6259390	Open site	Valid	Artefact : -		Open Camp Site	1018
	<u>Contact</u>	Recorders	Mary	y Dallas Con	sulting Archae	ologists,Jim Kohe	n		<b>Permits</b>	1073,1852	
5-5-0484	Colyton 1 Colyton	AGD	56	297670	6258940	Open site	Valid	Artefact : -		Open Camp Site	1018,98435
	<u>Contact</u>	Recorders	Jim I	Kohen					<u>Permits</u>	1073	
5-4-0206	RC 1;	AGD	56	297400	6258850	Open site	Valid	Artefact : -		Open Camp Site	2434,98435
	<b>Contact</b>	Recorders	John	Edgar					<b>Permits</b>		
5-5-2832	IF:3	AGD	56	299630	6257920	Open site	Valid	Artefact : -			4599
	<u>Contact</u>	Recorders	Dom	inic Steele A	Archaeological (	Consulting			<b>Permits</b>		
5-5-2833	IF:4	AGD	56	299700	6257770	Open site	Valid	Artefact : -			4599
	<b>Contact</b>	Recorders	Dom	inic Steele A	Archaeological (	Consulting			<b>Permits</b>		
5-5-2834	IF:5	AGD	56	299730	6257870	Open site	Valid	Artefact : -			4599
	<u>Contact</u>	Recorders	Dom	inic Steele A	Archaeological (	Consulting			<b>Permits</b>		
5-5-2835	IF:6	AGD	56	299855	6258080	Open site	Valid	Artefact : -			4599
	<u>Contact</u>	Recorders	Dom	inic Steele A	Archaeological (	Consulting			<b>Permits</b>		
5-5-2806	AWL 5	AGD	56	300080	6258200	Open site	Valid	Artefact : -			
	<u>Contact</u>	Recorders	Dom	inic Steele A	Archaeological (	Consulting			<u>Permits</u>		
5-5-2824	AWL 1	AGD	56	300300	6258160	Open site	Valid	Artefact : -			4599
	Contact	Recorders	Dom	inic Steele A	Archaeological (	Consulting			<b>Permits</b>		
5-5-2825	AWL 2	AGD	56	299640	6258320	Open site	Valid	Artefact : -			4599
	<u>Contact</u>	Recorders	Dom	inic Steele A	Archaeological (	Consulting			<u>Permits</u>	2701	
5-5-2826	AWL 3	AGD	56	299630	6258220	Open site	Valid	Artefact : -			4599
	<b>Contact</b>	Recorders	Dom	inic Steele A	Archaeological	Consulting			<b>Permits</b>	2701	
5-5-2830	IF:1	AGD	56	300130	6258100	Open site	Valid	Artefact : -			4599
	<u>Contact</u>	Recorders	Dom	inic Steele A	Archaeological (	Consulting			<u>Permits</u>	2470	
5-5-2831	IF:2	AGD	56	299630	6258170	Open site	Valid	Artefact : -			4599
	<b>Contact</b>	Recorders	Dom	inic Steele A	Archaeological	Consulting			<b>Permits</b>	2701	
5-5-3062	EP PAD 1	AGD	56	297553	6256165	Open site	Valid	Potential			98432
								Archaeolog			
								Deposit (PA	AD) : -,		
	Contact S Scanlor	Recorders	Rios	is Research	Ptv Ltd Sydney	Office Navin Offi	cer Heritage Consulta	Artefact : -	<u>Permits</u>	2550,3262,3340	
5-5-3159	RCIF 2	 AGD		297776	6256537	Open site	Valid	Artefact : 1	1 011111113	2000,0202,0010	
							<del>-</del>				

Report generated by AHIMS Web Service on 11/03/2014 for Sam Cooling for the following area at Lat, Long From : -33.8072, 150.8108 - Lat, Long To : -33.7924, 150.8344 with a Buffer of 1000 meters. Additional Info: Prep of arch assess. Number of Aboriginal sites and Aboriginal objects found is 63

This information is not guaranteed to be free from error omission. Office of Environment and Heritage (NSW) and its employees disclaim liability for any act done or omission made on the information and consequences of such acts or omission.



# AHIMS Web Services (AWS) Extensive search - Site list report

Your Ref Number: 13-0493

Client Service ID: 127926

SiteID	<u>SiteName</u>		Datum	Zone	Easting	Northing	Context	Site Status	SiteFeatures	SiteTypes	Reports
45-5-3160	RCAS 8		AGD	56	297464	6258087	Open site	Valid	Artefact : 5		
	<u>Contact</u>	T Russell	Recorders	Envi	ronmental R	esources Mana	gement Australia		<u>Permits</u>		
45-5-3161	RCAS 7		AGD		297851	6257499	Open site	Valid	Artefact : 27		
	<b>Contact</b>	T Russell	Recorders	Envii	ronmental R	esources Mana	gement Australia		<u>Permits</u>		
15-5-3162	RCAS 4		AGD	56	297972	6256918	Open site	Valid	Artefact : 7		
	<b>Contact</b>	T Russell	Recorders	Envi	ronmental R	esources Mana	gement Australia		<u>Permits</u>		
5-5-3163	RCAS 5		AGD	56	297990	6256594	Open site	Valid	Artefact: 3		
	<b>Contact</b>	T Russell	Recorders	Envi	ronmental R	esources Mana	gement Australia		<u>Permits</u>		
5-5-3164	RCAS 3		AGD	56	298240	6256720	Open site	Valid	Artefact : 14		
	<u>Contact</u>	T Russell	Recorders	Envii	ronmental R	esources Mana	gement Australia		<u>Permits</u>		
5-5-3165	RCAS 1		AGD	56	298026	6257394	Open site	Valid	Artefact : 5		
	<b>Contact</b>	T Russell	Recorders	Envii	ronmental R	esources Mana	gement Australia		<u>Permits</u>		
45-5-3076	Austral 4		AGD	56	299880	6256380	Open site	Valid	Artefact : -, Potential		
									Archaeological		
	<u>Contact</u>		Recorders	Doct	or.Jo McDon	ald			Deposit (PAD) : - Permits	2308	
5-5-3078		Reservoir Artefact Scatter	AGD		299976	6257624	Open site	Valid	Artefact : 20	2300	
	Contact	T Russell	Recorders		age Concept				Permits Permits	2378	
5-5-3201	EC3-PAD1	1 Russell	AGD		299764	6258006	Open site	Partially	Potential	2370	100449
							•	Destroyed	Archaeological		
									Deposit (PAD) : -		
	Contact		Recorders	•		ural Heritage l	0		<u>Permits</u>	2470	400440
5-5-3202	EC3-PAD2		AGD	56	299627	6257876	Open site	Partially Destroyed	Potential Archaeological		100449
								Destroyeu	Deposit (PAD) : -		
	<b>Contact</b>		Recorders	Jo Mo	Donald Cult	ural Heritage l	Management		<u>Permits</u>	2470	
5-5-3203	AWL9		AGD	56	299660	6257700	Open site	Valid	Artefact : -		100449
	<u>Contact</u>		Recorders	Jo Mo	Donald Cult	ural Heritage l	Management		<u>Permits</u>	2470	
5-5-3204	ISF9		AGD	56	299530	6257850	Open site	Valid	Artefact : -		100449
	<b>Contact</b>		Recorders	Jo Mo	Donald Cult	ural Heritage l	Management		<u>Permits</u>	2470	
5-5-3205	ISF10		AGD	56	299660	6257850	Open site	Valid	Artefact : -		100449
	<u>Contact</u>		Recorders	Jo Mo	Donald Cult	ural Heritage l	Management		<u>Permits</u>	2470	
5-5-3234	EPRC1		GDA	56	297040	6255945	Open site	Valid	Artefact : -		100562
	<u>Contact</u>		Recorders	Navi	n Officer Her	itage Consulta	nts Pty Ltd		<u>Permits</u>	2550,2666	
5-5-3235	Erskine Park	1 (EP1)	AGD	56	296722	6256329	Open site	Valid	Artefact : -		
	<u>Contact</u>		Recorders	Navi	n Officer Her	itage Consulta	nts Pty Ltd		<u>Permits</u>	2550,2666	

Report generated by AHIMS Web Service on 11/03/2014 for Sam Cooling for the following area at Lat, Long From : -33.8072, 150.8108 - Lat, Long To : -33.7924, 150.8344 with a Buffer of 1000 meters. Additional Info : Prep of arch assess. Number of Aboriginal sites and Aboriginal objects found is 63

This information is not guaranteed to be free from error omission. Office of Environment and Heritage (NSW) and its employees disclaim liability for any act done or omission made on the information and consequences of such acts or omission.



# AHIMS Web Services (AWS) Extensive search - Site list report

Your Ref Number: 13-0493

Client Service ID: 127926

<u>SiteID</u>	<u>SiteName</u>	<b>Datum</b>	Zone	<u>Easting</u>	<b>Northing</b>	<b>Context</b>	Site Status	<u>SiteFeatures</u>	i	<u>SiteTypes</u>	Reports
5-5-3286	ISF2 Jacfin	AGD	56	5 299720	6256730	Open site	Valid	Artefact : -			
	Contact	Recorders	<u>s</u> Jo	McDonald Cul	tural Heritage	Management		P	ermits	2610	
5-5-3283	EPP 1	GDA	56	5 296722	6256329	Open site	Valid	Artefact : 1			
	Contact S Scanlon	Recorders	s Na	vin Officer He	ritage Consulta	ants Pty Ltd,Mr.Cl	narles Dearling	<u>P</u>	<u>ermits</u>		
5-5-3284	EPP 2	GDA	56	5 296969	6256262	Open site	Valid	Artefact : 1			
	Contact S Scanlon	Recorders	s Na	vin Officer He	ritage Consulta	ants Pty Ltd,Mr.Cl	narles Dearling	<u>P</u>	ermits		
5-5-3312	EPRC2	AGD	56	5 296990	6256005	Open site	Valid	Artefact : -			100562
	Contact	Recorders	s Na	vin Officer He	ritage Consulta	nts Pty Ltd		<u>P</u>	<u>ermits</u>	2666	
5-4-0205	RC 2;	AGD	56	5 298150	6258750	Open site	Valid	Artefact : -		Open Camp Site	2434,98435
	Contact	Recorders	<u>s</u> Jo	hn Edgar				<u>P</u>	ermits	452	
5-5-0562	Blacktown Southwest 10 Colyton	AGD	56	5 297880	6256420	Open site	Valid	Artefact : -		Open Camp Site	1007,1050,984
											35
	Contact	Recorders		n Kohen	60 <b>2</b> 0020		** 1. 1		<u>'ermits</u>		0=0.400=.404
5-5-0482	Colyton 2 Colyton	AGD	56	5 297240	6259250	Open site	Valid	Artefact : -		Open Camp Site	972,1007,1018 1050,3574
	Contact	Recorders	s Ma	arv Dallas Con	sulting Archae	ologists		P	ermits	1072,1092,1852	1030,3374
5-5-0561	Blacktown Southwest 9 Colyton	AGD		5 297580	6256310	Open site	Valid	Artefact : -		Open Camp Site	1007,1050,98
	·					•					35
	<u>Contact</u>	Recorders	<u>s</u> Jir	n Kohen				<u>P</u>	<u>'ermits</u>		
5-5-3842	EPLR1	GDA	56	5 298970	6256569	Open site	Valid	Artefact : -			
	Contact	Recorders	<u>s</u> M:	r.Kelvin Office	r,Biosis Resear	ch Pty Ltd Sydney	Office	P	<u>ermits</u>	3262,3340	
5-5-3843	RCIF1	AGD	56	5 298621	6256456	Open site	Valid	Artefact : -			
	Contact	Recorders	<u>s</u> M1	r.Kelvin Office	r,Biosis Resear	ch Pty Ltd Sydney	Office	<u>P</u>	<u>ermits</u>	3262,3340	
5-5-3936	ROPES CREEK AS4	GDA	56	5 298002	6256241	Open site	Valid	Artefact : 1			
	Contact	Recorders	<u>s</u> M:	r.Lyndon Patte	rson				<u>ermits</u>		
5-5-3935	Erskine Park 2 (EP2)	AGD	56	5 296969	6256262	Open site	Valid	Artefact: 8			
	Contact	Recorders	s Na	ivin Officer He	ritage Consulta	ants Pty Ltd		<u>P</u>	<u>ermits</u>		
5-5-3937	ROPES CREEK AS3	GDA	56	5 298214	6256217	Open site	Valid	Artefact : 1			
	Contact	Recorders	<u>s</u> M:	r.Lyndon Patte	rson			<u>P</u>	<u>ermits</u>		
5-5-3938	ROPES CREEK AS2	GDA	56	5 298533	6256290	Open site	Valid	Artefact : 1			
	Contact	Recorders	<u>s</u> M:	r.Lyndon Patte	rson			<u>P</u>	<u>ermits</u>		
5-5-3939	ROPES CREEK AS1	GDA	56	5 298768	6256397	Open site	Valid	Artefact : 1			
	<u>Contact</u> Deerubbin LALC	Recorders	<u>s</u> M	r.Lyndon Patte	rson			<u>P</u>	<u>ermits</u>		
5-5-3942	Erskine Park AS1	GDA	56	5 297476	6257026	Open site	Valid	Artefact : 54			
	Contact	Recorders	<u>s</u> Bi	osis Research	Pty Ltd Sydney	Office		<u>P</u>	<u>ermits</u>		
5-5-4192	EASTERN CREEK IF 1	GDA	56	5 297990	6258073	Open site	Valid	Artefact : 1			

Report generated by AHIMS Web Service on 11/03/2014 for Sam Cooling for the following area at Lat, Long From : -33.8072, 150.8108 - Lat, Long To : -33.7924, 150.8344 with a Buffer of 1000 meters. Additional Info : Prep of arch assess. Number of Aboriginal sites and Aboriginal objects found is 63

This information is not guaranteed to be free from error omission. Office of Environment and Heritage (NSW) and its employees disclaim liability for any act done or omission made on the information and consequences of such acts or omission.



Contact

# AHIMS Web Services (AWS) Extensive search - Site list report

Your Ref Number: 13-0493 Client Service ID: 127926

**Permits** 

SiteID SiteName Datum Zone Easting Northing Context Site Status Site Features Site Types Reports

Biosis Research Ptv Ltd Sydney Office

Recorders

# Appendix B

New AHIMS Site Cards



# **Aboriginal Site Recording Form**



AHIMS Registrar PO Box 1967, Hurstville NSW 2220

Office Use Only		
	Site Number	
Date received	Date entered into system Date catalogued	
Entered by (I.D.)		
Information A	Access	
Gender/mal	e Gender/female Location restriction General restriction No access	Office Use Only
For Further I	nformation Contact:	
Nominated	Trustee	
Title	Surname First Name Initials	
		Client on
Organisation		system
Address		
Phone number	Fax	
Knowledge	e Holder	
Title	Surname First Name Initials	Client on
		system
Organisation		
Address		
Phone number	Fax Fax	
Aboriginal H	Heritage Unit or Cultural Heritage Division Contacts	
Geographic	Location	
Site Name	Archbold Road 1	
Easting	1 5 0 4 9 Northing 3 3 4 7 3 3 AGD/GDA GDA	
Mapsheet [		
Zone	Location Method Client GIS or CAD System	
	Other Registration	
	Cities Registration	
Primary Re	corder	
Title	Surname First Name Initials	
M r	T y I e r B e e b e	
Organisation	G M L	Client on
Address	7 8 G e o r g e S t R e d f e r n	system
Phone number	9 3 1 9 4 8 1 1 Fax	
Date recorded		

NPWS Aboriginal Site	e Recording Forn	n - Site Information page 2
	OPEN/CLOSE SITE	Open Site
Site Context		
Landform L	andform Unit	
Mountainous	Beach	Tidal Flat Upper slope Stream bank
Plain	Coastal rock platform	Cliff Plain Stream channel
Rolling hills	Dune	Crest Ridge Swamp
Steep hills	Intertidal flat	Flat Tor Terrace
✓ Undulating plain	Lagoon	Lower slope Valley flat Terrace flat
Slope	Tidal Creek	Mid slope Levy
degrees		
	and use	Water
Closed forest	Conservation	Distance to permanent water source 9 0 0 metres
Grasslands	Established urban	Distance to temporary water source 5 0 0 metres
Isolated clumps of trees	Farming-intensive	Name of nearest permanent water source Ropes Crk
✓ Open forest	Farming-low intensity	Name of nearest temporary water unnamed
Open woodland	Forestry	Directions for Relocation
Scrub	Industrial	Directions for Relocation
Woodland	Mining	
Cleared	Pastoral/grazing	
Revegetated	Recreation	
N/A	Semi-rural	
	Service corridor	
<u> </u>	Transport corridor	Site Location Map
	Urban expansion	NW N NE
	N/A	
Current Land Tenure National Park	/ other Government	
Public Dept.	7 other Government	
Private		
Primary report I.D.	(I.D. Office Use only)	
GML 2014. ATR and ACHAR.		
Waste Facility, Eastern Creek,		W
1145808.		
		SW S SE

#### **NPWS Aboriginal Site Recording Form - Site Information** page 3 **General Site Information Features Closed Site Open Site** 1. Aboriginal Ceremony & Dreaming 2. Aboriginal Resource & Gathering Shelter/Cave Formation Rock Surface Condition **Site Orientation** N-S 3. Art Boulder Boulder ✓ 4. Artefact Wind erosion NE-SW Sandstone platform Water erosion E-W Silica gloss 5. Burial Rock collapse SE-NW Tessellated 6. Ceremonial Ring Weathered N/A 7. Conflict Other platform 8. Earth Mound 9. Fish Trap **Condition of Ceiling Shelter Aspect** 10. Grinding Groove Boulder North 11. Habitation Structure North East Sandstone platform 12. Hearth East Silica gloss 13. Non Human Bone & Organic Material Tessellated South East 14. Ochre quarry Weathered South √ 15. Potential Archaeological Deposit Other platform South West 16. Stone Quarry West 17. Shell North West 18. Stone Arrangement 19. Modified Tree 20. Water Hole Site Plan Indicate scale, boundaries of site, features NW NE **Site Dimensions** Closed Site Dimensions (m) Internal length Internal width Shelter height Е Shelter floor area Open Site Dimensions (m) 250 Total length of visible site 350 Average width of visible site Estimated area of visible site 250 Length of assessed site area S

noriginal Community Int	ernretatio	n and M	anager	nent R	Secui	mme	ndat	ions									
Aboriginal Community Int																	
The Aboriginal Communi	ty nas ass	essea in	e site as	<u>s navir</u>	<u>ig a r</u>	iign s	SOCIA	ıı van	ue.								
Preliminary Site Asse	essment	t															
Site Cultural & Scientific			iminary	/ Mana	agem	ent F	Reco	omm	end	atio	ns						
The site has high archaeo												s ha	d en	ma a	ffect	on so	vil
															песі	011 50	/11
conditions but the soil inte	grity rema	ııns ıarge	iy intact	. It IS r	econ	ımen	<u>aea</u>	tnat	tne s	site	be (	cons	erve	<del>2</del> a			
his section should only be	e filled in b	y the End	dorsees														
				inated	I Trus	stee		Na	tive -	Title	e Ho	older		Co	ommi	unity (	Conser
		Holder	Nom	inated	I Trus	stee		Na				older	. [	Co	ommı	unity (	
Endorsed by: Kn		Holder		inated	I Trus	stee		Na					. [	Co	ommu		
Endorsed by: Kn		Holder	Nom	inated	I Trus	stee		Na <sup>-</sup>					. [	Co	ommu		
Endorsed by: Kn Title Organisation		Holder	Nom	inated	I Trus	stee		Na						Co	ommu		
Endorsed by: Kn		Holder	Nom	inated	I Trus	stee		Na						Ccc	ommu		
Endorsed by: Kn Title Organisation		Holder	Nom	inated	I Trus		ax [	Na Na						Co	DMMN(		
Endorsed by: Kn Title Organisation Address Phone number	owledge H	Holder Su	Nom	inated	I Trus			Na						Ccc	pmmu		
Endorsed by: Kn Title Organisation Address Phone number Attachments (No.)	owledge H	Holder	Nom	inated	I Trus			Na Na						Ccc	ommu 		
Endorsed by: Kn Title Organisation Address Phone number	owledge H	Holder Su	Nom	inated	I Trus			Na						Coo	pmmo		
Endorsed by: Kn Title Organisation Address Phone number Attachments (No.)	owledge H	Holder Su	Nom	inated	I Trus			Na Na						Ccc	ommu 		
Endorsed by: Kn Title Organisation Address Phone number Attachments (No.) A4 location map	owledge H	Holder Su	Nom	inated	I Trus			Na						Co	pmmu		
Attachments (No.)  A4 location map  B/W photographs	owledge H	Holder Su	Nom	inated	I Trus			Na						Ccc	ommu 		
Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs Slides	owledge H	Holder Su	Nom	inated	I Trus			Na						Co	pmmu		
Attachments (No.)  Ad location map  B/W photographs  Colour photographs  Slides  Aerial photographs	owledge H	Holder Su	Nom	inated	I Trus			Na						Ccc	pmmu		
Attachments (No.)  A4 location map  B/W photographs  Colour photographs  Slides  Aerial photographs  Site plans, drawings	owledge H	Holder Su	Nom	inated	I Trus			Na						Co	pmmu		
Attachments (No.)  Ad location map  B/W photographs  Colour photographs  Slides  Aerial photographs	owledge H	Holder Su	Nom	inated	I Trus			Na						Co	pmmu		
Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs Slides Aerial photographs Site plans, drawings	owledge H	Holder Su	Nom	inated	I Trus			Na							DOMMIC 		



# **Aboriginal Site Recording Form**



AHIMS Registrar PO Box 1967, Hurstville NSW 2220

Office Use Only	
Site Number	
Date received Date entered into system Date catalogued	
Entered by (I.D.)	
Information Access	
Gender/male Gender/female Location restriction General restriction No access	Office Use Only
For Further Information Contact:	
Nominated Trustee	
Title Surname First Name Initials	
	Client on
Organisation Organisation	system
Address	
Phone number Fax	
Knowledge Holder	
Title Surpome First Name Initials	
	lient on system
Organisation	
Address	
Phone number	
Aboriginal heritage offic of Cultural Heritage Division Contacts	
Geographic Location	
Site Name A r c h b o l d R o a d 2	
Easting 1 5 0 4 9 Northing 3 3 4 7 5 1 AGD/GDA GDA	
Mapsheet	
Zone 56 Location Method Client GIS or CAD System	
Other Registration	
Suisi regionation	
Primary Recorder	
Title Surname First Name Initials	
Mr Tyler Beebe	
	Client on
Address 7 8 George St Redfern	system
Phone number 9 3 1 9 4 8 1 1 Fax	
Date recorded	

NPWS Aboriginal Si	ite Recording Forr	m - Site Information	page 2
	OPEN/CLOSE SITE	Open Site	
Site Context		<u> </u>	
Landform	Landform Unit		
Mountainous	Beach	Tidal Flat Upper slope	Stream bank
Plain	Coastal rock platform	Cliff Plain	✓ Stream channel
Rolling hills	Dune	Crest Ridge	Swamp
Steep hills	Intertidal flat	Flat Tor	Terrace
✓ Undulating plain	Lagoon	✓ Lower slope Valley flat	Terrace flat
Slope	Tidal Creek	Mid slope Levy	
degrees			
Vegetation	Land use	Water	
Closed forest	Conservation	Distance to permanent water source	475 metres
<b>✓</b> Grasslands	Established urban	Distance to temporary water source	5 0 0 metres
Isolated clumps of trees	Farming-intensive	Name of nearest permanent water source	Ropes Crk
Open forest	Farming-low intensity	Name of nearest temporary water	unnamed
Open woodland	Forestry	Discretic on Con Duly	-0
Scrub	Industrial	Directions for Reloca	ation
Woodland	Mining		
Cleared	✓ Pastoral/grazing		
Revegetated	Recreation		
N/A	Semi-rural		
	Service corridor		
	Transport corridor	Site Location N	lan
	Urban expansion	NW N	NE
	N/A		S P
Current Land Tenure	als / ath an Cassamana ant		The sales
Public Dept.	rk / other Government		
Private			
Primary report I.D.	(I.D. Office Use only)		
GML 2014. ATR and ACHAR			
Waste Facility, Eastern Creek			
1145808.		W	E
		SW	
		S	SE

#### **NPWS Aboriginal Site Recording Form - Site Information** page 3 **General Site Information Features Closed Site Open Site** 1. Aboriginal Ceremony & Dreaming 2. Aboriginal Resource & Gathering Shelter/Cave Formation Rock Surface Condition **Site Orientation** N-S 3. Art Boulder Boulder ✓ 4. Artefact Wind erosion NE-SW Sandstone platform Water erosion E-W Silica gloss 5. Burial Rock collapse SE-NW Tessellated 6. Ceremonial Ring Weathered N/A 7. Conflict Other platform 8. Earth Mound 9. Fish Trap **Condition of Ceiling Shelter Aspect** 10. Grinding Groove Boulder North 11. Habitation Structure North East Sandstone platform 12. Hearth East Silica gloss 13. Non Human Bone & Organic Material Tessellated South East 14. Ochre quarry Weathered South √ 15. Potential Archaeological Deposit Other platform South West 16. Stone Quarry West 17. Shell North West 18. Stone Arrangement 19. Modified Tree 20. Water Hole Site Plan Indicate scale, boundaries of site, features NW NE **Site Dimensions** Closed Site Dimensions (m) Internal length Internal width Shelter height Е Shelter floor area Open Site Dimensions (m) 185 Total length of visible site 220 Average width of visible site Estimated area of visible site 185 Length of assessed site area S

boriginal Community Into									nd C									ge 4
_	erpretatio	n and N	lanage	ment	Recor	nmei	ndat	ions	;									
The Aboriginal Communit	y has ass	essed th	e site a	as hav	ing hig	h soc	cial v	alue	) <u>.</u>									
reliminary Site Asse	essment																	
ite Cultural & Scientific			liminaı	y Mar	nagem	ent F	Reco	mm	enda	atio	ns							
The site has moderate arc	haeologica	al potent	ial and	scien	tific va	lue. L	_ow i	nten	sity	agrio	cultu	ıre a	ınd j	oasto	oral g	ırazin	g has	<u> </u>
had minor impact on the se	oils condit	ion but tl	ne inte	grity re	emains	large	ely in	tact	. It is	rec	omr	nen	ded	that	the s	ite be	)	
conserved.																		
his section should only be	filled in by	/ the End	dorsee	S														
	•				ed Trus	stee		Na	tive ]	Γitle	Hol	der		Co	mmı	unity (	Conse	∍ns
	•	lolder			ed Trus	stee		] Na		Γitle First				Со	mmı	unity (	Conse	ens
ndorsed by: Kno	•	lolder	Noi		ed Trus	stee		Nat						Co	mmı			∍ns
indorsed by: Knd	•	lolder	Noi		ed Trus	stee		Nat						Co	mmu			∍ns
indorsed by: Knd Title Organisation	•	lolder	Noi		ed Trus	etee		Nat						Co	mmu			∍ns
Andorsed by: Kno Title Organisation Address	•	lolder	Noi		ed Trus			Nat						Co	mmu			∍ns
indorsed by: Knd Title Organisation	•	lolder	Noi		ed Trus		ax	Nat						Co	mmu			∍ns
Andorsed by: Kno Title Organisation Address Phone number	owledge H	lolder	Noi		ed Trus		ax [	Nati						Co	mmu			∍ns
Attachments (No.)	owledge H	older Su	Noi		ed Trus		ax	Nat						Co	mmu			∍ns
Organisation Address Phone number Attachments (No.)  A4 location map	owledge H	older Su	Noi		ed Trus		ax [	Nat						Co	mmu			ens
Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs	owledge H	older Su	Noi		ed Trus		ax	Nat						Co	mmu			∍ns
Attachments (No.)  Advisor No.)  At location map  B/W photographs  Colour photographs	owledge H	older Su	Noi		ed Trus		ax	Nat						Co	mmu			∍ns
Organisation Address Phone number  Attachments (No.)  A4 location map  B/W photographs  Colour photographs  Slides	owledge H	older Su	Noi		ed Trus		ax	Nat						Co	mmu			∍ns
Attachments (No.)  A4 location map  B/W photographs  Colour photographs	owledge H	older Su	Noi		ed Trus		ax	Nat						Coo	mmu			∍ns
Organisation Address Phone number  Attachments (No.)  A4 location map  B/W photographs  Colour photographs  Slides	owledge H	older Su	Noi		ed Trus		ax	Nat						Co	mmu			ens
Organisation Address Phone number  Attachments (No.)  A4 location map  B/W photographs  Colour photographs  Slides  Aerial photographs	owledge H	older Su	Noi		ed Trus		aax	Nat						Coo	mmu			∍ns
Title Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs Slides Aerial photographs Site plans, drawings	owledge H	older Su	Noi		ed Trus		ax	Nat						Co	mmu			⇒ns



# **Aboriginal Site Recording Form**



AHIMS Registrar PO Box 1967, Hurstville NSW 2220

Office Use Only	
Site Number	
Date received/ Date entered into system/ Date catalogued/	
Entered by (I.D.)	
Information Access	
Gender/male Gender/female Location restriction General restriction No access	Office Use Only
For Further Information Contact:	
Nominated Trustee  Title Surname First Name Initials	
Title Sufficient Tits Name initials	011 1
Overvication	Client on system
Organisation Address Address	
Phone number Fax	
Knowledge Holder	
Title Surname First Name Initials	Client on
	system
Organisation	
Address	
Phone number Fax	
Aboriginal Heritage Unit or Cultural Heritage Division Contacts	
Geographic Location	
Site Name E F W S o u t h	
Easting 1 5 0 4 9 Northing 3 3 4 8 1 0 AGD/GDA GDA	
Mapsheet	
Zone 56 Location Method Client GIS or CAD System	
Other Registration	
Primary Recorder  Title Surname First Name Initials	
Mr Tyler Beebe	
Organisation G M L	Client on
Address 7 8 G e o r g e S t R e d f e r n	system
Phone number 9 3 1 9 4 8 1 1 Fax	
Date recorded	

OPEN/CLOSE SITE Open Site	
Site Context	
Landform Landform Unit	
Mountainous Beach Tidal Flat Upper slope Stream bank	
Plain Coastal rock platform Cliff Plain ✓ Stream channe	l
Rolling hills Dune Crest Ridge Swamp	
Steep hills Intertidal flat Flat Tor Terrace	
✓ Undulating plain Lagoon Lower slope Valley flat ✓ Terrace flat	
Slope Tidal Creek Mid slope Levy	
degrees	
degrees	
Vegetation Land use Water	
Closed forest Conservation Distance to permanent water source 900 metres	;
✓ Grasslands Established urban Distance to temporary water source 0 metres	3
Isolated clumps of trees Farming-intensive Name of nearest permanent water source Ropes C	r k
Open forest	
Open woodland Forestry	
Scrub Directions for Relocation	
Woodland Mining —	
Cleared Pastoral/grazing	
Revegetated Recreation	
N/A Semi-rural	
Service corridor	—
Transport corridor	
Urhan expansion Site Location Map	NE
N/A	INE
Current Land Tenure	13
National Park / other Government	
Public Dept.	1
Private	
Primary report I.D. (I.D. Office Use only)	11 ))))
GML 2014. ATR and ACHAR. Proposed Energy from	ANY ANY
Waste Facility, Eastern Creek, Lots 2 and 3 in DP	T E
1145808.	
	#
SW S	SE

#### **NPWS Aboriginal Site Recording Form - Site Information** page 3 **General Site Information Features Closed Site Open Site** 1. Aboriginal Ceremony & Dreaming 2. Aboriginal Resource & Gathering Shelter/Cave Formation Rock Surface Condition **Site Orientation** N-S 3. Art Boulder Boulder ✓ 4. Artefact Wind erosion NE-SW Sandstone platform Water erosion E-W Silica gloss 5. Burial Rock collapse SE-NW Tessellated 6. Ceremonial Ring Weathered N/A 7. Conflict Other platform 8. Earth Mound 9. Fish Trap **Condition of Ceiling Shelter Aspect** 10. Grinding Groove Boulder North 11. Habitation Structure North East Sandstone platform 12. Hearth East Silica gloss 13. Non Human Bone & Organic Material Tessellated South East 14. Ochre quarry Weathered South √ 15. Potential Archaeological Deposit Other platform South West 16. Stone Quarry West 17. Shell North West 18. Stone Arrangement 19. Modified Tree 20. Water Hole Site Plan Indicate scale, boundaries of site, features NW NE **Site Dimensions** Closed Site Dimensions (m) Internal length Internal width Shelter height Е Shelter floor area Open Site Dimensions (m) 230 Total length of visible site 200 Average width of visible site Estimated area of visible site 230 Length of assessed site area S

\boriginal Community Inte	
	terpretation and Management Recommendations
The Aboriginal Communit	ity has assessed the site as having a high social value.
Preliminary Site Asse	essment
ite Cultural & Scientific	Analysis and Preliminary Management Recommendations
The site has high archaeol	ological potential and scientific value. Low intensity agriculture and pastoral grazing has had
some impact on soil condit	itions, but the site's soil integrity remains largely intact. It is recommended that test excavations
be carried out, followed by	y possible salvage excavations prior to development.
This postion should only be	filled in but the Endergoe
-	e filled in by the Endorsees
	e filled in by the Endorsees  owledge Holder Nominated Trustee Native Title Holder Community Consens
Endorsed by: Kno	owledge Holder Nominated Trustee Native Title Holder Community Consens
Endorsed by: Knd	owledge Holder Nominated Trustee Native Title Holder Community Consens
Endorsed by: Kno Title Organisation	owledge Holder Nominated Trustee Native Title Holder Community Consens Surname First Name Initials
Endorsed by: Kno Title Organisation Address	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Endorsed by: Kno Title Organisation	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Endorsed by: Kno Title Organisation Address Phone number	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Endorsed by: Kno Title Organisation Address Phone number	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Endorsed by: Kno Title Organisation Address Phone number  Attachments (No.)  A4 location map	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Endorsed by: Kno Title Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Title Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Endorsed by: Kno Title Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs Slides	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Title Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs Slides Aerial photographs	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Title Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs Slides Aerial photographs Site plans, drawings	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Title Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs Slides Aerial photographs	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials
Title Organisation Address Phone number  Attachments (No.)  A4 location map B/W photographs Colour photographs Slides Aerial photographs Site plans, drawings	owledge Holder Nominated Trustee Native Title Holder Community Consense Surname First Name Initials